

種名	出現 地点数 (3次)	出現 頻度 (%)	21 善福寺川緑地(2)				22 和田郡公園				23 大宮八幡				24 和田郡公園予定地				25 済美山雑木林				26 富士銀行グラウンド				
			1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	
アブラスキ	0	0.0																									
チガヤ	26	59.1		●	4	1		●	●	4	1										●	●		4	3		
オギ	16	36.4						●		4	1				●	4	0.1		●								
ススキ	36	81.8	●											●	4	0.1		●	●	4	1		●	●	4	2	
ヒメアシボソ	0	0.0																					●				
アシボソ	21	47.7						●		4	1	●	●	4	1	●	●					●	●		4	3	
セイパンモロコシ	11	25.0						●							●												
イネ科sp.-4	1	2.3	●					●	●	4	0.1			●													
コブナグサ	8	18.2								●	●	4	0.1												4	1	
オガルカヤ	1	2.3						●	●															●		4	1
ウシノシツベ	1	2.3	●																								
ジュズダマ	18	40.9	●											●	●				4	2		●	●		4	0.1	
ネズミムギ	7	15.9																									
ホソムギ	6	13.6												●	●	4	2										
コウライシバ	19	43.2																	●	2	1		●		4	5	
クロチク	5	11.4																									
ケイヌビエ	0	0.0																									
ミチシバ	0	0.0																									
イヌアワ	0	0.0																									
イネ科sp.-1	0	0.0																									
カンザンチク	1	2.3																									
ハチク	2	4.5						●		3	1																
ウシノケグサ	0	0.0						●																			
メガルガヤ	2	4.5						●	●	1	3																
ネズミノオ	2	4.5												●					●								
ミヤコザサ	3	6.8																									
オビダシバ	0	0.0																									
イネ科sp.-3	0	0.0																									
スズメノチャヒキ	1	2.3																									
イネ科sp.-2	0	0.0																									
アワ	1	2.3																									
キビ	1	2.3																									
アワガエリ	0	0.0																									
コメスキ	0	0.0																									
ハルガヤ	0	0.0																									
カンチク	2	4.5																									
オオムギ	2	4.5																									
タイミンチク	1	2.3																									
ヌカボ	1	2.3																4	0.1								
オカルガヤ	2	4.5																									
ヤマヌカボ	1	2.3																									
シラゲガヤ	1	2.3																									
ササ属sp.	1	2.3																									
ヒメカナリークサヨシ	2	4.5																									
ツルヨシ	1	2.3																									
モロコシ	1	2.3																									
ヒメクグ	6	13.6						●	●	4	1						4	0.1									
ハマスゲ	21	47.7			4	1		●	●	4	0.1							●					●				
コゴメガヤツリ	8	18.2	●	●	4	1		●		4	0.1											●					
カヤツリグサ	33	75.0	●	●	4	1				●	●	4	1									●	●		4	1	
チャガヤツリ	0	0.0																									
タマガヤツリ	2	4.5						●	●					●	●												
アオガヤツリ	0	0.0						●	●																		
シロガヤツリ	1	2.3																									
ヒラボガヤツリ	0	0.0																									
フトイ	1	2.3						●												●							
ミコシガヤ	0	0.0																									
マスクサ	17	38.6						●		4	1			●			4	1							4	1	
ヤブスゲ	9	20.5	●							●				●			4	1					●		4	1	
カワラスゲ	0	0.0																									
アゼスゲ	4	9.1																									
テキリスゲ	3	6.8																									
コカンスゲ	0	0.0																									
アオスゲ	2	4.5	●	●	4	0.1													●	●							
ヒメカンスゲ	2	4.5	●	●	4	1				●	●	4	1						●				●				
カンスゲ	2	4.5																									
タガネソウ	2	4.5																									
ヒゴクサ	9	20.5						●		4	1			●					●	●					4	0.1	
ナキリスゲ	2	4.5								●	●	4	1					●									
アゼカヤツリ	3	6.8																									
カサスゲ	0	0.0																						●			
クグテンツキ	0	0.0																									
ナルコスゲ	10	22.7																									
クグガヤツリ	1	2.3								●												●	2	1			
イガガヤツリ	0	0.0																				●					
スゲ属sp.	0	0.0																									
ヒナガヤツリ	0	0.0																									
ヌマガヤツリ	0	0.0																									
ヒカグスゲ	12	27.3																							4	0.1	
モエギスゲ	1	2.3																									
シュロ	26	59.1	●		2	1				●	●	2	1	●	●	2.4	1					●	●		2.3	2	
トウジュロ	2	4.5								4	0.1												●				
シュロチク	2	4.5								●		3	1														

種名	出現 地点数 (3次)	出現 率 (%)	21 善福寺川緑地(2)				22 和田郷公園				23 大宮八幡				24 和田郷公園予定地				25 済美山雑木林				26 富士銀行グラウンド			
			1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度
カラスビシャク	21	47.7											●	●	4	0.1					●	●	4	0.1		
ウラシマソウ	3	6.8											●	●	4	1										
シヨウブ	4	9.1						●	4	2																
セキショウ	10	22.7			4	1				●	●	4	1													
アリスガワセキショウ	4	9.1															●	●	4	2						
アオナムシグサ	0	0.0																								
オランダカイウ	0	0.0																								
サゼンソウ	2	4.5																								
ヒメカイウ	1	2.3																								
マムシグサ	1	2.3																								
ヤブミョウガ	19	43.2					●	●	4	1				●	●						●	●	4	1		
ツユクサ	42	95.5	●	●	4	1				●	●	4	1	●	●	4	1					●	●	4	3	
ノハカタカラクサ	25	56.8												●	●									4	1	
ムラサキツユクサ	25	56.8								●	4	1	●	●										4	1	
オオボウシバナ	2	4.5																								
ムラサキオモト	2	4.5																								
コナギ	0	0.0															●	●								
ホテイアオイ	3	6.8																								
スズメノヤリ	10	22.7					●	●	4	1											●	●	4	2		
クサイ	12	27.3												●	●							●				
イ	5	11.4								●	4	1		●	●	4	1									
ホソイ	0	0.0																								
ホトトギス	17	38.6								●	●	4	1	●	●	4	1									
ヤマジノホトトギス	2	4.5																						4	1	
ヤマホトトギス	4	9.1															●	●						4	1	
スジギボウシ	1	2.3					●												4	0.1						
オオバギボウシ	3	6.8																								
ノカンゾウ	21	47.7														4	0.1							4	0.1	
ヤブカンゾウ	19	43.2					●	●	4	1			●	●	4	0.1	●	●				●	●	4	0.1	
ニラ	22	50.0					●	●	4	1														4	1	
ノビル	31	70.5	●	●	4	1				●	●	4	1	●	●									4	0.1	
ウバユリ	3	6.8																								
カノコユリ	2	4.5															●	●	4	0.1						
オニユリ	3	6.8																								
ヤマユリ	11	25.0												●												
カタクリ	2	4.5																	●	4	1					
アマナ	7	15.9																								
ツルギ	19	43.2																				●	●	4	1	
オランダキジカクシ	0	0.0															●	●								
タチテンモンドウ	0	0.0																								
アマドコロ	7	15.9	●							●	4	1									●	●	4	0.1		
ナルコユリ	5	11.4														4	0.1	●	●	4	0.1					
ワニグサ	2	4.5															●	●								
ホウチャクソウ	12	27.3												●	4	0.1	●	●			●	●	4	0.1		
チゴユリ	2	4.5															●	●	4	2						
オオチゴユリ	0	0.0																								
キチジョウソウ	13	29.5															●	●			●	●	4	1		
スズラン	10	22.7															●	●	4	1		●	●	4	1	
ハラシ	13	29.5															●	●			●	●	4	1		
オモト	12	27.3												●	●	4	0.1					●	●	4	1	
エンレイソウ	1	2.3																								
ヒメヤブラン	2	4.5															●	●	4	3		●				
コヤブラン	1	2.3															●	●	4	3						
ヤブラン	28	63.6					●	●	4	1							●	●	4	0.1	●	●	4	0.1		
ジャノヒゲ	40	90.9	●	●	4	1				●	●	4	1	●	●	4	2	●	●	4	0.1	●	●	4	0.1	
シオデ	8	18.2					●	4	1			●	4	0.1	●	●					●	●	4	0.1		
サルトリイバラ	6	13.6								●	4	1	●	●			●	●								
ヤマカシユウ	1	2.3																								
ハナニラ	16	36.4			●	4	1	●	●					●	●											
キミガヨラン	9	20.5			●	4	0.1									4	0.1					●	●	4	1	
ショウジョウバカマ	2	4.5						4	1																	
ギボウシ属sp.	12	27.3								●	4	1														
タチギボウシ	1	2.3																								
ツクバネソウ	1	2.3																		●						
ジャーマンアイリス	7	15.9																		●						
テッポウユリ	2	4.5																								
マイヅルソウ	0	0.0																								
ヒヤシンス	1	2.3																								
コオニユリ	4	9.1																								
ジョウロウホトトギス	1	2.3																								
スカシユリ	2	4.5																								
ナギイカダ	1	2.3																								
バイモ	2	4.5																								
キジカクシ	1	2.3																								
ドイツスズラン	3	6.8					●	●	1	1																
オオバジャノヒゲ	1	2.3																								
ノシラン	0	0.0																								
オオアマナ	0	0.0																								
イトラン	2	4.5																								
アスパラガス	1	2.3																								
オリヅルラン	3	6.8																								
コバギボウシ	2	4.5																								
チューリップ	4	9.1																								

種名	出現 地点数 (3次)	出現 頻度 (%)	21 善福寺川緑地(2)				22 和田郷公園				23 大宮八幡				24 和田郷公園予定地				25 済美山雑木林				26 富士銀行グラウンド					
			1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度		
コナラ	20	45.5								●	●	1	2	●	●	1.3	3	●	●	1	2	●	●	2	1			
カシワ	9	20.5						●	●	1	1							●	●	1	1							
クヌギ	20	45.5								●	●	1	1															
クリ	17	38.6								●	●	1	1						●	1	1							
ツブラジイ	1	2.3						●	●	1	4																	
スダジイ	21	47.7	●	●	1	3	●	●	1	1			●	1	1	●	●	1.2	2				●	●	2	3		
マテバシイ	19	43.2		●	1	1	●	●	2	3													●	●	2	3		
イヌブナ	3	6.8																										
ナラガシワ	0	0.0																										
ウラジロガシ	2	4.5						●	4	1																		
アキニレ	9	20.5	●	●	1	2												●	●	1	3							
ハルニレ	7	15.9					●	●	1	3								●	●	1.3	2							
ケヤキ	40	90.9		●	1	2	●	●	1	1	●	●	1	1	●	●	1.3	1	●	●	1.3	1	●	●	1	2		
エノキ	39	88.6	●				●	●	1	2	●	●	1	1	●	●	1	1	●	●	4	1	●	●	1	1		
ムクノキ	29	65.9						4	0.1	●	●	1	1	●	●	1.3	3	●	●	2.3	2	●	●	2	1	1		
クワクサ	37	84.1					●	●	2	1			3	0.1	●	●	4	0.1		●			●	●	4	3		
ヤマグワ	13	29.5	●							●	●	3	1	●	●	3	1		●	3	1			●				
クワ	38	86.4					●	3	1						●	4	0.1	●	●	4	1			●	3.4	0.1		
コウゾ(ヒメコウゾ)	26	59.1					●	4	1			●	3	1		●							●	●	3	0.1		
カナムグラ	30	68.2		●	4	1				●	●	3	1	●	●	4	2						●					
ヒメイタビ	0	0.0																										
イチジク	2	4.5																										
ヒメコウゾ	1	2.3																										
ツルコウゾ	0	0.0																										
イヌビワ	1	2.3																										
ムカゴイラクサ	0	0.0																										
アオミズ	5	11.4												●				●	●									
ミス	4	9.1												●														
カテンソウ	1	2.3	●																									
ウワバミソウ	1	2.3																										
カラムシ	14	31.8		●	4	1				●	●	4	0.1										●	●				
コアカソ	1	2.3																										
アカソ	0	0.0																										
オニヤブマオ	1	2.3					●	●	4	1																		
ヤブマオ	23	52.3								●	4	0.1		●				●	●	4	1	●						
メヤブマオ	1	2.3																										
ウマノスズクサ	4	9.1					●	●	4	1																		
ゼニバサイシン	1	2.3					●	●	1	1																		
タマノカンアオイ	0	0.0																										
カンアオイ	3	6.8																										
ウマノスズクサ科sp.	0	0.0																										
フタバアオイ	1	2.3																										
ギシギシ	37	84.1	●	●	4	1				●	●	4	1	●	●	4	1											
ナガバギシギシ	2	4.5					●	●	4	1								●	●	4	1							
アレチギシギシ	26	59.1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●								
ミスヒキ	33	75.0					●	●	4	2	●	●	4	2	●	●	4	2		●	●	4	1	●	●	4	0.1	
ミチヤナギ	22	50.0	●	●	4	1	●	●	4	0.1														●	●	4	2	
イシミカワ	7	15.9	●	●										●	●	4	1						●	●	4	4		
ママコノシリヌグイ	2	4.5																								4	3	
ミゾソバ	2	4.5																										
ツルソバ	1	2.3						●	4	1									●	●								
オオケタデ	9	20.5					●	●	4	1					●								●	●				
オオイヌタデ	29	65.9	●	●	4	1				●	●	4	0.1		●						4	0.1	●	●	4	1		
ヤナギタデ	4	9.1																	●	●								
ボントクタデ	14	31.8								●	●	4	2	●	●				●	●	4	1	●	●				
ハナタデ	2	4.5					●	●	4	2	●	●		●	●				●	●			●	●				
イヌタデ	43	97.7	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1					●	●	4	0.1		
イタドリ	31	70.5		●	4	1				●	●	4	1	●									●	●	4	1		
シャクチリソバ	5	11.4																	●									
ヒメツルソバ	6	13.6					●																					
ハルタデ	3	6.8																								4	0.1	
サクラタデ	1	2.3																										
ツルドクダミ	0	0.0																		●								
ヒメスイバ	1	2.3																										
スイバ	3	6.8																										
シロミスヒキ	1	2.3																										
ソバ	1	2.3																										
シロアカザ	0	0.0	●											●														
アカザ	5	11.4			4	0.1			4	0.1																		
コアカザ	16	36.4					●	●	4	1			4	0.1												4	0.1	
ケアリタソウ	18	40.9	●	●	4	0.1				●	●	4	0.1															
シロザ	31	70.5		●	4	1								●										●	●	4	1	
アメリカアリタソウ	0	0.0																										
ホソバアカザ	1	2.3																										
ケアリタソウ	1	2.3																										
アオグイトウ	1	2.3					●		4	0.1																		
ホソバアオグイトウ	2	4.5					●	●	4	1	●								●	4	1							
ホナガイヌビユ	11	25.0	●				●	●	4	1	●	●	4	1	●	●			●	●	4	2						
イヌビユ	16	36.4	●	●	4	0.1			4	1	●	●	4	1	●	●	4	1	●	●				●	●	4	1	
イノコズチ	40	90.9		●	4	1	●	●			●	●	4	2	●	●	4	1						●	●	4	1	
ヒナタイノコズチ	10	22.7	●							●	●	4	1	●	●				●	●	4	1	●					
ケイトウ	3	6.8																									4	0.1
ハグイトウ	1	2.3																										

種名	出現 地点数 (3次)	出現 頻度 (%)	21 豊福寺川緑地(2)				22 和田郷公園				23 大宮八幡				24 和田郷公園予定地				25 済美山雑木林				26 富士銀行グラウンド			
			1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度
			ハリビユ	1	2.3																					
アオビユ	2	4.5						4	1			4	1													
ヤマゴボウ	2	4.5					●	●	4	1											4	0.1				
ヨウシュヤマゴボウ	40	90.9	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	1					●	●	4	3
オシロイバナ	28	63.6			4	0.1									●									●		
ザクロソウ	9	20.5																					●			
マツバギク	4	9.1																							4	0.1
ツルナ	1	2.3																								
スベリヒユ	26	59.1	●	●	4	1																	●	●	4	2
マツバボタン	4	9.1					●	●	4	1																
ハゼラン	17	38.6					●	●	4	1															4	0.1
ツメクサ	36	81.8		●	4	1					●	4	1	●	●	4	0.1						●	●	4	1
ノミノツヅリ	4	9.1					●	●	4	1																
オランダミミナグサ	38	86.4	●	●	4	1					●	4	1					●	●	4	0.1	●	●	4	1	
ミミナグサ	3	6.8					●	●	4	1													●	●	4	1
ウシハコベ	40	90.9	●	●	4	1			4	1	●	●	4	1	●	●			●	●	4	1	●	●	4	1
コハコベ	30	68.2	●	●	4	1	●	●	4	2			4	1											4	0.1
ミドリハコベ	36	81.8	●	●	4	2					●	●	4	1	●	●	4	1					●	●	4	1
ノミノフスマ	4	9.1																					●	●		
ナンバンハコベ	0	0.0																								
ムシトリナデシコ	9	20.5																	●	2	1					
フシグロセンノウ	0	0.0																								
カワラナデシコ	3	6.8																								
スイセンノウ	0	0.0																								
スイレン	6	13.6					●	1	2																	
ハス	2	4.5																								
ヒメスイレン	3	6.8																								
コウホネ	1	2.3					●	4	0.1																	
カツラ	7	15.9		1	0.1														●	●						
ボタンヅル	5	11.4								●	●	3	1													
センニンソウ	9	20.5																					●	●		
イチリンソウ	3	6.8																								
ニリンソウ	1	2.3																								
シュウメイギク	4	9.1																								
タガラシ	0	0.0																								
キツネノボタン	1	2.3					●	4	0.1																	
トゲミノキツネノボタン	0	0.0																								
アキカラマツ	0	0.0																								
カラマツソウ	3	6.8																								
オダマキ	5	11.4																								
ヒメウス	2	4.5																								
サラシナショウマ	3	6.8																							4	0.1
イヌショウマ	3	6.8																								
セリバオウレン	3	6.8					●	4	1									●	●	3.4	0.1					
セリバヒエンソウ	7	15.9	●	4	1													●	●	3.4	0.1					
ウマノアシガタ	7	15.9		4	0.1																					
アズマイチゲ	0	0.0																								
キンバイソウ	0	0.0																								
クリスマスローズ	2	4.5																								
テッセン	0	0.0																								
ミスミソウ	1	2.3																								
フクジュソウ	2	4.5																								
ボタン	6	13.6																							3	1
レンゲショウマ	2	4.5																								
シャクヤク	5	11.4																								
トリカブト	1	2.3																								
リュウキンカ	0	0.0																								
クレマチス	1	2.3															4	0.1								
ヤマシャクヤク	1	2.3																								
アケビ	18	40.9								●	●	3	1	●	●	4	1	●	●				●	●	4	0.1
ミツバアケビ	9	20.5								●	●	3	1	●	●	2.4	1						●	●	4	0.1
ムベ	9	20.5																								
メギ	3	6.8																				●	●			
ナンテン	19	43.2																					●	●	3	0.1
イカリソウ	6	13.6					●	●	3	2												●				
ヒイラギナンテン	17	38.6	●	3	1							3	0.1					●	●	4	1				3	0.1
トキワイカリソウ	2	4.5																								
ホソバノヒイラギナンテン	1	2.3																								
ヒロハノヒイラギナンテン	0	0.0																								
ツツラフジ	1	2.3					●	●	4	1																
アオツツラフジ	13	29.5	●							●	●	4	1	●				●	●	1.4	0.1	●	●	4	1	
オオツツラフジ	1	2.3								●	●	3	2													
ホオノキ	9	20.5					●	●	1	1				●	2	1										
コブシ	28	63.6	●	●	1	0.1	●	●	2	1	●	●	1	1	●	●	4	2				●	●	2	1	
モクレン	12	27.3																	●				●	●	1.2	1
シキミ	8	18.2																							4	0.1
サネカズラ	1	2.3					●	●	1	4				●								●				
ユリノキ	9	20.5	●	●	1	4													●				●	●	1	1
タイサンボク	14	31.8	●	1	1										●								●	●	2	1
オガタマノキ	2	4.5																								
シモクレン	7	15.9																								
ハクモクレン	3	6.8																								
オオヤマレンゲ	1	2.3																								

種名	出現 地点数 (3次)	出現 頻度 (%)	21 善福寺川緑地(2)				22 和田郷公園				23 大宮八幡				24 和田郷公園予定地				25 済美山雑木林				26 富士銀行グラウンド					
			1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度		
ロウバイ	10	22.7					●	●	1	3																		
クスノキ	28	63.6		●	1	1						●	●	1	3								●	●		1.2	1	
ヤブニッケイ	9	20.5										●		1	1			●	3	1						●		
タブノキ	4	9.1																										
クロモジ	2	4.5									●	●	3	1						●	●	3	1					
アブラチャン	3	6.8						●	2	1										●	●	2.3	1					
シロダモ	20	45.5									●	●	2	1		●	●	3	2						●	●	1.4	0.1
ダツケイジュ	15	34.1																							●	●	2	2
ニッケイ	2	4.5																										
イヌガシ	4	9.1							4	0.1																		
ナガミヒナゲシ	24	54.5		●	●	4	1					●	4	0.1						●	●	4	0.1					
クサノオウ	11	25.0	●	●	4	0.1		●	●	4	1									●	●							
タケニダサ	36	81.8	●	●	4	1					●	●	4	1		●	●	4	1					●	●	4	0.1	
ムラサキケマン	17	38.6									●	●	4	1		●	●	4	0.1					●	●	4	0.1	
ヤマブキソウ	1	2.3																										
ミヤマキケマン	1	2.3																										
キケマン	0	0.0																										
ヤマエンゴサク	1	2.3																										
シラユキグシ	1	2.3																										
ヒナゲシ	1	2.3																										
セイヨウフウチョウソウ	0	0.0									●																	
フウチョウソウ	1	2.3																							●	4	0.1	
クレオメ	3	6.8																										
マメダンバイナズナ	7	15.9															●											
タネツケバナ	18	40.9					●				●	●	4	1										●	4	0.1		
イヌカキネガラシ	0	0.0							●							●												
ミチバタガラシ	2	4.5					●	●	4	1										●	●							
イヌガラシ	35	79.5	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	0.1		
ナズナ	33	75.0	●	●	4	1					●	●	4	1	●	●	4	0.1					●	●	4	0.1		
イヌナズナ	1	2.3																										
アブラナ	3	6.8																										
ショカツサイ	30	68.2	●	●	4	1					●	●	4	1		●	4	1					●	●	4	1		
カキネガラシ	0	0.0																										
セイヨウアブラナ	1	2.3																										
ハタザオ	1	2.3																										
セイヨウカラシナ	0	0.0																										
ヒメダンバイナズナ	0	0.0																										
ダンバイナズナ	2	4.5																										
ノハラガラシ	0	0.0																										
ジャニンジン	1	2.3																									4	0.1
ゴウダソウ	1	2.3																										
ニワナズナ	1	2.3																										
オランダガラシ	1	2.3																										
コマツナ	2	4.5																										
オノマンネングサ	4	9.1																										
ツルマンネングサ	8	18.2	●																									
タイトゴメ	1	2.3																										
メノマンネングサ	9	20.5					●	●																				
コモチマンネングサ	5	11.4	●																									
タコノアシ	1	2.3						●	4	0.1																		
メキシコマンネングサ	18	40.9																									4	1
ベンケイソウ科sp.	0	0.0																										
キリンソウ	4	9.1																										
ベンケイソウ	1	2.3																										
チダケサシ	2	4.5																										
ユキノシタ	22	50.0	●	4	2		●	●	3	2	●	●	4	1	●	●												
アジサイ	34	77.3	●	3	1		●	3	2	●	●	3	1	●					●	●	3	1	●	●	3	1		
ガクアジサイ	4	9.1								●	●	3	1															
ウツギ	13	29.5					●	●	3	2								●										
タマアジサイ	1	2.3																										
マルバウツギ	1	2.3																										
バイカウツギ	0	0.0																										
ヒマラヤユキノシタ	2	4.5																										
ヒメウツギ	0	0.0																										
アマチャ	0	0.0																										
ノリウツギ	0	0.0																										
ギンバイソウ	2	4.5																										
フサスグリ	3	6.8																										
コマガタケスグリ	2	4.5																										
ヤマアジサイ	1	2.3																										
キレンゲショウマ	1	2.3																										
ハルユキノシタ	1	2.3																										
トベラ	6	13.6							1	4																		
スズカケノキ	5	11.4	●	●	1	2		●																				
モミジバスズカケノキ	0	0.0																										
アメリカスズカケノキ	0	0.0																										
マンサク	7	15.9						●	3	1					●	●	2.3	1										
ヒュウガミズキ	12	27.3	●	3	1														●	●	3	1	●	●	3	3		
トサミズキ	9	20.5																										
シナマンサク	1	2.3																										
コゴメウツギ	7	15.9					●	●	3	1	●	●	3	1			3	1										
ユキヤナギ	26	59.1	●	3	1		●	●	3	1	●	●	3	1									●	●	4	1		
コデマリ	15	34.1	●	3	1																			●				

種名	出現 地点数 (3次)	出現 頻度 (%)	21 善福寺川緑地(2)				22 和田郷公園				23 大宮八幡				24 和田郷公園予定地				25 済美山跡木林				26 富士巖行グラウンド			
			1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度
シモツケ	6	13.6																								
ホザキナカマド	2	4.5																								
シロヤマブキ	11	25.0		●	3	1		●	●	4	2		●	●	3	1					●	●		4	3	
ヤマブキ	30	68.2	●	●	3	1		●	●	4	2		●	●	3	1		●	●							
ヘビイチゴ	37	84.1	●	●	4	4							●	●	4	1		●	●							
ヤブヘビイチゴ	4	9.1		●	4	1							●	●	4	1		●	●							
オヘビイチゴ	2	4.5																								
キジムシロ	1	2.3						●																		
ミツバツチグリ	5	11.4		●	4	1																				
ニガイチゴ	0	0.0																								
クマイチゴ	2	4.5																								
カシイチゴ	18	40.9											●	●	3	1		●	●							
モミジイチゴ	6	13.6											●	●	3	1		●	●							
クサイチゴ	6	13.6																								
バライチゴ	3	6.8																								
サワシロイチゴ	15	34.1		●	●	4	2																			
ワレモコウ	8	18.2																								
キンミズヒキ	12	27.3																								
ノイバラ	24	54.5		●																						
モモ	9	20.5																								
ユスラウメ	8	18.2																								
ヤマザクラ	18	40.9																								
オホシマザクラ	4	9.1																								
ウツミズザクラ	3	6.8																								
イヌザクラ	10	22.7																								
サンザシ	3	6.8																								
カナムモチ	17	38.6																								
ビワ	29	65.9		●	2	0.1		●	3	1		●	●	2	1		●	●								
シャリンバイ	9	20.5																								
クサボケ	12	27.3		●	3	1		●	3	1		●	●	4	1											
ボケ	18	40.9																								
カマツカ	0	0.0																								
アズキナシ	0	0.0																								
クチバナモドキ	2	4.5																								
ウメ	20	45.5		●	2	1		●	4	1																
カイドウ	4	9.1																								
カリン	12	27.3																								
サトザクラ	14	31.8																								
イトザクラ	13	29.5																								
セイヨウサンザシ	1	2.3																								
ソメイヨシノ	31	70.5		●	1	4																				
サナカマド	1	2.3																								
ピラカンサ	21	47.7																								
シジミバナ	1	2.3																								
シモツケソウ	3	6.8																								
バラ属sp.	2	4.5																								
ヒメリンゴ	12	27.3																								
リンゴ類	1	2.3																								
サクラ属sp.	0	0.0																								
ハマナス	0	0.0																								
ナガバモミジイチゴ	2	4.5																								
カスミザクラ	0	0.0																								
スモモ	4	9.1																								
イブキシモツケ	1	2.3		●	3	1																				
ナシ	0	0.0																								
ジュウガツザクラ	1	2.3																								
シダレウメ	3	6.8																								
マルバシャリンバイ	0	0.0																								
ニワウメ	1	2.3																								
ハナモモ	3	6.8																								
トキワサンザシ	2	4.5																								
テリハノイバラ	0	0.0																								
マメザクラ	1	2.3																								
オランダイチゴ	1	2.3																								
ズミ	1	2.3																								
ハナカイドウ	3	6.8																								
ミカイドウ	1	2.3																								
ツルバラ	3	6.8																								
ブリンラ	1	2.3																								
シダレモモ	1	2.3																								
ザイフリボリ	1	2.3																								
ブラム	1	2.3																								
セイヨウミザクラ	2	4.5																								
ダイコンソウ	1	2.3																								
レッドロビン	1	2.3																								
ネムノキ	9	20.5																								
サイカチ	2	4.5																								
エンジュ	23	52.3		●	●	1	3																			
キハギ	1	2.3																								
マルバハギ	0	0.0																								
ヤマハギ	6	13.6																								
ミヤギノハギ	6	13.6																								
メドハギ	6	13.6																								

種名	出現 地点数 (3次)	出現 頻度 (%)	21 豊福寺川緑地(2)				22 和田郷公園				23 大宮八幡				24 和田郷公園予定地				25 済美山雑木林				26 富士銀行グラウンド			
			1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度
ネコハギ	7	15.9																●	●			●	●		4	2
ヤハズソウ	3	6.8			4	0.1															4	1				
ヌスビトハギ	6	13.6					●	●	4	1						4	1									
ヤハズエンドウ	28	63.6	●	●	4	1					●	4	1	●	●	4	2							●	4	0.1
スズメノエンドウ	8	18.2																								
サンテンハギ	2	4.5																								
ノアズキ	1	2.3									●	4	0.1													
ヤブツルアズキ	2	4.5																●		4	2					
ノササゲ	2	4.5								●	●	4	1		●											
クズ	29	65.9								●	●	3	1	●	●			●	●	4	1		●	4	0.1	
ツルマメ	1	2.3					●		4	0.1															4	0.1
ヤブマメ	30	68.2	●		4	0.1					●	●	4	1	●	●	4	1	●	●	2.4	1	●	●	4	2
コマツナギ	1	2.3					●	●	2	1																
フジ	29	65.9	●		3	1					●	●	2	1	●		2	1					●	●	3	0.1
トゲナシニセアカシア	2	4.5																								
ゲンゲ	3	6.8																	●		4	2				
ムラサキツメクサ	5	11.4					●	●	4	2																
シロツメクサ	22	50.0	●	●	4	3					●	4	1	●												
ウマゴヤシ	0	0.0																								
イタチハギ	2	4.5					●		2	1									●		4	1				
ハナズオウ	11	25.0	●		3	1					●	3	1													
ハリエンジュ	9	20.5																	●		3.4	1				
フジカンゾウ	3	6.8																								
ミヤコグサ	1	2.3																			4	2				
ヤブハギ	0	0.0																								
ベニシタン	3	6.8																								
エニシダ	5	11.4																								
ムラサキウマゴヤシ	0	0.0																								
ハナエンジュ	0	0.0																								
コマツブウマゴヤシ	0	0.0																								
エビスグサ	0	0.0																								
カワラケツメイ	0	0.0																								
クサネム	0	0.0																								
ハギ属sp.	8	18.2			3	0.1																				
カスマグサ	6	13.6																								
スイートピー	1	2.3																								
ゲンノショウコ	12	27.3					●	●	4	0.1				●	●	4	0.1	●	●	4	2					
アメリカカワロ	12	27.3					●	●	4	2											4	0.1				
カタバミ	42	95.5	●	●	4	3		●	4	1		●	4	1	●	●	4	2			4	1	●	●	4	1
アカカタバミ	38	86.4			4	1			4	1		●	4	1										●	4	2
ウスアカカタバミ	42	95.5			4	1			4	1			4	1			4	1	●	●	4	1			4	1
ハナカタバミ	3	6.8			●			●	●	4	1						4	1	●	●	3	0.1				
ムラサキカタバミ	41	93.2	●	●	4	1	●	●	3	1	●	●	4	1	●	●	4	0.1					●	●	4	0.1
ミヤマカタバミ	1	2.3																								
イモカタバミ	1	2.3																								
オオキバナカタバミ	1	2.3																								
サンショウ	18	40.9									●	●	3	1	●	●	3	1					●	3.4	0.1	
コクサギ	0	0.0																								
ナツミカン	11	25.0																								
ユズ	5	11.4													●	●			●	●	1.2	2				
カラタチ	1	2.3																						●	3	3
アサクラザンショウ	1	2.3																								
ウンシュウミカン	2	4.5																								
ツルシキミ	1	2.3																								
ダイダイ	0	0.0																								
カラスザンショウ	1	2.3																								
ミカン属sp.	3	6.8																								
イヌザンショウ	1	2.3																								
キンカン	1	2.3																								
ニガキ	1	2.3													●								●	●	2	1
ニワウルシ	4	9.1																								
ユズリハ	16	36.4																								
コミカンソウ	6	13.6																	●	●	4	0.1				
ヒトツバハギ	3	6.8					●	●	4	0.1									●	●	1.2	1				
エノキグサ	36	81.8	●	●	4	1		●	3	2				●	●	4	0.1					●	●	4	1	
アカメガシワ	34	77.3									●	●	2	1	●	●	2	1					●	●	2.4	1
オオニシキソウ	3	6.8						●												●	4	0.1				
ニシキソウ	11	25.0	●	●	4	1	●	●	4	1																
コニシキソウ	35	79.5	●	●	4	1					●	4	1										●	●	4	3
タカトウダイ	1	2.3																							4	0.1
ナツトウダイ	3	6.8																								
ハイニシキソウ	0	0.0																								
ノウルシ	3	6.8																								
オオバベニガシワ	1	2.3																								
アワゴケ	8	18.2							4	1																
クサツゲ	3	6.8																								
フッキソウ	8	18.2												●	●											
ツゲ	2	4.5						●	2	1																
ツタウルシ	0	0.0																								
ハゼ	7	15.9																		●						
ウルシ	1	2.3																	●	●	2.3	1				
ヤマウルシ	4	9.1													●						4	1				
ヌルデ	16	36.4									●	●	3	1	●	●	2.3	1	●	●			●	●	4	0.1

種名	出現 地点数 (3次)	出現 頻度 (%)	21 善福寺川緑地(2)				22 和田郷公園				23 大宮八幡				24 和田郷公園予定地				25 済美山雑木林				26 富士銀行グラウンド				
			1次	2次	3次 被度	3次 被度	1次	2次	3次 被度	3次 被度	1次	2次	3次 被度	3次 被度	1次	2次	3次 被度	3次 被度	1次	2次	3次 被度	3次 被度	1次	2次	3次 被度	3次 被度	
ウメモドキ	8	18.2					●	●	2	1																	
イヌツゲ	25	56.8	●	●	3	1					●	●	3	1	●	●	2	1			3	2	●	●	2.3	1	
ソヨゴ	0	0.0																									
クロガネモチ	10	22.7		●	1	1		●	1	1																	
モチノキ	23	52.3		●	1	1								●	●	2	2	●	●	3	1	●	●	2	1		
タラヨウ	6	13.6																									
アカメカナメモチ	2	4.5																									
ツルウメモドキ	24	54.5	●	●	3	1	●	●	3	1	●	●	3	1	●	●	3	0.1	●	●	3	1	●	●	3	1	
ニシキギ	16	36.4	●																●	●						3	1
コマユミ	1	2.3						●	3	1																	
マサキ	14	31.8												●					●	●	3	1	●	●	3	3	
ツルマサキ	1	2.3																	●	●							
マユミ	21	47.7									●	●	3	0.1					●	●	2	1			4	0.1	
ツリバナ	0	0.0																									
キンマサキ	1	2.3																									
ゴンズイ	4	9.1									●	●	2	1					●							3	0.1
ミツバウツギ	1	2.3																								3	0.1
ハウチワカエデ	3	6.8					●		1	1																3	1
イロハモミジ	32	72.7		●	1	1	●	●	2	0.1	●		2	2	●		1.2	3				●	●	1.4	2		
オオモミジ	0	0.0		●																							
ヤマモミジ	2	4.5																									
イタヤカエデ	0	0.0																									
メグスリノキ	2	4.5					●	●	1	2																	
トウカエデ	14	31.8	●	●	1	3			1	4			2	1								●	●	1	2		
オオイタヤメイゲツ	2	4.5																									
カエデ科sp	0	0.0																									
トネリコバノカエデ	1	2.3																									
ハナノキ	1	2.3																									
コハウチワカエデ	0	0.0																									
オニイタヤ	1	2.3																									
カジカエデ	1	2.3																									
ミツデカエデ	1	2.3																									
トチノキ	13	29.5	●	●	1	3					●	●	1	1													
セイヨウトチノキ	1	2.3																									
ムクロジ	6	13.6	●																								
フウセンカズラ	0	0.0																									
モクダンジ	1	2.3																									
アワブキ	0	0.0																									
ヤマビワ	1	2.3																									
キツリフネ	2	4.5																									
ホウセンカ	3	6.8																	●	●	4	1					
ナツメ	8	18.2					●		4	1									●	●	4	1					
クマヤナギ	0	0.0																									
エビノヅル	20	45.5	●	●	3	1		●	4	3	●	●	3	1	●	●			●	●	2.4	3	●	●	4	1	
ノブドウ	29	65.9	●	●	3	1	●	●	2	1	●	●	3	1	●	●	4	1	●	●	4	2	●	●	4	1	
ツタ	41	93.2	●	●	3	1	●	●	4	2	●	●	3	1	●	●	2.4	3					●	●	4	1	
ヤブカラシ	42	95.5	●	●	3	1					●	●	4	1	●	●	4	2					●	●	4	1	
ブトウ科sp	0	0.0																									
ヤマブドウ	1	2.3																									
アオオカメヅタ	1	2.3																									
ブドウ	1	2.3																				4	0.1				
カラスノゴマ	4	9.1																									
ボダイジュ	5	11.4					●	●	2	1	●	●	1	0.1													
シナノキ	2	4.5																									
ムクゲ	19	43.2																								3	0.1
フヨウ	10	22.7																								3	1
タチアオイ	12	27.3																									
ゼニアオイ	9	20.5			3	0.1													●	●	1	0.1					
トロロアオイ	1	2.3																									
アメリカフヨウ	0	0.0																									
モミジアオイ	2	4.5																									
アオギリ	18	40.9					●	●	3	1									●	●	2	1	●	●	2	1	
チャノキ	22	50.0					●	●	2	2	●	●	3	1	●	●	3	3					●	●	3	3	
ヤブツバキ	35	79.5	●	●	3	1	●	●	2	2	●	●	3	2	●	●	2	2					●	●	3.4	1	
サザンカ	28	63.6	●	●	3	1					●	●	3	1									●	●	2	3	
モッコク	21	47.7																	●	●	2.3	1	●	●	2	2	
サカキ	13	29.5					●	●	2	1		●	2	1													
ヒサカキ	25	56.8									●	●	2	1	●	●	2.3	1					●	●	2	1	
ハマヒサカキ	3	6.8																									
ナツツバキ	6	13.6																									
カンツバキ	12	27.3																									
オトメツバキ	7	15.9		●	3	1																					
ヒメシャラ	3	6.8																									
ビョウヤナギ	12	27.3									●	3	1														
ヒメオトギリ	1	2.3																									
コケオトギリ	6	13.6																					●	●	4	1	
オトギリソウ	3	6.8																								4	0.1
キンシバイ	4	9.1																									
トモエソウ	1	2.3																									
ヒベリカムヒデコート	1	2.3																									
ヒベリカムカリシナム	1	2.3																									
エイザンスミレ	5	11.4					●	4	1																		
マルバスマレ	12	27.3		●	4	1					●	4	1	●	●	4	0.2					●	●	4	0.1		

種名	出現 地点数 (3次)	出現 頻度 (%)	21 尊福寺川緑地(2)				22 和田郷公園				23 大宮八幡				24 和田郷公園予定地				25 済美山雑木林				26 富士銀行グラウンド			
			1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度
ナガバナスミレサイシン	5	11.4																								
シロバナスマレ	2	4.5																								
スマレ	21	47.7	●	●	4	1		●	4	1														4	0.1	
コスミレ	17	38.6	●	●	4	1												●	●	4	1					
シハイスミレ	14	31.8						●	4	1																
タチツボスマレ	30	68.2		●	4	1				●	●	4	1	●	●	4	2		●			●	●	4	1	
ニオイタチツボスマレ	1	2.3																	●							
ツボスマレ	12	27.3						●	4	1	●	●	4	1	●	●		●	●	1	1					
ニオイスミレ	28	63.6			4	0.1								●		4	0.1									
ヒゴスマレ	0	0.0																								
ヒカグスマレ	8	18.2														4	1									
フモトスマレ	1	2.3																								
スマレサイシン	7	15.9																								
シロスマレ	0	0.0																								
ヒメキクバスマレ	3	6.8																								
サクラスマレ	3	6.8																								
タデトパンジー	1	2.3																								
ケマルバスマレ	1	2.3																								
イイギリ	19	43.2							●	●	1	1	●	●	2	1						●	2	0.1		
シュウカイドウ	6	13.6																						4	1	
ペゴニア属sp.	1	2.3																								
オニシバリ	0	0.0																								
ミツマタ	3	6.8					●	●	3	1								●	●	3	1					
ジンチョウゲ	18	40.9									●	3	1										●	3	0.1	
ナワシログミ	7	15.9							●	●	3	1														
ナツグミ	4	9.1																								
トウグミ	0	0.0																								
ツルグミ	2	4.5																								
グミ科sp.	2	4.5																								
ミズタマソウ	2	4.5																								
マツヨイグサ	15	34.1	●	●	4	0.1										4	0.1	●	●	4	1					
オオマツヨイグサ	14	31.8													●	4	0.1									
コマツヨイグサ	3	6.8																								
メマツヨイグサ	10	22.7	●	●	4	0.1			●	●	4	1	●													
ユウゲショウ	9	20.5		●	4	1		●																		
ヒルザキツキミソウ	6	13.6																								
ツキミソウ	1	2.3																								
カミヤツデ	1	2.3																								
タラノキ	12	27.3																								
ウド	22	50.0											4	2			4	0.1	●	●	2.4	1	●	●	4	0.1
キツタ	33	75.0					●	●	3	1	●	●	3	1	●	●	1.2	1	●			●	●	4	2	
ヤツデ	28	63.6								●	●	3	1	●	●	3	0.1	●				●	●	3	1	
カクレミノ	8	18.2																							3	0.1
ヤマウコギ	1	2.3																								
ハリギリ	2	4.5							●	●	1	0.1							●	4	1					
セイヨウツタ	2	4.5																								
コシアブラ	1	2.3																								
ノチドメ	5	11.4							4	1	●	●														
チドメグサ	22	50.0			4	2							4	1											4	1
ヤブニンジン	1	2.3	●												●	4	1	●	●							
ヤブジラミ	6	13.6									●				●	●	4	1								
ミツバ	12	27.3									●				●	●										
ムラサキミツバ	2	4.5					●	●	4	1					●	●	4	0.1								
セリ	11	25.0								●				●	●	4	2	●	●							
セントウソウ	1	2.3																								
フダケ	4	9.1																	●	●	3.4	0.1				
アシタバ	11	25.0					●	●	3	2								●	●	1.3	1					
シャク	2	4.5													●	4	0.1									
アカミツバ	0	0.0																								
オオチドメグサ	4	9.1																								
オオバチドメ	1	2.3		●																						
ヒメチドメグサ	1	2.3																								
セリ科sp.	1	2.3																								
バセリ	0	0.0																								
オヤブジラミ	1	2.3																								
ウマノミツバ	1	2.3																								
シシウド	1	2.3																								
コチドメ	1	2.3																								
アオキ	30	68.2		●	3	1	●	●	1	3	●	●	3	1	●	●	3	2				●	●	3.4	0.1	
ミスギ	28	63.6	●								●	●	1	2	●	●	1.3	2			3	1	●	●	1.2	1
サンシュユ	4	9.1						●	3	1																
ヤマボウシ	5	11.4			2	1											3	1								
ハナイカダ	0	0.0																								
ハナミスギ	16	36.4	●	●																						
サンシュユ	1	2.3																								
サルズベリ	20	45.5		●	2	1																				
ミソハギ	1	2.3																								
ザクロ	4	9.1																								
ボ-ボ-ノキ	2	4.5																						●	3	1
ヤマモモ	10	22.7																								
センダン	11	25.0																						●	2	1
ピナンカズラ	20	45.5								●	3	1		●	3.4	1							●	3.4	1	
キウイ	10	22.7																							4	0.1

種名	出現 地点数 (3次)	出現 頻度 (%)	21 普福寺川緑地(2)				22 和田稲公園				23 大宮八幡				24 和田稲公園予定地				25 済美山雑木林				26 富士銀行グラウンド				
			1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	
ブラシノキ	1	2.3																									
キブシ	3	6.8			3	0.1		●		2	0.1																
ギョリュウ	1	2.3																									
マツモ	1	2.3																									
トケイソウ	1	2.3																									
リョウブ	4	9.1			2	0.1																					
リンドウ	0	0.0																									
カルミヤ	1	2.3							3	1																	
ヨウシュイワナンテン	2	4.5																									
ヤマツツジ	7	15.9					●	●	3	2	●	●	3	1	●	●									3	3	
アセビ	18	40.9	●		3	1					●	●	3	1	●	●			●	●							
オオムラサキ	29	65.9	●		3	2								●		3	1							●		3	2
カルミア	6	13.6																									
クリシマツツジ	9	20.5	●		3	2								●										●			
サツキ	27	61.4			3	1																					
ドウダンツツジ	24	54.5	●		3	1																		●		3	1
ベニサラサドウダン	1	2.3																									
ミツバツツジ	10	22.7																									
クルメツツジ	6	13.6								●		3	3														
ウンゼンツツジ	2	4.5																									
シャクナゲ	1	2.3					●		2	1																	
ツツジ科sp.-3	1	2.3											3	3													
ヤチツツジ	0	0.0																									
ツツジ科sp.-2	0	0.0																									
ツツジ科sp.-1	0	0.0									●																
レンゲツツジ	1	2.3																									
リュウキュウツツジ	2	4.5																									
ヒラドツツジ	1	2.3																									
セイヨウシャクナゲ	7	15.9																									
ツツジ属sp.	3	6.8																									
ハクサンシャクナゲ	1	2.3																									
モチツツジ	1	2.3																									
イワナンテン	1	2.3																									
ヤブコウジ	6	13.6																							4	0.1	
マンリョウ	20	45.5												4	0.1		●		4	1				4	0.1		
タイミンタチバナ	2	4.5					●		4	0.1																	
コナスビ	29	65.9	●		4	0.1				●	●	4	1	●	●	4	0.1						●	●	4	1	
オカトラノオ	2	4.5																	●	●							
サクラソウ	0	0.0																									
マメガキ	9	20.5													●		2	2	●	●	2.3	1					
カキノキ	18	40.9												●	●	1.2	2					●	●	2.3	1		
サワフタギ	7	15.9								●					●				●	●	1.3	2					
クロバイ	1	2.3					●	●	2	2																	
クロキ	0	0.0																									
エゴノキ	26	59.1					●	●	1	4	●	●	3	1	●	●	1.2	2	●	●	2.3	2	●	●	2	1	
ハクウンボク	13	29.5					●		2	1	●	●	1	1	●	●			●	●	2.3	1					
ネズミモチ	30	68.2	●				●	●	2	2		●	3	1	●	●	2.3	1	●	●	3	1	●	●	2	1	
トウネズミモチ	32	72.7	●								●				●	●	2.3	1	●	●			●	●	2	2	
イボタノキ	14	31.8	●												●	●	2.3	1	●	●			●	●			
ヒイラギ	11	25.0		●	2	1					●	●	3	1									●	●			
ヒイラギモクセイ	15	34.1					●		3	2																	
レンギョウ	15	34.1	●	●	3	1	●				●		3	1					●				●				
シナレンギョウ	1	2.3									●														●	3	1
トネリコ	3	6.8		●	2	1			2	1	●	●	2	1	●								●	●			
キンモクセイ	25	56.8			2	1																		●		2	1
ヒトツバタゴ	2	4.5																	4	1							
ムラサキハシドイ	4	9.1																									
セイヨウヒイラギ	1	2.3																									
モクセイ科sp.	2	4.5		●																							
チョウセンレンギョウ	0	0.0																									
コバノトネリコ	3	6.8												●		2.4	1		●				●		3	0.1	
キソケイ	1	2.3																									
オウバイ	2	4.5																									
オリーブ	1	2.3																									
フジウツギ	0	0.0		●				●																			
チヂフフジウツギ	0	0.0																									
アイナエ	0	0.0																									
チョウジソウ	3	6.8																					4	0.1			
テイカカズラ	5	11.4								●	●	2	1														
キョウチクトウ	8	18.2					●		3	2																	
ツルニチニチソウ	2	4.5																									
ガガイモ	12	27.3												●		4	0.1								4	0.1	
コバノカモメヅル	0	0.0																									
カモメヅル	0	0.0																						●			
キジョラン	3	6.8																									
タチカモメヅル	1	2.3																									
イケマ	4	9.1																						●			
オオカモメヅル	1	2.3																									
アオイゴケ	0	0.0																									
アメリカアサガオ	2	4.5																	●	●	4	0.1					
マルバアサガオ	5	11.4					●	●	4	2																	
コヒルガオ	33	75.0	●	●	4	2				●	●	4	1	●	●	4	1					●	●	4	0.1		
ヒルガオ	19	43.2			4	0.1											●										

種名	出現 地点数 (3次)	出現 頻度 (%)	21 善福寺川緑地(2)				22 和田郷公園				23 大宮八幡				24 和田郷公園予定地				25 済美山雑木林				26 富士銀行グラウンド				
			1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	
セイヨウヒルガオ	0	0.0																									
アサガオ	19	43.2																								4	1
ノアサガオ	6	13.6																									
マメアサガオ	1	2.3																									
マルババルコウソウ	1	2.3																									
ルコウソウ	1	2.3																									
クサキョウチクトウ	2	4.5																									
シバヅカラ	5	11.4																									
ハナイバナ	16	36.4																									
キュウリグサ	26	59.1	●	●	4	1																					
ヒレハリソウ	14	31.8		●																							
ムラサキ	1	2.3																									
タバコ	1	2.3																									
コムラサキ	4	9.1																									
ムラサキシキブ	21	47.7																									
クサギ	24	54.5																									
ヒギリ	1	2.3																									
ベニバナクサギ	2	4.5																									
オオムラサキシキブ	2	4.5																									
カリガネソウ	1	2.3																									
ジュウニヒトエ	4	9.1																									
キランソウ	8	18.2																									
ニガクサ	0	0.0																									
タツナミソウ	2	4.5																									
イヌハッカ	1	2.3																									
カキドオシ	15	34.1	●	●	4	1																					
メハジキ	4	9.1	●	●																							
ホトケノザ	34	77.3	●	●	4	2																					
ヒメオドリコソウ	31	70.5	●	●	4	1																					
アキノタムラソウ	2	4.5																									
イヌコウジュ	4	9.1																									
ヒメジソ	2	4.5																									
ヤマジソ	0	0.0																									
イヌトウバナ	5	11.4																									
シソ	28	63.6	●	●	4	1																					
アオジソ	17	38.6																									
ハッカ	8	18.2																									
ナギナタコウジュ	9	20.5																									
トウバナ	2	4.5																									
ヒキオコシ	0	0.0																									
イブキジャコウソウ	1	2.3																									
オドリコソウ	2	4.5																									
キバナアキギリ	2	4.5																									
セイヨウジュウニヒトエ	3	6.8																									
マルバハッカ	2	4.5																									
ラショウモンカズラ	0	0.0																									
ハナトラノオ	4	9.1																									
カクトラノオ	2	4.5																									
ミカエリソウ	1	2.3																									
シモバシラ	1	2.3																									
キバナオドリコソウ	1	2.3																									
サルビア	1	2.3																									
アオチリメンジソ	1	2.3																									
クコ	25	56.8	●	●	3	1																					
ホオズキ	16	36.4																									
センナリホオズキ	2	4.5																									
イヌホオズキ	16	36.4																									
テリミノイヌホオズキ	26	59.1																									
ヒヨドリジョウゴ	15	34.1	●																								
ヨウシュチョウセンアサガオ	0	0.0																									
チョウセンアサガオ	1	2.3																									
ケイヌホオズキ	0	0.0																									
アメリカイヌホオズキ	1	2.3																									
ワルナスビ	14	31.8																									
トマト	6	13.6																									
ハダカホオズキ	1	2.3																									
タマサンゴ	20	45.5																									
キリ	16	36.4																									
ムラサキサギゴケ	10	22.7																									
トキワハゼ	30	68.2	●																								
アゼナ	4	9.1																									
ウリクサ	12	27.3																									
タチヌノフグリ	41	93.2	●																								
オオイヌノフグリ	31	70.5	●																								
コシオガマ	0	0.0																									
ピロードモウズイカ	1	2.3																									
ムシクサ	0	0.0																									
スズメノトウガラシ	1	2.3																									
アゼトウガラシ	1	2.3																									
ツタバウンラン	2	4.5																									
トレンア	1	2.3																									
キササゲ	2	4.5																									
ノウゼンカズラ	2	4.5																									

種名	出現 地点数 (3次)	出現 頻度 (%)	21 善福寺川緑地(2)				22 和田郡公園				23 大宮八幡				24 和田郡公園予定地				25 済美山雑木林				26 富士銀行グラウンド			
			1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度				
ヤブレガサ	3	6.8								●	●															
フコギリソウ	1	2.3	●																							
トキンソウ	12	27.3																		●	●	4 1				
フランスギク	8	18.2															●	●	4 1							
クソニンジン	1	2.3				●	●	4 2																		
ヨモギ	40	90.9	●	●	4 1					●	●	4 1	●	●	4 1				●	●	4 1					
ノブキ	0	0.0								●																
メナモミ	0	0.0				●	●									●										
タカサブロウ	14	31.8								●	●	4 1	●						●	●	4 0.1					
アメリカセンダングサ	20	45.5						4 1	●	●	4 1															
コセンダングサ	5	11.4				●							●	●	4 1				●	●						
シロバナセンダングサ	1	2.3																				4 0.1				
コバナセンダングサ	0	0.0					●											●								
センダングサ	16	36.4														●	●					4 0.1				
ノアザミ	8	18.2														●	●	4 1								
ノハラアザミ	2	4.5																								
アズマヤマアザミ	1	2.3														●	●	4 1								
キツネアザミ	4	9.1																4 1								
オヤマボクチ	1	2.3						4 0.1																		
コオニタビラコ	14	31.8	●		4 0.1								●		4 1							4 2				
コウゾリナ	0	0.0																								
カントウタンポポ	12	27.3									●				●	●	4 0.1	●	●	4 1						
シロバナタンポポ	5	11.4			4 0.1	●	●	4 3																		
セイヨウタンポポ	38	86.4	●	●	4 3	●				●	●	4 3	●	●						●		4 3				
アカミタンポポ	10	22.7																								
オオジシバリ	0	0.0														●	●			●	●					
イワニガナ	0	0.0														●										
ニガナ	6	13.6														●	●									
アキノノゲシ	17	38.6			4 0.1	●	●	4 1		●	●	4 0.1										4 0.1				
ノゲシ	33	75.0	●	●	4 1	●	●			●	●		●	●	4 1	●	●	4 1	●			4 1				
オノノゲシ	9	20.5				●	●	4 1														4 0.1				
オニタビラコ	40	90.9	●		4 1				●	●	4 1	●	●	4 1		●			●	●		4 3				
ヤクシソウ	2	4.5				●		4 0.1																		
イヌキクイモ	26	59.1	●	●	4 1				●	●	4 1				●	●			●	●		4 1				
コスモス	5	11.4				●	●	4 1														4 0.1				
ハキダメギク	39	88.6	●	●	4 2				●	●	4 2	●	●	4 2					●	●		4 1				
オオハンゴンソウ	0	0.0																								
ウラボシコグサ	38	86.4	●		4 1	●					4 0.1									●		4 0.1				
キクイモ	1	2.3														●										
ジシバリ	18	40.9			4 0.1											●	1.2 1									
ヒマワリ	2	4.5																								
オクモミジハグマ	0	0.0																								
ヤグルマギク	1	2.3																								
オオニガナ	1	2.3																								
キク	11	25.0																				4 0.1				
キンケイギク	7	15.9																				4 1				
ミヤコワスレ	8	18.2																								
アキノハハコグサ	1	2.3				●		1 2																		
ノニガナ	0	0.0																								
ハルシャギク	5	11.4																				4 0.1				
ヤマアザミ	3	6.8																								
クワモドキ	7	15.9																								
カシワバハグマ	0	0.0																								
アメリカオニアザミ	5	11.4																		4 1						
シロノセンダングサ	0	0.0																								
ヤエザキオオハンゴウソウ	0	0.0																								
マリーゴールド	1	2.3																								
セイヨウノコギリソウ	1	2.3																								
ハンゴンソウ	1	2.3																								
アザミ属sp.	2	4.5																								
スツケシア	1	2.3																								
フジバカマ	2	4.5																								
ブタナ	1	2.3																								
ホソバナアキノノゲシ	1	2.3																								
モリアザミ	1	2.3																								
キッコウハグマ	1	2.3																								
イソギク	1	2.3																								
ヤマシロギク	1	2.3																								
ヒゴタイ	1	2.3																								
カイトカラコウ	1	2.3																								
ゴマ	0	0.0				●																				

種名	出現 地点数 (3次)	出現 頻度 (%)	27 済美教育研究所		28 真盛寺					29 妙法寺				30 薬地本願寺	31 和田郡公園観察の森					32 塚山公園			
			1次		1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度		
クラマゴケ	9	20.5			●	●	4	3	●	●	4	1								●	4	1	
コンテリクラマゴケ	2	4.5																					
カタヒバ	0	0.0																					
イワヒバ	6	13.6				●	4	1															
コシダ	1	2.3																					
スギナ	38	86.4	●				4	0.1	●	●	4	3	●	●	●	4	2	●	●	4	2		
トクサ	9	20.5	●			●	4	1			4	1											
イヌドクサ	0	0.0																					
フユノハナワラビ	4	9.1							●	●										●			
オオハナワラビ	1	2.3																					
ナツノハナワラビ	1	2.3																					
コハナヤスリ	3	6.8				●	●	4	2														
ハナヤスリ科sp.	1	2.3								●	4	0.1											
ゼンマイ	15	34.1	●		●	●	4	1	●	●	4	0.1									4	0.1	
ヤマドリゼンマイ	1	2.3																					
カニクサ	11	25.0				●	4	1		●	4	0.1											
ワラビ	1	2.3																			●		
オオバノイノモトソウ	1	2.3				●	●																
イノモトソウ	26	59.1					4	2	●	●	4	0.1				4	0.1		●	4	0.1		
タチシノブ	2	4.5							●														
イワガネソウ	2	4.5								●	4	0.1											
イヌシダ	3	6.8																					
クジャクシダ	1	2.3																					
クサソテツ	16	36.4	●				4	0.1			4	1											
コウヤワラビ	4	9.1				●	●													●			
ジュウモンジシダ	0	0.0														●							
オニヤブソテツ	1	2.3																					
ヤブソテツ	30	68.2				●	●	4	1			4	0.1									4	0.1
クマワラビ	2	4.5																					
ヤマイタチシダ	1	2.3																					
ベニシダ	18	40.9				●	●	4	1	●	●	4	1				4	0.1					
ダジダジシダ	0	0.0																					
ヒメワラビ	11	25.0	●		●	●			●	●	4	1									●		
ヘビノネゴザ	0	0.0																					
イヌワラビ	41	93.2	●		●	●	4	1	●	●	4	2	●		●	4	1	●	●	4	1		
シケシダ	3	6.8																					
オオヒメワラビ	0	0.0																					
ヤマイヌワラビ	7	15.9								●	4	0.1											
ホソバシケシダ	6	13.6				●	4	0.1		●	4	1											
オシダ科sp.	0	0.0																					
ミヤマベニシダ	5	11.4					4	0.1		●	4	0.1											
リョウメンシダ	0	0.0				●																	
イノデ	1	2.3																					
ミヤマイヌワラビ	1	2.3					4	0.1															
ノキシノブ	8	18.2					4	0.1	●	●	4	0.1											
マメヅタ	1	2.3				●	4	0.1															
タマシダ	2	4.5																					
ヒカゲノカズラ	1	2.3																					
トラノオシダ	1	2.3																					
イチヨウ	24	54.5	●		●	●	1	4	●	●	1.3	4			●	2	1	●					
カヤ	11	25.0				●	2.3	1	●	●													
イチイ	5	11.4								●	3	1											
キヤラボク	12	27.3				●	2	1		●	2	2											
イヌマキ	13	29.5				●	2	1	●	●	1	1								●	1.3	2	
ナギ	0	0.0																					
ラカンマキ	2	4.5					3	1			1	1											
イヌガヤ	3	6.8								●													
モミ	4	9.1																					
ヒマラヤスギ	15	34.1					2	0.1	●	●	1	2											
アカマツ	22	50.0	●		●	●	1.2	1	●	●	1	2							●	●	1	2	
クロマツ	19	43.2				●	1.3	1	●	●	1.2	3	●		3	1					4	1	
ゴヨウマツ	5	11.4					3	1		●	1.3	1											
ウツクシマツ	3	6.8				●	3	1															
ダイオウショウ	1	2.3																					
トウヒ	5	11.4																			●		
リキダマツ	3	6.8								●	1	1											
カラマツ	1	2.3																					
コメツガ	0	0.0																					
ドイツトウヒ	1	2.3																					
ヌマスギ	0	0.0																					
スギ	16	36.4	●		●		2	0.1	●	●	2	2								●	1	2	
コウヨウザン	2	4.5																					
ラクウショウ	2	4.5																					
コウヤマキ	7	15.9					1.3	1		●	1	1											
アケボノスギ	13	29.5	●																		●	1.3	2
アスナロ	7	15.9									1.2	1											
ヒノキ	23	52.3	●		●	●	1	1	●	●	1	2							●	●			
チャボヒバ	2	4.5				●	3	0.1	●	●	3	1											
サワラ	22	50.0	●		●	●	1.2	1	●	●	1.2	1								●	●		
ヒムロ	4	9.1									3	1			●								
イブキ	3	6.8	●		●	●	1	1															
カイヅカイブキ	9	20.5				●																3	2
タチビヤクシン	0	0.0																					

種名	出現 地点数 (3次)	出現 頻度 (%)	27 済美教育研究所		28 真盛寺				29 妙法寺				30 築地本願寺	31 和田郡公園観察の森				32 塚山公園				
			1次		1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	
オウゴンサワラ	1	2.3																				
コノテガシワ	1	2.3							●	3	1											
タマイブキ	1	2.3							●	3	1											
ニオイヒバ	4	9.1																				
ヒヨクヒバ	9	20.5			●	1	0.1		●	1	1											
ヒノキ属sp.	0	0.0							●													
ハイビヤクシン	4	9.1																		3	1	
ヒノキ科sp.	0	0.0																				
ビヤクシン	3	6.8								3	1			●								
カマクライブキ	1	2.3																				
ハイネズ	1	2.3							●	4	1											
ネズミサシ	0	0.0																				
オウゴンヒバ	2	4.5																				
キンヒバ	2	4.5																		3	1	
ニッコウヒバ	1	2.3																		3	2	
ヒバ	4	9.1																				
オウゴンサワラ	1	2.3																				
ソテツ	5	11.4			●	3	1		●													
ヒメガマ	2	4.5																				
ガマ	2	4.5																		4	1	
ミクリ	2	4.5																				
タマミクリ	2	4.5																				
ヤナギモ	0	0.0																				
ヘラオモダカ	1	2.3																				
オモダカ	1	2.3	●																	4	1	
クワイ	2	4.5																		4	1	
サジオモダカ	1	2.3																				
オオカナダモ	2	4.5																				
ナリヒラダケ	8	18.2	●						●	2	1											
モウソウチク	15	34.1		●	●	1	1			1	1							●				
マダケ	1	2.3																				
ホテイチク	8	18.2		●	●	2	2			2	1											
オカメザサ	17	38.6		●	●	4	2		●	●	4	3			●	4	2		●	4	2	
メダケ	2	4.5	●																			
アズマネザサ	42	95.5	●	●	●	3	1		●	●	4	2	●	●	●				●	●	4	3
クマザサ	15	34.1	●	●	●	3	2		●	●	4	2							●	●	3	3
ヤダケ	6	13.6		●	●	2	1			●												
スズメノテッポウ	21	47.7								4	0.1				●	4	0.1					
クロコヌカグサ	0	0.0																				
コヌカグサ	3	6.8							●	●	4	0.1										
ノガリヤス	0	0.0																				
カラスムギ	10	22.7																				
カニツリグサ	0	0.0		●																		
クサヨシ	1	2.3																				
カナリクサヨシ	1	2.3																				
シバムギ	1	2.3																				
カモジグサ	31	70.5			●	4	0.1			4	0.1				●	4	0.1		●			
イヌムギ	31	70.5										●		●	●	4	2		●	●		
カモガヤ	9	20.5																				
トボシガラ	7	15.9				4	0.1			4	0.1	●										
スズメノカタビラ	37	84.1	●		●	4	1		●	●	4	1		●	●	4	2		●	4	1	
オオイチゴツナギ	1	2.3																				
イチゴツナギ	14	31.8	●	●		4	0.1		●	●	4	1		●	●	4	1		●	●		
ナガハグサ	7	15.9																				
マコモ	2	4.5																				
ササクサ	1	2.3																				
ヨシ	4	9.1												●	●				●	●		
コバンソウ	11	25.0																				
カゼクサ	19	43.2								●	4	1		●	●	4	2		●	●	4	1
ニワホコリ	14	31.8		●	●	4	0.1		●	●	4	2										
シナダレスズメガヤ	1	2.3												●	●							
オヒシバ	37	84.1	●			4	1		●	●	4	2		●	●	4	2		●	●	4	0.1
ギョウギシバ	0	0.0																				
ネズミガヤ	1	2.3																				
シバ	19	43.2								4	3			●	●	4	1		●			
オニシバ	0	0.0																				
トダシバ	3	6.8				4	0.1												●			
チカラシバ	14	31.8												●	●	4	1		●	●		
エノコログサ	37	84.1	●		●	4	1		●	●	4	2	●	●	●	4	1		●	●	4	1
ムラサキエノコログサ	7	15.9							●													
アキノエノコログサ	38	86.4	●	●					●	●	4	1	●	●	●	4	1		●	●	4	1
キンエノコ	3	6.8													●	4	0.1					
ヌカキビ	16	36.4		●	●				●	●	4	1		●	●				●	●		
オオクサキビ	3	6.8													●							
コメシバ	38	86.4	●	●	●	4	1		●		4	2	●								4	1
メシシバ	41	93.2	●	●	●	4	1		●	●	4	2	●	●	●	4	2		●	●	4	1
アキメシシバ	13	29.5		●					●					●	●				●			
シマスズメノヒエ	8	18.2													●	●	4	2		●		
スズメノヒエ	8	18.2							●	●			●									
ナルコヒエ	1	2.3																				
チヂミザサ	36	81.8	●	●	●	4	4		●	●	4	1	●			4	1		●	●	4	1
イヌヒエ	28	63.6		●					●	●	4	3		●	●	4	1		●	●	4	1
チゴザサ	4	9.1											●		●				●	●		

種名	出現 地点数 (3次)	出現 頻度 (%)	27 済美教育研究所				28 真盛寺				29 妙法寺				30 築地本願寺	31 和田郡公園観察の森				32 塚山公園							
			1次		2次		3次 層層		3次 被度		1次		2次		3次 層層		3次 被度		1次	1次		2次		3次 層層		3次 被度	
アブラススキ	0	0.0												●												●	
チガヤ	26	59.1			●		4	1		●	●		4	2												●	
オギ	16	36.4								●	●															●	
ススキ	36	81.8			●	●	4	1		●	●		4	1												●	
ヒメアシボソ	0	0.0																									
アシボソ	21	47.7			●	●	4	2		●	●		4	2												●	
セイバンモロコシ	11	25.0																								●	
イネ科sp-4	1	2.3																									
コブナグサ	8	18.2								●																●	
オガルカヤ	1	2.3				●					●																
ウシノシツベイ	1	2.3																									
ジュズダマ	18	40.9	●		●																						
ネズミムギ	7	15.9											4	0.1													
ホソムギ	6	13.6																									
コウライシバ	19	43.2				●		4	1		●		4	2												●	
クロチク	5	11.4				●																					
ケイヌビエ	0	0.0																									
ミチシバ	0	0.0																									
イヌアワ	0	0.0																									
イネ科sp-1	0	0.0																									
カンザンチク	1	2.3																									
ハチク	2	4.5																									
ウシノケグサ	0	0.0																									
メガルカヤ	2	4.5																									
ネズミノオ	2	4.5											4	0.1													
ミヤコザサ	3	6.8					3	1		●			4	1													
オヒゲシバ	0	0.0																									
イネ科sp-3	0	0.0																									
スズメノチャヒキ	1	2.3																									
イネ科sp-2	0	0.0																									
アワ	1	2.3																									
キビ	1	2.3																									
アワガエリ	0	0.0																									
コメススキ	0	0.0																									
ハルガヤ	0	0.0																									
カンチク	2	4.5					3	0.1																			
オオムギ	2	4.5											4	0.1													
タイミンチク	1	2.3																									
ヌカボ	1	2.3																									
オカルガヤ	2	4.5					4	0.1																			
ヤマヌカボ	1	2.3																									
シラゲガヤ	1	2.3																									
ササ属sp.	1	2.3																									
ヒメカナリークサヨシ	2	4.5																									
ツルヨシ	1	2.3																									
モロコシ	1	2.3																									
ヒメグサ	6	13.6					4	0.1		●	●																
ハマスゲ	21	47.7																									
コメガヤツリ	8	18.2								●	●															●	
カヤツリグサ	33	75.0			●	●				●																●	
チャガヤツリ	0	0.0																									
タマガヤツリ	2	4.5				●																					
アオガヤツリ	0	0.0																									
シロガヤツリ	1	2.3																								●	
ヒラボガヤツリ	0	0.0																								●	
フトイ	1	2.3																								●	
ミコシガヤ	0	0.0																									
マスクサ	17	38.6			●		4	1		●			4	1													
ヤブスゲ	9	20.5				●					●																
カワラスゲ	0	0.0																									
アゼスゲ	4	9.1											4	1													
テキリスゲ	3	6.8				●																					
コカンスゲ	0	0.0																									
アオスゲ	2	4.5	●																								
ヒメカンスゲ	2	4.5																									
カンスゲ	2	4.5																									
タガネソウ	2	4.5																									
ヒゴクサ	9	20.5				●							4	1													
ナキリスゲ	2	4.5	●			●				●																●	
アゼカヤツリ	3	6.8									●																
カサスゲ	0	0.0																									
クグテンツキ	0	0.0																									
ナルコスゲ	10	22.7					4	1					4	1													
クグガヤツリ	1	2.3																									
イガガヤツリ	0	0.0																									
スゲ属sp.	0	0.0				●																					
ヒナガヤツリ	0	0.0				●																					
ヌマガヤツリ	0	0.0									●																
ヒカゲスゲ	12	27.3					4	1					4	1													
モエギスゲ	1	2.3																									
シュロ	26	59.1	●		●	●	2.3	0.1		●	●		1.2	1												●	
トウジュロ	2	4.5																								●	
シュロチク	2	4.5																									

種名	出現 地点数 (3次)	出現 頻度 (%)	27 済美教育研究所				28 真盛寺				29 妙法寺				30 築地本願寺	31 和田堀公園観察の森					32 塚山公園			
			1次				1次 2次 3次 層層 3次 被度				1次 2次 3次 層層 3次 被度				1次	1次 2次		3次 層層 3次 被度		1次 2次		3次 層層 3次 被度		
			1次	2次	3次	3次 被度	1次	2次	3次	3次 被度	1次	2次	3次	3次 被度	1次	1次	2次	3次	3次 被度	1次	2次	3次	3次 被度	
カラスビシャク	21	47.7			●	●	4	0.1	●	●	4	1	●		●									
ウラシマソウ	3	6.8																						
ショウブ	4	9.1																			4	1		
セキショウ	10	22.7								●		4	0.1											
アリスガワセキショウ	4	9.1										4	1											
アオマムシグサ	0	0.0																						
オランダカイウ	0	0.0																						
ザゼンソウ	2	4.5																						
ヒメカイウ	1	2.3																						
マムシグサ	1	2.3																						
ヤブミョウガ	19	43.2				●	4	3	●	●	4	2							●					
ツユクサ	42	95.5	●		●	●	4	1	●	●	4	2	●	●	●	4	1	●	●	●	4	1		
ノハカダカラクサ	25	56.8										4	2											
ムラサキツユクサ	25	56.8			●	●	4	0.1				4	1		●	●	4	0.1						
オオボウシバナ	2	4.5																						
ムラサキオモト	2	4.5										4	0.1											
コナギ	0	0.0																						
ホテイアオイ	3	6.8																			4	1		
スズメノヤリ	10	22.7							●	●	4	1							●					
クサイ	12	27.3				●				●	4	2							●					
イ	5	11.4			●	●	4	0.1																
ホソイ	0	0.0			●																			
ホトトギス	17	38.6			●	●	4	3		●	4	3												
ヤマジノホトトギス	2	4.5																						
ヤマホトトギス	4	9.1			●																			
スジギボウシ	1	2.3			●															●				
オオバギボウシ	3	6.8	●		●															●				
ノカンゾウ	21	47.7	●		●	●	4	0.1	●	●	4	1					4	1			4	1		
ヤブカンゾウ	19	43.2	●		●																	4	0.1	
ニラ	22	50.0					4	1				4	1		●	●	4	0.1						
ノビル	31	70.5	●		●	●			●	●	4	0.1		●	●				●			4	0.1	
ウバユリ	3	6.8																						
カノコユリ	2	4.5				●																		
オニユリ	3	6.8				●				●	4	0.1												
ヤマユリ	11	25.0	●				4	0.1																
カタクリ	2	4.5																						
アマナ	7	15.9					4	0.1																
ツルギ	19	43.2	●		●		4	2	●	●	4	3												
オランダキジカクシ	0	0.0																						
タチデンモンドウ	0	0.0								●	●													
アマドコロ	7	15.9																				●		
ナルコユリ	5	11.4																						
ワニグチソウ	2	4.5																				●		
ホウチャクソウ	12	27.3	●							●												●		
チゴユリ	2	4.5																				●		
オオチゴユリ	0	0.0																				●		
キチジョウソウ	13	29.5			●	●	4	3				4	1								●	4	1	
スズラン	10	22.7	●		●							4	1											
ハラン	13	29.5	●		●	●	4	3	●	●	4	2									●			
オモト	12	27.3	●		●	●	4	0.1		●	4	0.1							●	●				
エンレイソウ	1	2.3																						
ヒメヤブラン	2	4.5																					4	0.1
コヤブラン	1	2.3																				●		
ヤブラン	28	63.6			●	●	4	1	●	●	4	1		●	●						●	4	0.1	
ジャノヒゲ	40	90.9	●		●	●	4	1	●	●	4	3	●		●	4	3	●	●	●	4	3		
シオデ	8	18.2																				●		
サルトリイバラ	6	13.6												●								●		
ヤマカシユウ	1	2.3																						
ハナニラ	16	36.4			●	●	4	1		●	4	1		●	●									
キミガヨラン	9	20.5				●	4	1		●	3	1												
ショウジョウバカマ	2	4.5																						
ギボウシ属sp.	12	27.3					4	1		●	4	1									●	4	0.1	
タチギボウシ	1	2.3																						
ツクバネソウ	1	2.3																						
ジャーマンアイリス	7	15.9				●	4	1				4	2											
テッポウユリ	2	4.5				●	4	0.1																
マイヅルソウ	0	0.0																						
ヒヤシンス	1	2.3																						
コオニユリ	4	9.1					4	0.1		●														
ジョウロウホトトギス	1	2.3																						
スカシユリ	2	4.5				●						4	0.1											
ナギイカダ	1	2.3				●																		
バイモ	2	4.5																						
キジカクシ	1	2.3																						
ドイツスズラン	3	6.8																						
オオバジャノヒゲ	1	2.3																			●	4	0.1	
ノシラン	0	0.0																			●			
オオアマナ	0	0.0																						
イトラン	2	4.5																						
アスバラガス	1	2.3																						
オリヅルラン	3	6.8																						
コバギボウシ	2	4.5																						
チューリップ	4	9.1					4	0.1																

種名	出現 地点数 (3次)	出現 頻度 (%)	27 済美教育研究所		28 真盛寺					29 妙法寺				30 薬地本願寺	31 和田郡公園観察の森					32 塚山公園			
			1次	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度			
アツバキミガヨラン	1	2.3																					
アガパンサス	1	2.3																					
クルマユリ	2	4.5				4	0.1																
シラーベルビアナ	1	2.3				4	0.1																
サルマメ	2	4.5																					
タケシマラン	1	2.3																					
ゼンテイカ	1	2.3																					
シラーカンパニユラ	1	2.3																					
ギョウジャンニク	1	2.3																					
ユキザサ	1	2.3																					
ムスカリ	1	2.3																					
ヤマラッキョウ	1	2.3																					
ハタケニラ	2	4.5																					
ヒガンバナ	20	45.5	●	●	●	4	1	●	●	4	0.1	●											
キツネノカミソリ	1	2.3			●				●														
ナツズイセン	5	11.4	●	●	●	4	1																
タマズダレ	11	25.0		●	●	4	1	●	●	4	1			●									
スイセン	12	27.3								4	1												
ハマユウ	6	13.6			●	4	1																
シロバナマンジュシヤゲ	0	0.0																					
スノーフレーク	2	4.5			●																		
スノードロップ	1	2.3																					
シロバナヒガンバナ	2	4.5																					
ヤマノイモ	34	77.3	●	●	●	4	1	●	●	4	2	●		●			●	●	4	0.1			
タチドコロ	3	6.8							●			●							●				
オニドコロ	25	56.8		●	●				●	●		●							4	0.1			
ヒメドコロ	19	43.2	●	●	●	4	0.1	●	●	4	1												
キクバドコロ	1	2.3																	●				
カエデドコロ	1	2.3																					
シヤガ	26	59.1	●	●	●	4	2			4	2								●	4 1			
キシウブ	15	34.1			●					4	1			●					4	2			
ヒメヒオウギズイセン	16	36.4	●	●	●	4	1			4	1			●									
ニワゼキショウ	15	34.1	●			4	0.1	●	●	4	1			●		4	1		●				
ハナショウブ	7	15.9			●	4	1		●	4	3								●	4 2			
アイリス	1	2.3																					
ヒオウギ	2	4.5																					
アヤメ科sp.	0	0.0																					
ヒオウギアヤメ	1	2.3																					
アヤメ	0	0.0								●													
カキツバタ	2	4.5																	●	4 2			
ノハナショウブ	3	6.8				4	1																
ミョウガ	20	45.5	●	●				●	●					●		4	1		●				
ショウガ	7	15.9			●	4	2			●	4 4												
クマガイソウ	0	0.0																					
キンラン	1	2.3																					
ギンラン	1	2.3																	●				
ネジバナ	13	29.5			●	4	0.1		●	4	2			●		4	0.1		●	4 0.1			
シラン	9	20.5			●	4	1		●	4	1												
エビネ	3	6.8																					
シュンラン	6	13.6		●															●	●			
サイハイラン	2	4.5																					
バショウ	3	6.8																					
カンナ科sp.	10	22.7																					
アオウキクサ	1	2.3																					
ウキクサ	1	2.3																					
リュウゼツラン	0	0.0			●																		
ドラセナ	2	4.5																					
ハンゲショウ	5	11.4	●																				
ドクダミ	40	90.9	●	●	●	4	2	●	●	4	3	●	●	●	4	1	●	●	4	2			
ヒトリシズカ	3	6.8	●																●				
フタリシズカ	7	15.9				4	0.1																
センリョウ	2	4.5								●	3 0.1												
セイヨウハコヤナギ	1	2.3																					
ウンリュウヤナギ	2	4.5																					
シダレヤナギ	6	13.6	●															●	●	1 2			
アカメヤナギ	0	0.0																					
ヤナギ属sp.	0	0.0																					
ネコヤナギ	1	2.3				3	0.1																
オオバヤナギ	2	4.5																					
オニグルミ	10	22.7	●																	3 1			
ベカン	1	2.3																					
カシグルミ	1	2.3																					
イヌシデ	15	34.1			●	1	2											●	●				
アカシデ	5	11.4										●						●	●	1 2			
クマシデ	6	13.6								●	1 2												
シラカンバ	3	6.8	●																				
ハンノキ	7	15.9			●	1	2												●				
ハシバミ	0	0.0																					
ツノハシバミ	1	2.3																					
アカガシ	5	11.4			●																		
シラカシ	29	65.9	●		●	1.3	3	●	●	1	4		●	●	2	2	●	●	1	1			
アラカシ	8	18.2		●	●														●	1 1			
ウバメガシ	12	27.3								4	1												

種名	出現 地点数 (3次)	出現 頻度 (%)	27 済美教育研究所		28 真盛寺					29 妙法寺				30 築地本願寺	31 和田堀公園観察の森				32 塚山公園			
			1次	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度		
コナラ	20	45.5	●		●	3	0.1										2	1	●	●	1	2
カシワ	9	20.5		●	●	2	0.1	●	●	1.3	1						3	1				
クヌギ	20	45.5	●	●	●	1	3					●					3	1	●	●	1	3
クリ	17	38.6	●													●			●	●	1	1
ツブラジイ	1	2.3																				
スダジイ	21	47.7	●	●	●	2	2	●	●	1	3						3	2	●		3	2
マテバシイ	19	43.2		●	●	2	1									●	2	1		●	2	1
イヌブナ	3	6.8															4	0.1				
ナラガシワ	0	0.0																				
ウラジロガシ	2	4.5				2	0.1															
アキニレ	9	20.5																				
ハルニレ	7	15.9																				
ケヤキ	40	90.9	●	●	●	1.3	1	●	●	1	4		●	●	1	2	●	●	●	●	1	1
エノキ	39	88.6	●	●	●	1.3	2	●	●	1	1		●	●	2	1	●	●	●	●	1.3	1
ムクノキ	29	65.9	●	●	●	1	2	●	●	1	2		●	●	1	1	●	●	●	●		
クワクサ	37	84.1	●	●	●	4	0.1	●	●	4	2		●	●	4	1	●	●	●	●		
ヤマグワ	13	29.5	●	●				●				●	●	●					●	●		
クワ	38	86.4			●	3.4	1		●	3	0.1				●	3	1				4	0.1
コウゾ(ヒコガ)	26	59.1	●			3	0.1	●	●	4	0.1	●							●	●	3	1
カナムグラ	30	68.2	●	●	●			●	●	4	3		●	●	4	1	●	●	●	●		
ヒメイタビ	0	0.0																				
イチジク	2	4.5													●	3	1					
ヒメコウゾ	1	2.3														4	0.1					
ツルコウゾ	0	0.0																				
イヌビワ	1	2.3								3	0.1											
ムカゴイラクサ	0	0.0																				
アオミズ	5	11.4	●																			
ミス	4	9.1			●			●	●	4	2									●	4	0.1
カテンソウ	1	2.3																		●		
ウワバミソウ	1	2.3																				
カラムシ	14	31.8	●										●	●					●			
コアカソ	1	2.3							●	●												
アカソ	0	0.0																				
オニヤブマオ	1	2.3																				
ヤブマオ	23	52.3	●	●	●	4	1	●	●	4	1	●	●						●	●	4	0.1
メヤブマオ	1	2.3																		●	4	0.1
ウマノスズクサ	4	9.1																				
ゼニバサイシン	1	2.3							●													
タマノカンアオイ	0	0.0																				
カンアオイ	3	6.8																				
ウマノスズクサ科sp.	0	0.0																				
フタバアオイ	1	2.3																				
ギシギシ	37	84.1	●										●	●	4	1	●				4	0.1
ナガバギシギシ	2	4.5																				
アレチギシギシ	26	59.1											●	●	4	0.1	●					
ミスヒキ	33	75.0	●	●	●	4	3	●				●	●	●					●	●		
ミチヤナギ	22	50.0							●	●	4	2			●	4	1	●	●	●		
イシミカワ	7	15.9								●					●	●				●		
ママコノシリヌグイ	2	4.5													●	●				●		
ミゾソバ	2	4.5																				
ツルソバ	1	2.3							●	●												
オオケタデ	9	20.5	●			4	0.1	●	●						●							
オオイヌタデ	29	65.9			●			●	●	4	1		●	●					●		4	0.1
ヤナギタデ	4	9.1																			4	1
ボントクタデ	14	31.8	●	●	●	4	0.1	●	●						●							
ハナタデ	2	4.5		●																		
イヌタデ	43	97.7	●	●	●	4	1	●	●	4	1		●	●	4	1	●	●	●	●	4	1
イタドリ	31	70.5		●	●	4	3	●	●	4	2	●		●				●	●	●	4	0.1
シャクチリソバ	5	11.4							●													
ヒメツルソバ	6	13.6																				
ハルタデ	3	6.8				4	0.1			4	0.1											
サクラタデ	1	2.3																				
ツルドクダミ	0	0.0													●							
ヒメスイバ	1	2.3																				
スイバ	3	6.8																				
シロミスヒキ	1	2.3																				
ソバ	1	2.3																				
シロアカザ	0	0.0	●						●				●						●			
アカザ	5	11.4																				
コアカザ	16	36.4											●	●								
ケアリタソウ	18	40.9							●				●	●					●			
シロザ	31	70.5			●				●	4	1			●	4	0.1			●		4	0.1
アメリカアリタソウ	0	0.0																				
ホソバアカザ	1	2.3																				
ケアリタソウ	1	2.3																				
アオゲイトウ	1	2.3																				
ホソアオゲイトウ	2	4.5																				
ホナガイヌビユ	11	25.0											●	●								
イヌビユ	16	36.4		●	●			●	●				●	●								
イノコズチ	40	90.9	●	●	●	4	1	●	●	4	1		●	●	4	1	●	●	●	●	4	1
ヒナタイノコズチ	10	22.7						●				●	●	●					●	●		
ケイトウ	3	6.8							●	4	1											
ハゲイトウ	1	2.3			●	4	1															

種名	出現 地点数 (3次)	出現 頻度 (%)	27		28					29				30	31				32			
			済美教育研究所		真盛寺					妙法寺				築地本願寺	和田堀公園観察の森				塚山公園			
			1次	2次	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	
ハリビユ	1	2.3																				
アオビユ	2	4.5																				
ヤマゴボウ	2	4.5																				
ヨウシュヤマゴボウ	40	90.9	●	●	●	4	1	●	●	4	1	●	●	●			●					
オシロイバナ	28	63.6	●	●	●	4	2	●	●					●	●	4	0.1		●			
ザクロソウ	9	20.5		●				●	●	4	1					4	0.1					
マツバギク	4	9.1																				
ツルナ	1	2.3																				
スベリヒユ	26	59.1		●	●	4	0.1		●	4	1				4	1		●		4	2	
マツバボタ	4	9.1								4	1											
ハゼラン	17	38.6				4	0.1		●	4	1			●								
ツメクサ	36	81.8	●	●	●	4	1	●	●	4	1				4	1		●		4	1	
ノミノツヅリ	4	9.1															●					
オランダミミナグサ	38	86.4	●	●		4	0.1	●	●	4	1			●	●	4	1	●	●	4	1	
ミミナグサ	3	6.8	●					●	●					●	●			●				
ウシハコベ	40	90.9	●	●				●	●	4	1			●	●	4	0.1			4	0.1	
コハコベ	30	68.2						●	●	4	0.1			●	●	4	0.1			4	2	
ミドリハコベ	36	81.8	●	●	●	4	2	●	●	4	1			●	●	4	1		●	4	0.1	
ノミノフスマ	4	9.1	●											●								
ナンバンハコベ	0	0.0																				
ムシトリナデシコ	9	20.5				4	0.1							●		4	0.1					
フシグロセンノウ	0	0.0																				
カワラナデシコ	3	6.8												●		4	1					
スイセンノウ	0	0.0																				
スイレン	6	13.6																		4	1	
ハス	2	4.5			●	4	0.1															
ヒメスイレン	3	6.8																		4	0.1	
コウホネ	1	2.3																				
カツラ	7	15.9												●	●	1	2			2	1	
ボタンツル	5	11.4																				
センニンソウ	9	20.5						●				●								●		
イチリンソウ	3	6.8																				
ニリンソウ	1	2.3	●																			
シュウメイギク	4	9.1				4	0.1															
タガラシ	0	0.0																				
キツネノボタン	1	2.3																				
トゲミノキツネノボタン	0	0.0																				
アキカラマツ	0	0.0																				
カラマツソウ	3	6.8																				
オダマキ	5	11.4				4	1			4	0.1											
ヒメウズ	2	4.5																				
サラシナショウマ	3	6.8																				
イヌショウマ	3	6.8																				
セリバオウレン	3	6.8																				
セリバヒエンソウ	7	15.9				4	1															
ウマノアシガタ	7	15.9																				
アズマイチゲ	0	0.0																				
キンバイソウ	0	0.0																				
クリスマスローズ	2	4.5																				
テッセン	0	0.0																				
ミスミソウ	1	2.3																				
フクジュソウ	2	4.5				4	0.1															
ボタン	6	13.6			●	3	0.1		●	3	0.1											
レンジショウマ	2	4.5																				
シャクヤク	5	11.4			●	4	1		●	4	1											
トリカブト	1	2.3																				
リュウキンカ	0	0.0																				
クレマチス	1	2.3																				
ヤマシャクヤク	1	2.3																				
アケビ	18	40.9		●	●	4	0.1	●	●	3	1	●								●		
ミツバアケビ	9	20.5						●	●											●		
ムベ	9	20.5																				
メギ	3	6.8																		●		
ナンテン	19	43.2	●			3	0.1	●	●	3	1			●		3	1			●		
イカリソウ	6	13.6																		●		
ヒイラギナンテン	17	38.6	●		●	3	0.1		●	3	1									4	1	
トキワイカリソウ	2	4.5																				
ホソバノヒイラギナンテン	1	2.3			●	3	1															
ヒロハヘビノボラス	0	0.0																		●		
ツツラフジ	1	2.3																				
アオツツラフジ	13	29.5			●	4	0.1					●								●	●	
オオツツラフジ	1	2.3																				
ホオノキ	9	20.5		●	●	2	1															
コブシ	28	63.6	●	●	●	2	1		●	2	1								●	●	2	1
モクレン	12	27.3	●		●	2	1		●	3	1											
シキミ	8	18.2	●	●	●	2.3	1	●	●	2.3	1											
サネカズラ	1	2.3		●	●																	
ユリノキ	9	20.5						●	●	1	1									●	1	2
タイサンボク	14	31.8			●	2	1		●	1.2	2									2	1	
オガタマノキ	2	4.5																		4	0.1	
シモクレン	7	15.9			●	3	1													4	0.1	
ハクモクレン	3	6.8																		●	2	1
オオヤマレンゲ	1	2.3																				

種名	出現 地点数 (3次)	出現 割合 (%)	27 済美教育研究所				28 真盛寺				29 妙法寺				30 築地本願寺	31 和田郡公園観察の森				32 塚山公園				
			1次				1次 2次 3次 層層 3次 被度				1次 2次 3次 層層 3次 被度				1次	1次 2次 3次 層層 3次 被度				1次 2次 3次 層層 3次 被度				
			1次	2次	3次	3次 被度	1次	2次	3次	3次 被度	1次	2次	3次	3次 被度	1次	1次	2次	3次	3次 被度	1次	2次	3次	3次 被度	
ロウバイ	10	22.7			●		2	0.1	●	●	3	0.1									3	0.1		
クスノキ	28	63.6	●		●		1.4	2	●	●	1	2					3	1			●	1	2	
ヤブニッケイ	9	20.5			●		2	1	●	●	2	0.1									●			
タブノキ	4	9.1			●		3	1																
クロモジ	2	4.5																						
アブラチャン	3	6.8																						
シロダモ	20	45.5			●				●	●	2	1									●			
グツケイジュ	15	34.1	●		●		2	1	●	●	1.2	1												
ニッケイ	2	4.5			●		3	1		●														
イヌガシ	4	9.1					3	0.1																
ナガミヒナグシ	24	54.5														●	4	0.1			●	4	0.1	
クサノオウ	11	25.0					4	0.1																
タケニグサ	36	81.8			●				●	●	4	1	●		●						●	●	4	0.1
ムラサキケマン	17	38.6	●		●		4	0.1																
ヤマブキソウ	1	2.3																						
ミヤマキケマン	1	2.3																						
キケマン	0	0.0				●																		
ヤマエングサク	1	2.3																						
シラユキダシ	1	2.3																						
ヒナグシ	1	2.3																						
セイヨウフウチョウソウ	0	0.0														●								
フウチョウソウ	1	2.3																						
クレオメ	3	6.8					4	0.1																
マメグンバイナズナ	7	15.9														●								
タネツケバナ	18	40.9	●		●		4	0.1	●	●	4	0.1			●									
イヌカキネガラシ	0	0.0																						
ミチバタガラシ	2	4.5				●											4	0.1						
イヌガラシ	35	79.5	●		●		4	0.1	●	●	4	1		●	●					●		4	0.1	
ナズナ	33	75.0	●		●				●	●	4	0.1		●	●		4	1				4	1	
イヌナズナ	1	2.3	●																					
アブラナ	3	6.8															4	0.1						
シオカウサイ	30	68.2	●		●		4	0.1		●	4	2					4	0.1						
カキネガラシ	0	0.0																						
セイヨウアブラナ	1	2.3														●								
ハタザオ	1	2.3																						
セイヨウカラシナ	0	0.0																						
ヒメグンバイナズナ	0	0.0																						
グンバイナズナ	2	4.5														●	4	1						
ノハラガラシ	0	0.0																						
ジャンジン	1	2.3																						
ゴウダソウ	1	2.3					4	0.1																
ニワナズナ	1	2.3																						
オランダガラシ	1	2.3																						
コマツナ	2	4.5																						
オノマンネングサ	4	9.1									4	0.1												
ツルマンネングサ	8	18.2					4	1	●	●						4	0.1							
タイトゴメ	1	2.3																						
メノマンネングサ	9	20.5								●														
コモチマンネングサ	5	11.4				●				●	●													
タコノアシ	1	2.3																			●			
メキシコマンネングサ	18	40.9					4	1	●	●	4	1												
ベンケイソウ科sp.	0	0.0																						
キリンソウ	4	9.1				●	4	0.1								4	1							
ベンケイソウ	1	2.3				●																		
チダケサシ	2	4.5																						
ユキノシタ	22	50.0			●		4	2			4	0.1		●		4	1			●				
アジサイ	34	77.3			●		3	1	●	●	3	1			●	3	2			●		3	2	
ガクアジサイ	4	9.1				●	3	1																
ウツギ	13	29.5									3	1												
タマアジサイ	1	2.3																						
マルバウツギ	1	2.3																						
バイカウツギ	0	0.0																						
ヒメラヤユキノシタ	2	4.5					4	1																
ヒメウツギ	0	0.0																						
アマチャ	0	0.0				●				●														
ノリウツギ	0	0.0																				●		
ギンバイソウ	2	4.5									4	0.1												
フサスグリ	3	6.8					3	0.1																
コマガタケスグリ	2	4.5					3	1																
ヤマアジサイ	1	2.3																						
キレンジショウマ	1	2.3																						
ハルユキノシタ	1	2.3																						
トベラ	6	13.6																						
スズカケノキ	5	11.4								●	1	1								●	●	3	2	
モミジバスズカケノキ	0	0.0																						
アメリカスズカケノキ	0	0.0																						
マンサク	7	15.9																			●	2	1	
ヒュウガミズキ	12	27.3																			●	3	3	
トサミズキ	9	20.5				●	3	0.1																
シナマンサク	1	2.3																						
コゴメウツギ	7	15.9																						
ユキヤナギ	26	59.1			●		3	1			3	1		●	3	1				●		3	2	
コデマリ	15	34.1				●	3	1			3	0.1												

種名	出現 地点数 (3次)	出現 頻度 (%)	27 済美教育研究所		28 真盛寺					29 妙法寺				30 築地本願寺	31 和田稲公園朝霧の森					32 塚山公園			
			1次		1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度		
シモツケ	6	13.6			●	4	0.1			4	0.1									3	1		
ホザキナナカマド	2	4.5																					
シロヤマブキ	11	25.0																					
ヤマブキ	30	68.2	●	●	●	3	0.1		●	4	1			●	●	3	1		●	3	3		
ヘビイチゴ	37	84.1	●	●	●	4	3		●	●	4	3		●	●	4	1		●	●			
ヤブヘビイチゴ	4	9.1							●						●								
オヘビイチゴ	2	4.5													●								
キジムシロ	1	2.3														4	0.1						
ミツバツチグサ	5	11.4											●								●		
ニガイチゴ	0	0.0																			●		
クマイチゴ	2	4.5			●																		
カジイチゴ	18	40.9	●	●	●	3	1		●	3	1												
モミジイチゴ	6	13.6							●												●		
クサイチゴ	6	13.6		●	●	4	2																
バライチゴ	3	6.8			●	3	2																
ナワシロイチゴ	15	34.1											●								●		
ワレモコウ	8	18.2			●					4	0.1												
キンミズヒキ	12	27.3				4	1												●	●	4	0.1	
ノイバラ	24	54.5	●			3	0.1												●	●	4	0.1	
モモ	9	20.5							●	2	0.1				3	1							
ユスラウメ	8	18.2		●	●	3	0.1																
ヤマザクラ	18	40.9			●	2	2		●	●	2	1									●		
オオシマザクラ	4	9.1				2	1			2	1				2	1					●		
ウヰミズザクラ	3	6.8	●																		●		
イヌザクラ	10	22.7	●																		●	●	
サンザシ	3	6.8							●														
カナメモチ	17	38.6		●	●	2	1		●	●	2	1			3	1			●		3	2	
ビワ	29	65.9		●	●	1.2	0.1		●	●	2	1							●		4	0.1	
シャリンバイ	9	20.5	●		●	3	1								●	3	2			●			
クサボケ	12	27.3	●							4	0.1										●		
ボケ	18	40.9			●				●	3	1				●	3	1						
カマツカ	0	0.0																					
アズキナシ	0	0.0																					
タチバナモドキ	2	4.5	●						●														
ウメ	20	45.5			●	2	2		●	2	0.1				●	2	2				2	1	
カイドウ	4	9.1							●														
カリン	12	27.3							●	2	2												
サトザクラ	14	31.8							●	2	1												
イトザクラ	13	29.5			●	2	1		●	2	1												
セイヨウサンザシ	1	2.3																					
ソメイヨシノ	31	70.5			●	2	2		●	1	1				●						2	2	
ナナカマド	1	2.3																		●	2	0.1	
ピラカンサ	21	47.7			●	3	1			3	0.1									●	3	1	
シジミバナ	1	2.3				3	1																
シモツケソウ	3	6.8								4	0.1												
バラ属sp.	2	4.5																					
ヒメリンゴ	12	27.3			●	2	0.1			3	0.1				4	1							
リンゴ類	1	2.3																					
サクラ属sp.	0	0.0																					
ハマナス	0	0.0																					
ナガバモミジイチゴ	2	4.5																					
カスミザクラ	0	0.0																					
スモモ	4	9.1				3	0.1														3	0.1	
イブキシモツケ	1	2.3																					
ナシ	0	0.0																					
ジュウガツザクラ	1	2.3																					
シダレウメ	3	6.8							●														
マルバシャリンバイ	0	0.0																					
ニワウメ	1	2.3																					
ハナモモ	3	6.8																					
トキワサンザシ	2	4.5																					
テリハノイバラ	0	0.0																					
マメザクラ	1	2.3																					
オランダイチゴ	1	2.3																					
ズミ	1	2.3																					
ハナカイドウ	3	6.8																					
ミカイドウ	1	2.3																					
ツルバラ	3	6.8				3	1																
ブリムラ	1	2.3				4	1																
シダレモモ	1	2.3																					
ザイフリボリ	1	2.3																					
プラム	1	2.3																					
セイヨウミザクラ	2	4.5																					
ダイコンソウ	1	2.3																					
レッドロビン	1	2.3																					
ネムノキ	9	20.5																			●		
サイカチ	2	4.5							●	●	1	1											
エンジュ	23	52.3	●	●	●	1.3	1		●	●					2	1		●	●	3	0.1		
キハギ	1	2.3	●																				
マルバハギ	0	0.0																					
ヤマハギ	6	13.6	●			3	1		●						●					●			
ミヤギノハギ	6	13.6	●		●	3	2								●	3	1		●	3	0.1		
メドハギ	6	13.6		●	●				●				●	●	●				●	●			

種名	出現 地点数 (3次)	出現 頻度 (%)	27 済美教育研究所		28 真盛寺				29 妙法寺				30 築地本願寺	31 和田郡公園観察の森				32 塚山公園			
			1次	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	
ネコハギ	7	15.9								4	0.1										
ヤハズソウ	3	6.8							●	4	1	●	●	●				●			
ヌスビトハギ	6	13.6			●													●			
ヤハズエンドウ	28	63.6	●										●	●	4	1	●	●	4	2	
スズメノエンドウ	8	18.2											●	●							
ナンテンハギ	2	4.5																			
ノアズキ	1	2.3																			
ヤブツルアズキ	2	4.5		●																	
ノササゲ	2	4.5												●							
クズ	29	65.9											●	●	4	1	●	●			
ツルマメ	1	2.3											●	●							
ヤブマメ	30	68.2		●		4	1	●	●	4	3	●	●	4	1	●	●	4	1		
コマツナギ	1	2.3																			
フジ	29	65.9	●	●	●	1	2			4	0.1	●					●	●	3	0.1	
トゲナシニセアカシア	2	4.5																			
ゲンゲ	3	6.8																●			
ムラサキツメクサ	5	11.4							●					●		4	1	●			
シロツメクサ	22	50.0	●							4	1		●	●	4	3	●	●	4	0.1	
ウマゴヤシ	0	0.0																			
イタチハギ	2	4.5																			
ハナズオウ	11	25.0	●			3.4	1	●	●												
ハリエンジュ	9	20.5							●												
フジカンゾウ	3	6.8																			
ミヤコグサ	1	2.3																			
ヤブハギ	0	0.0																			
ベニシタン	3	6.8			●	3	1														
エニシダ	5	11.4								3	1								3	1	
ムラサキウマゴヤシ	0	0.0																			
ハナエンジュ	0	0.0																			
コメツブウマゴヤシ	0	0.0												●							
エビスグサ	0	0.0																			
カワラケツメイ	0	0.0																			
クサネム	0	0.0																			
ハギ属sp.	8	18.2								3	0.1										
カスマグサ	6	13.6																			
スイートピー	1	2.3																			
ゲンノショウコ	12	27.3		●	●										4	0.1	●				
アメリカフウロ	12	27.3													●	4	0.1				
カタバミ	42	95.5	●	●	●	4	1	●	●	4	1	●	●	●	4	2	●	●	4	1	
アカカタバミ	38	86.4			●	4	0.1			4	1		●	●	4	1	●	●	4	0.1	
ウスアカカタバミ	42	95.5				4	0.1			4	1				4	1	●	●	4	1	
ハナカタバミ	3	6.8																			
ムラサキカタバミ	41	93.2	●	●	●	4	1	●	●	4	1		●	●	4	1	●	●	4	0.1	
ミヤマカタバミ	1	2.3																			
イモカタバミ	1	2.3													4	0.1					
オオキバナカタバミ	1	2.3																			
サンショウ	18	40.9	●	●	●	3	1	●	●									●			
コクサギ	0	0.0		●																	
ナツミカン	11	25.0		●		3	0.1														
ユズ	5	11.4				3	1														
カラタチ	1	2.3																			
アサクラザンショウ	1	2.3																			
ウンシュウミカン	2	4.5			●	2	1														
ツルシキミ	1	2.3																			
ダイダイ	0	0.0																			
カラスザンショウ	1	2.3																			
ミカン属sp.	3	6.8																			
イヌザンショウ	1	2.3																			
キンカン	1	2.3																			
ニガキ	1	2.3																	●		
ニワウルシ	4	9.1																			
ユズリハ	16	36.4	●		●	2.3	1			2	0.1								3	1	
コミカンソウ	6	13.6							●	4	1								●		
ヒトツバハギ	3	6.8																			
エノキグサ	36	81.8	●	●	●	4	0.1	●	●	4	0.1		●	●	4	0.1	●	●	4	0.1	
アカメガシワ	34	77.3	●	●	●	1.3	2	●	●	1	1	●						●	●	2	0.1
オオニシキソウ	3	6.8																			
ニシキソウ	11	25.0				4	0.1	●													
コニシキソウ	35	79.5	●	●	●	4	1	●	●	4	2	●		●	4	1	●	●	4	1	
タカトウダイ	1	2.3																			
ナツトウダイ	3	6.8																			
ハイニシキソウ	0	0.0																			
ノウルシ	3	6.8																			
オオバベニガシワ	1	2.3																			
アワゴケ	8	18.2			●	4	0.1	●	●	4	1										
クサツゲ	3	6.8				4	1	●													
フッキソウ	8	18.2		●	●	4	2												●	4	1
ツゲ	2	4.5																	●		
ツタウルシ	0	0.0																			
ハゼ	7	15.9				3	0.1	●	●	4	0.1										
ウルシ	1	2.3																			
ヤマウルシ	4	9.1								3	0.1										
ヌルデ	16	36.4			●	3	0.1					●		●				●	●		

種名	出現 地点数 (3次)	出現 頻度 (%)	27 済美教育研究所		28 真盛寺			29 妙法寺				30 築地本願寺	31 和田郷公園観察の森				32 翠山公園			
			1次	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度
ウメモドキ	8	18.2			●															
イヌツゲ	25	56.8		●	●	3	0.1	●	●	2	1						●		4	2
ソヨゴ	0	0.0																		
クロガネモチ	10	22.7								2	1			3	1				3	1
モチノキ	23	52.3	●	●	●	2.3	1	●	●	2	1						●		2	1
タラヨウ	6	13.6								●	2	1								
アカメカナメモチ	2	4.5																		
ツルウメモドキ	24	54.5			●	3	0.1				●								●	
ニシキギ	16	36.4						●	●	3	0.1							●	3	2
コマユミ	1	2.3						●												
マサキ	14	31.8						●	●	3	1						●	●		
ツルマサキ	1	2.3																		
マユミ	21	47.7	●		●	3	1		●	3	1						●	●	3	1
ツリバナ	0	0.0																		
キンマサキ	1	2.3																		
ゴズズイ	4	9.1																	3	1
ミツバウツギ	1	2.3																		
ハウチワカエデ	3	6.8																		
イロハモミジ	32	72.7	●	●		2	1	●	●	1.2	2			●	2.3	1	●	●	2	2
オオモミジ	0	0.0																		
ヤマモミジ	2	4.5	●																	
イタヤカエデ	0	0.0																		
メグスリノキ	2	4.5																		
トウカエデ	14	31.8			●	1.3	1													
オオイタヤメイゲツ	2	4.5							●	3	1									
カエデ科sp.	0	0.0																		
トネリコバノカエデ	1	2.3																		
ハナノキ	1	2.3																		
コハウチワカエデ	0	0.0			●															
オニイタヤ	1	2.3																		
カジカエデ	1	2.3																		
ミツデカエデ	1	2.3																		
トチノキ	13	29.5																●	●	
セイヨウトチノキ	1	2.3																		
ムクロジ	6	13.6	●		●	3	0.1													
フウセンカズラ	0	0.0																		
モクダング	1	2.3							●	1	1									
アワブキ	0	0.0																		
ヤマビワ	1	2.3																		
キツリフネ	2	4.5																		
ホウセンカ	3	6.8				4	0.1			4	1									
ナツメ	8	18.2																		
クマヤナギ	0	0.0																		
エビヅル	20	45.5	●	●				●										●	●	
ノブドウ	29	65.9	●	●	●	4	1	●	●	4	0.1	●	●	●	3	0.1	●	●	●	
ツタ	41	93.2	●	●	●	4	1	●	●	4	0.1	●	●	●	4	1	●	●	●	
ヤブカラシ	42	95.5	●	●	●	4	1	●	●	4	2	●	●	●	3	1	●	●	4	2
ブドウ科sp.	0	0.0																		
ヤマブドウ	1	2.3																		
アオオカメヅタ	1	2.3																		
ブドウ	1	2.3																		
カラスノゴマ	4	9.1							●											
ボダイジュ	5	11.4		●	●	2	1		●	2	2									
シナノキ	2	4.5				2	1		●											
ムクゲ	19	43.2			●	3	1		●	4	1							●	2	1
フヨウ	10	22.7			●															
タチアオイ	12	27.3								4	3		●	●	3	0.1				
ゼニアオイ	9	20.5													4	0.1				
トロロアオイ	1	2.3																		
アメリカフヨウ	0	0.0												●						
モミジアオイ	2	4.5																		
アオギリ	18	40.9	●	●	●	2	1													
チャノキ	22	50.0	●	●	●	3	1	●	●	3	1							●	●	
ヤブツバキ	35	79.5			●	3	2	●	●	2.3	1			3	0.1		●		2.3	2
サザンカ	28	63.6	●	●	●	2	1	●	●	2.3	1			4	2		●		2.3	1
モッコク	21	47.7		●	●	2.3	1	●	●	2	1								3	1
サカキ	13	29.5	●																	
ヒサカキ	25	56.8	●	●	●	2.3	1	●	●	2.3	1						●	●	3	0.1
ハマヒサカキ	3	6.8								3	1									
ナツツバキ	6	13.6			●	2	1		●										2	1
カンツバキ	12	27.3								3	0.1								3	1
オトメツバキ	7	15.9			●	3	0.1													
ヒメシャラ	3	6.8																		
ビョウヤナギ	12	27.3	●		●	3	1			4	1								3	1
ヒメオトギリ	1	2.3				4	1													
コケオトギリ	6	13.6		●	●			●	●	4	2								●	
オトギリソウ	3	6.8																	●	
キンシバイ	4	9.1																		
トモエソウ	1	2.3																		
ヒベリカムヒデコート	1	2.3																		
ヒベリカムカリシナム	1	2.3																		
エイザンスミレ	5	11.4																		
マルバスマレ	12	27.3	●					●	●	4	0.1									

種名	出現 地点数 (3次)	出現 頻度 (%)	27 済美教育研究所		28 真盛寺			29 妙法寺				30 築地本願寺	31 和田郷公園観察の森				32 塚山公園				
			1次	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	
ナガバノスミレサイシン	5	11.4		●		4	1		●	4	0.1										
シロバナスミレ	2	4.5																			
スミレ	21	47.7	●	●		4	0.1	●	●												
コスミレ	17	38.6		●	●	4	0.1	●	●	4	0.1								●		
シハイスミレ	14	31.8			●	4	1	●	●	4	0.1										
タチツボスミレ	30	68.2	●	●	●	4	1	●	●	4	2							●	●		
ニオイタチツボスミレ	1	2.3																			
ツボスミレ	12	27.3	●	●	●			●	●										●		
ニオイスミレ	28	63.6		●	●	4	1	●	●	4	0.1		●	4	0.1						
ヒゴスミレ	0	0.0																			
ヒカグスミレ	8	18.2																			
フモトスミレ	1	2.3			●	4	0.1														
スミレサイシン	7	15.9																			
シロスミレ	0	0.0																			
ヒメキクバスミレ	3	6.8																			
サクラスミレ	3	6.8				4	0.1														
タデトパンジー	1	2.3								4	1										
ケマルバスミレ	1	2.3																			
イイギリ	19	43.2	●	●	●	3	0.1	●	●	1.3	1	●						●	●		
シュウカイドウ	6	13.6		●	●	4	1														
ベゴニア属sp.	1	2.3			●				●												
オニシバリ	0	0.0																			
ミツマタ	3	6.8																			
ジンチョウゲ	18	40.9			●	3	1		●	3	2		●	3	2			●	3	2	
ナワシログミ	7	15.9							●	3	1	●							3	1	
ナツグミ	4	9.1				3	1														
トウグミ	0	0.0																			
ツルグミ	2	4.5												4	0.1						
グミ科sp.	2	4.5			●									3	1						
ミズタマソウ	2	4.5																			
マツヨイグサ	15	34.1				4	0.1							4	0.1						
オオマツヨイグサ	14	31.8								4	0.1			●							
コマツヨイグサ	3	6.8												●							
メマツヨイグサ	10	22.7										●	●	●				●			
ユウゲショウ	9	20.5																			
ヒルザキツキミソウ	6	13.6								4	0.1										
ツキミソウ	1	2.3																			
カミヤツデ	1	2.3																			
タラノキ	12	27.3																			
ウド	22	50.0	●						●	●	4	0.1							●	4	0.1
キツタ	33	75.0	●	●	●	3.4	1	●	●	3.4	1								●		
ヤツデ	28	63.6	●	●		3	1	●	●	3	1		●	3	0.1			●	●	3	2
カクレミノ	8	18.2			●	2	1		●											3	1
ヤマウコギ	1	2.3																			
ハリギリ	2	4.5																			
セイヨウツタ	2	4.5																			
コシアブラ	1	2.3																			
ノチドメ	5	11.4	●		●	4	1	●	●	4	2										
チドメグサ	22	50.0	●	●	●	4	1	●	●	4	3							●	●		
ヤブニンジン	1	2.3																			
ヤブジラミ	6	13.6																			
ミツバ	12	27.3		●	●	4	2	●		4	0.1										
ムラサキミツバ	2	4.5																			
セリ	11	25.0		●	●	4	3						●	4	0.1						
セントウソウ	1	2.3																			
ノダケ	4	9.1							●										●		
アシタバ	11	25.0	●							4	0.1									4	0.1
ジャク	2	4.5																			
アカミツバ	0	0.0																			
オオチドメグサ	4	9.1																		●	
オオバチドメ	1	2.3																			
ヒメチドメグサ	1	2.3																			
セリ科sp.	1	2.3																			
バセリ	0	0.0																			
オヤブジラミ	1	2.3																			
ウマノミツバ	1	2.3																			
シシウド	1	2.3																			
コチドメ	1	2.3																			
アオキ	30	68.2	●	●	●	3	2	●	●	3	1							●	●	3	3
ミズキ	28	63.6	●	●	●	1.3	2	●	●	1	1	●						●	●	2	1
サンシュユ	4	9.1							●	2	0.1										
ヤマボウシ	5	11.4			●	3	1													3	1
ハナイカダ	0	0.0																			
ハナミズキ	16	36.4	●			2	1						●	3	1				3	2	
サンシュウ	1	2.3																			
サルズベリ	20	45.5			●	2	1		●	1.3	1		●	2	1			●	2	1	
ミソハギ	1	2.3																			
ザクロ	4	9.1											●	2	1						
ボ-ボ-ノキ	2	4.5																			
ヤマモモ	10	22.7							●	2	2								●	2	1
センダン	11	25.0		●		4	1		●	4	0.1										
ピナンカズラ	20	45.5				4	1			4	0.1										
キウイ	10	22.7								4	0.1										

種名	出現 地点数 (3次)	出現 頻度 (%)	27 済美教育研究所		28 真盛寺				29 妙法寺				30 築地本願寺	31 和田郡公園観察の森					32 塚山公園			
			1次	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度		
ブラシノキ	1	2.3																				
キブシ	3	6.8																				
ギョリュウ	1	2.3							3	1												
マツモ	1	2.3																				
トケイソウ	1	2.3																				
リョウブ	4	9.1																	●			
リンドウ	0	0.0																				
カルミヤ	1	2.3																				
ヨウシュイワナンテン	2	4.5																				
ヤマツツジ	7	15.9		●						●					3	1						
アセビ	18	40.9		●	●	3	1		●	●									●	3	2	
オオムラサキ	29	65.9			●	3	1							●					●	3	3	
カルミア	6	13.6																				
キリシマツツジ	9	20.5																		3	1	
サツキ	27	61.4				3	1			3	0.1				3	1				3	1	
ドウダンツツジ	24	54.5			●	3	1		●	3	1				3	1			●	3	3	
ベニサラサドウダン	1	2.3																				
ミツバツツジ	10	22.7			●	3	1			3	1									3	1	
クルマツツジ	6	13.6							●													
ウンゼンツツジ	2	4.5																				
シャクナゲ	1	2.3			●																	
ツツジ科sp.-3	1	2.3																				
ヤチツツジ	0	0.0																				
ツツジ科sp.-2	0	0.0																				
ツツジ科sp.-1	0	0.0																				
レンガツツジ	1	2.3																				
リュウキュウツツジ	2	4.5																				
ヒラドツツジ	1	2.3																				
セイヨウシャクナゲ	7	15.9								3	1											
ツツジ属sp.	3	6.8																				
ハクサンシャクナゲ	1	2.3								3	0.1											
モチツツジ	1	2.3																				
イワナンテン	1	2.3																				
ヤブコウジ	6	13.6			●	●			●	●	4	0.1							●	4	0.1	
マンリョウ	20	45.5	●	●	●	4	0.1	●	●	4	0.1											
タイミンタチバナ	2	4.5												●	●	4	0.1	●	●			
コナスビ	29	65.9	●	●	●	4	1	●	●	4	1			●	●	4	0.1	●	●			
オカトラノオ	2	4.5																				
サクラソウ	0	0.0																				
マメガキ	9	20.5			●	●									3	0.1						
カキノキ	18	40.9	●	●	●	2	1	●	●	1.2	1			●					●			
サワフタギ	7	15.9													3	1			●			
クロバイ	1	2.3																				
クロキ	0	0.0																				
エゴノキ	26	59.1	●	●	●	2	2					●							●	●	1	1
ハクウンボク	13	29.5			●	2	1							●	●	2	1					
ネズミモチ	30	68.2	●	●	●	2.4	1	●	●	2.3	0.1			●	●	3	1					
トウネズミモチ	32	72.7	●	●	●	2	1							●	●	3	1	●	●			
イボタノキ	14	31.8	●		●	3	0.1			●	2.3	2										
ヒイラギ	11	25.0			●	3	0.1												●			
ヒイラギモクセイ	15	34.1							●	3	1								●	2	2	
レンギョウ	15	34.1	●	●	●	3	1								3	2						
シナレンギョウ	1	2.3																				
トネリコ	3	6.8			●															●		
キンモクセイ	25	56.8			●	2	1		●	3	1				3	1			●	2	2	
ヒトツバタゴ	2	4.5																				
ムラサキハシドイ	4	9.1																				
セイヨウヒイラギ	1	2.3																				
モクセイ科sp.	2	4.5																				
チョウセンレンギョウ	0	0.0																				
コバノトネリコ	3	6.8																				
キソケイ	1	2.3																				
オウバイ	2	4.5																				
オリーブ	1	2.3																				
フジウツギ	0	0.0																	●			
チヂブフジウツギ	0	0.0																				
アイナエ	0	0.0			●																	
チョウジソウ	3	6.8																				
テイカカズラ	5	11.4				4	1															
キョウチクトウ	8	18.2			●	3	0.1															
ツルニチニチソウ	2	4.5																				
ガガイモ	12	27.3				4	0.1															
コバノカモメヅル	0	0.0							●													
カモメヅル	0	0.0																				
キジョラン	3	6.8																				
タチカモメヅル	1	2.3																				
イケマ	4	9.1																				
オオカモメヅル	1	2.3				4	0.1															
アオイゴケ	0	0.0																				
アメリカアサガオ	2	4.5																				
マルバアサガオ	5	11.4													●							
コヒルガオ	33	75.0	●						●	●	4	2		●	●	4	1	●	●	4	1	
ヒルガオ	19	43.2							●							4	0.1					

種名	出現 地点数 (3次)	出現 頻度 (%)	27 済美教育研究所		28 真盛寺			29 妙法寺				30 築地本願寺	31 和田堀公園観察の森				32 塚山公園				
			1次	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	
セイヨウヒルガオ	0	0.0																			
アサガオ	19	43.2				4	1		●	4	0.1			●	4	1					
ノアサガオ	6	13.6																			
マメアサガオ	1	2.3																			
マルバルコウソウ	1	2.3																			
ルコウソウ	1	2.3																			
クサキョウチクトウ	2	4.5																			
シバザクラ	5	11.4							●	4	1			●							
ハナイバナ	16	36.4	●						●	●	4	2		●	4	0.1	●				
キュウリグサ	26	59.1	●	●	●	4	0.1	●	●	4	1			●	4	0.1	●		4	0.1	
ヒレハリソウ	14	31.8												●	●	4	1				
ムラサキ	1	2.3																			
タバコ	1	2.3																			
コムラサキ	4	9.1																		●	
ムラサキシキブ	21	47.7	●	●	●	3	1	●	●	2.3	1	●	●	●	3	1	●	●	2	1	
クサギ	24	54.5	●			3	1	●	●	3.4	0.1	●	●		3	1	●	●			
ヒギリ	1	2.3																			
ベニバナクサギ	2	4.5													3	1					
オオムラサキシキブ	2	4.5																			
カリガネソウ	1	2.3																			
ジュウニヒトエ	4	9.1																		●	
キランソウ	8	18.2	●						●	●	4	1			●						
ニガクサ	0	0.0																			
タツナミソウ	2	4.5																			
イヌハッカ	1	2.3							●												
カキドオシ	15	34.1				4	2							●	●	4	2	●	●		
メハジキ	4	9.1			●									●	●						
ホトケノザ	34	77.3	●						●	4	0.1			●	●	4	0.1		●	4	1
ヒメオドリコソウ	31	70.5	●						●	●				●	●	4	1	●	●	4	1
アキノタムラソウ	2	4.5																			
イヌコウジュ	4	9.1													●						
ヒメジソ	2	4.5	●						●										●	●	
ヤマジソ	0	0.0																			
イヌトウバナ	5	11.4																			
シソ	28	63.6			●	4	1	●	●	4	1			●	●	4	0.1			●	
アオジソ	17	38.6				4	0.1			4	1				●	4	1			●	
ハッカ	8	18.2		●	●	4	1													4	1
ナギナタコウジュ	9	20.5							●	●	4	1							●	4	0.1
トウバナ	2	4.5													●						
ヒキオコシ	0	0.0																			
イブキジャコウソウ	1	2.3																			
オドリコソウ	2	4.5																			
キバナアキギリ	2	4.5																			
セイヨウジュウニヒトエ	3	6.8																			
マルバハッカ	2	4.5																			
ラショウモンカズラ	0	0.0																			
ハナトラノオ	4	9.1														4	0.1				
カクトラノオ	2	4.5			●	4	1			4	1										
ミカエリソウ	1	2.3																			
シモバシラ	1	2.3																			
キバナオドリコソウ	1	2.3																			
サルビア	1	2.3																			
アオチリメンジソ	1	2.3																			
クコ	25	56.8	●	●								●	●	●	3	0.1					
ホオズキ	16	36.4		●	●	4	1			4	1								●		
センナリホオズキ	2	4.5							●												
イヌホオズキ	16	36.4		●					●							4	0.1			●	
テリミノイヌホオズキ	26	59.1			●	4	1			●	4	1			●	4	0.1				
ヒヨドリジョウゴ	15	34.1			●	4	1	●	●	4	1								●	●	
ヨウシュチョウセンアサガオ	0	0.0																			
チョウセンアサガオ	1	2.3							●	●	4	0.1							●		
ケイヌホオズキ	0	0.0																			
アメリカイヌホオズキ	1	2.3																			
ワルナスビ	14	31.8								4	1				●	4	1		●	4	0.1
トマト	6	13.6																			
ハダカホオズキ	1	2.3																			●
タマサンゴ	20	45.5			●	4	1			4	1										
キリ	16	36.4							●	3	1	●	●	●	1	1	●	●	2	1	
ムラサキサギゴケ	10	22.7				4	1	●	●	4	1										
トキワハゼ	30	68.2	●	●	●	4	1	●	●	4	1			●	4	0.1	●		4	0.1	
アゼナ	4	9.1				4	0.1			4	0.1										
ウリクサ	12	27.3	●	●	●			●	●	4	0.1										
ダチイヌノフグリ	41	93.2	●	●	●	4	0.1	●	●	4	0.1			●	●	4	1	●	●	4	1
オオイヌノフグリ	31	70.5	●	●	●			●	●					●	●	4	0.1	●	●	4	1
コシオガマ	0	0.0																			
ビロードモウズイカ	1	2.3																			
ムシクサ	0	0.0																			
スズメノトウガラシ	1	2.3								4	3										
アゼトウガラシ	1	2.3																			
ツタバウンラン	2	4.5																			
トレニア	1	2.3																			
キササゲ	2	4.5			●			●	●	2	1										
ノウゼンカズラ	2	4.5			●																

種名	出現 地点数 (3次)	出現 頻度 (%)	27 済美教育研究所		28 真盛寺					29 妙法寺				30 築地本願寺	31 和田堀公園観察の森					32 塚山公園			
			1次		1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度		
			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
ハグロソウ	1	2.3						●	●														
キツネノマゴ	19	43.2	●		●			●	●	4	3			●				●	●				
アカンサス	3	6.8								4	0.1												
ハエドクソウ	10	22.7																●	●				
オオバコ	40	90.9	●	●	●			●	●	4	2			●	●	4	2	●	●	4	1		
ヘラオオバコ	0	0.0																					
ハシカグサ	6	13.6								4	1			●									
クチナシ	24	54.5	●	●	●	3	1		●	3	1								●	3	2		
ハクチョウゲ	18	40.9	●	●	●	3	1	●	●	3	1								●	3	2		
ヘクソカズラ	43	97.7	●	●	●	4	1	●	●	4	1	●	●	●	4	1	●	●	●	4	1		
アカネ	14	31.8						●	●	4	0.1							●	●				
ヤエムグラ	37	84.1	●	●	●	4	1	●	●	4	1			●	●				●	4	3		
ヨツバムグラ	2	4.5						●	●										●				
ヒメヨツバムグラ	5	11.4						●	●	4	1												
コクチナシ	3	6.8																		●			
ニワトコ	28	63.6	●			3	0.1	●	●	3	1	●	●	●				●	●				
ソクズ	3	6.8																					
ガマズミ	12	27.3		●	●														●	●	2	0.1	
コバノガマズミ	3	6.8																					
サンゴジュ	18	40.9			●	2.4	1	●	●	3	1			●	2	2				●	3	2	
ツクバネウツギ	3	6.8																		●	3	2	
ハコネウツギ	11	25.0			●	3	1														3	0.1	
スイカズラ	24	54.5		●	●			●	●			●	●	●				●	●				
ウグイスカグラ	4	9.1							●	3	1								●				
オオデマリ	3	6.8																					
ニシキウツギ	8	18.2																					
ヒョウタンボク	0	0.0																					
ハナゾノツクバネウツギ	14	31.8			●									●	3	2			●	3	2		
ムシカリ	1	2.3																					
タニウツギ	5	11.4																					
ヤブデマリ	1	2.3								3	0.1												
カンボク	1	2.3																					
オトコエシ	0	0.0																		●			
ツルカノコソウ	1	2.3																					
オミナエシ	1	2.3																					
キカラスウリ	18	40.9																					
カラスウリ	39	88.6	●	●	●	4	1	●	●	4	1	●	●		3	1	●	●	●	4	0.1		
スズメウリ	1	2.3																					
アマチャヅル	13	29.5							●	4	1									●	●		
アレチウリ	11	25.0												●	●	4	1	●					
スイカ	1	2.3																					
キュウリ	2	4.5																					
ツリガネニンジン	1	2.3																		●			
ホタルブクロ	8	18.2	●		●	4	1					●								●			
シデシヤジン	0	0.0																					
ソバナ	1	2.3																					
キキョウ	7	15.9			●	4	0.1																
キキョウソウ	1	2.3																					
ハハコグサ	34	77.3	●	●	●	4	1	●	●	4	2			●					●	●	4	0.1	
チチコグサ	11	25.0				4	0.1			4	0.1												
チチコグサモドキ	36	81.8	●	●	●	4	0.1	●	●	4	1			●	4	2			●	●	4	0.1	
ヤブタバコ	11	25.0							●	4	1									●	●		
ガンクビソウ	2	4.5							●														
オオブタクサ	14	31.8							●	●	4	0.1			●	●	4	1	●				
ブタクサ	35	79.5	●	●	●				●	●	4	1	●	●	●	4	1	●	●	●	4	0.1	
オナモミ	2	4.5												●									
オオオナモミ	0	0.0																					
ヒヨドリバナ	1	2.3							●	●											●		
アキノキリンソウ	3	6.8																					
セイタカアワダチソウ	31	70.5				4	0.1	●	●	4	0.1	●	●	●	4	1	●						
オオアワダチソウ	17	38.6	●						●	4	0.1			●	●								
ミヤマヨメナ	2	4.5																					
ユウガギク	2	4.5																					
ヨメナ	35	79.5	●	●	●	4	0.1							●	●	4	1	●			4	0.1	
カントウヨメナ	2	4.5																					
ハルジオン	43	97.7	●	●	●	4	1	●	●	4	1	●	●	●	4	0.1	●	●	●	4	1		
ヒメジョオン	38	86.4	●	●	●			●	●	4	0.1			●	●	4	1	●	●	●	4	1	
アレチノギク	29	65.9						●	●	4	0.1			●						●	●	4	0.1
オオアレチノギク	34	77.3	●	●	●	4	1	●	●	4	2	●	●	●	4	0.1	●	●	●	●	●	4	0.1
ヒメムカシヨモギ	28	63.6			●			●	●	4	2	●	●	●					●	●	●	4	0.1
ヤナギバヒメジョオン	0	0.0																					
ホウキギク	8	18.2			●					4	0.1												
シラヤマギク	7	15.9																			●		
シオン	1	2.3																					
ノコンギク	15	34.1	●	●		4	1	●						●	●	4	0.1	●	●				
コンギク	1	2.3																					
イナカギク	2	4.5																					
フキ	29	65.9	●	●	●	4	0.1	●	●	4	2			●						●			
ダンドボロギク	10	22.7				4	0.1	●	●	4	1			●					●	●			
ベニバナボロギク	5	11.4				4	0.1		●														
ツツブキ	16	36.4	●	●	●	4	1	●	●	4	1			●	●					●			
ノボロギク	15	34.1							●					●						●			
モミジガサ	0	0.0																					

種名	出現 地点数 (3次)	出現 頻度 (%)	27 済美教育研究所		28 真盛寺			29 妙法寺				30 築地本願寺	31 和田堀公園観察の森				32 塚山公園			
			1次	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度
ヤブレガサ	3	6.8	●																	
ノコギリソウ	1	2.3																		
トキンソウ	12	27.3		●	●	4	1	●	●	4	2	*								
フランスギク	8	18.2		●	●	4	1													
クソニンジン	1	2.3															●	●		
ヨモギ	40	90.9	●	●	●	4	1	●	●	4	0.1	●	●	●	4	1	●	●	4	0.1
ノブキ	0	0.0																		
メナモミ	0	0.0						●	●								●			
タカサブロウ	14	31.8						●						●						
アメリカセンダングサ	20	45.5						●	●	4	1		●					●		
コセンダングサ	5	11.4						●	●	4	1	●	●	●	4	0.1				
シロバナセンダングサ	1	2.3																		
コバナセンダングサ	0	0.0						●												
センダングサ	16	36.4										●		●	4	0.1				
ノアザミ	8	18.2																		
ノハラアザミ	2	4.5	●					●											●	
アズマヤマアザミ	1	2.3																		
キツネアザミ	4	9.1		●	●	4	0.1	●	●											
オヤマボクチ	1	2.3																	●	
コオニタビラコ	14	31.8				4	0.1	●	●	4	1									
コウブリナ	0	0.0																		
カントウタンポポ	12	27.3	●					●	●	4	0.1		●	●						
シロバナタンポポ	5	11.4						●	●									●		
セイヨウタンポポ	38	86.4		●	●	4	0.1	●	●	4	0.1	●	●	●	4	1	●	●	4	0.1
アカミタンポポ	10	22.7						●	●				●	●				●		
オオジシバリ	0	0.0						●	●											
イワニガナ	0	0.0	●					●												
ニガナ	6	13.6				4	0.1	●	●									●	4	0.1
アキノノゲシ	17	38.6	●	●	●			●	●				●	●				●		
ノゲシ	33	75.0	●	●	●	4	0.1	●	●	4	0.1		●	●	4	1			4	1
オニノゲシ	9	20.5								4	0.1			●						
オニタビラコ	40	90.9	●	●	●	4	0.1	●	●	4	1			●	4	0.1		●	4	1
ヤクシソウ	2	4.5																●	●	
イヌキクイモ	26	59.1		●	●			●	●	4	0.1	●	●	●	4	1				
コスモス	5	11.4						●	●					●						
ハキダメギク	39	88.6	●	●	●	4	1	●	●	4	4		●	●	4	0.1	●	●	4	1
オオハンゴンソウ	0	0.0																		
ウラジロチチコグサ	38	86.4				4	0.1		●	4	4				4	1	●	4	0.1	
ククイモ	1	2.3																		
ジシバリ	18	40.9																●		
ヒマワリ	2	4.5																		
オクモミジハグマ	0	0.0																		
ヤダルマギク	1	2.3																		
オオニガナ	1	2.3								4	0.1									
キク	11	25.0								4	1				4	1				
キンケイギク	7	15.9												●	4	1				
ミヤコウスレ	8	18.2			●	4	0.1			4	1									
アキノハハコグサ	1	2.3																		
ノニガナ	0	0.0			●															
ハルシャギク	5	11.4												●						
ヤマアザミ	3	6.8																	●	
クワモドキ	7	15.9																	●	
カシワバハグマ	0	0.0																	●	
アメリカオニアザミ	5	11.4								4	0.1									
シロノセンダングサ	0	0.0																		
ヤエザキオオハンゴウソウ	0	0.0																		
マリーゴールド	1	2.3																		
セイヨウノコギリソウ	1	2.3																		
ハンゴンソウ	1	2.3																		
アザミ属sp.	2	4.5								4	0.1									
スツクシア	1	2.3				4	0.1													
フジバカマ	2	4.5																		
ブタナ	1	2.3																		
ホソバノアキノノゲシ	1	2.3																		
モリアザミ	1	2.3																		
キッコウハグマ	1	2.3																		
イソギク	1	2.3																		
ヤマシロギク	1	2.3																		
ヒゴタイ	1	2.3																		
カイタカラコウ	1	2.3																		
ゴマ	0	0.0																		

種名	出現 地点数 (3次)	出現 頻度 (%)	33 神田川1				34 神田川2				35 神田川3				36 神田川4				37 神田川5				38 神田川6				
			1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	
クラマゴケ	9	20.5																									
コンテリクラマゴケ	2	4.5																									
カタヒバ	0	0.0																									
イワヒバ	6	13.6																									
コシダ	1	2.3																									
スギナ	38	86.4	●	●	4	3	●	●	4	3	●	●	4	3	●	●	4	1	●	●	4	2	●	●	4	2	
トクサ	9	20.5																									
イヌトクサ	0	0.0																									
フユノハナワラビ	4	9.1																									
オホハナワラビ	1	2.3																									
ナツノハナワラビ	1	2.3																									
コハナヤスリ	3	6.8																									
ハナヤスリ科sp.	1	2.3																									
ゼンマイ	15	34.1					●		4	0.1																	
ヤマドリゼンマイ	1	2.3																									
カニクサ	11	25.0	●		4	0.1																					
ワラビ	1	2.3																									
オホバノイノモトソウ	1	2.3																									
イノモトソウ	26	59.1							4	0.1				●		4	1		●		4	1		●		4	1
タチシノブ	2	4.5																									
イワガネソウ	2	4.5																									
イヌシダ	3	6.8																									
クジャクシダ	1	2.3																									
クサソテツ	16	36.4					●		4	1									●		4	0.1					
コウヤワラビ	4	9.1					●		4	2																	
ジュウモンジシダ	0	0.0																									
オニヤブソテツ	1	2.3																									
ヤブソテツ	30	68.2			4	0.1								●	●	4	1			4	0.1		●		4	1	
クマワラビ	2	4.5																									
ヤマイタチシダ	1	2.3																									
ベニシダ	18	40.9																									
ダシダシダ	0	0.0																									
ヒメワラビ	11	25.0																									
ヘビノネゴサ	0	0.0																									
イヌワラビ	41	93.2	●		4	1	●		4	1	●	●	4	2	●	●	4	1	●	●	4	0.1			4	1	
シケシダ	3	6.8					●		4	1	●	●	4	1													
オホヒメワラビ	0	0.0					●		4	1	●	●	4	1													
ヤマイヌワラビ	7	15.9																									
ホソバシケシダ	6	13.6																									
オシダ科sp.	0	0.0																									
ミヤマベニシダ	5	11.4																									
リョウメンシダ	0	0.0																									
イノデ	1	2.3																									
ミヤマイヌワラビ	1	2.3																									
ノキシノブ	8	18.2																									
マメツタ	1	2.3																									
タマシダ	2	4.5																									
ヒカゲノカズラ	1	2.3																									
トラノオシダ	1	2.3																									
イチヨウ	24	54.5							3	0.1															2	1	
カヤ	11	25.0																									
イチイ	5	11.4																									
キャラボク	12	27.3																									
イヌマキ	13	29.5											3	0.1													
ナギ	0	0.0																									
ラカンマキ	2	4.5																									
イヌガヤ	3	6.8																									
モミ	4	9.1																									
ヒマラヤスギ	15	34.1																									
アカマツ	22	50.0																									
クロマツ	19	43.2																									
ゴヨウマツ	5	11.4																									
ウツクシマツ	3	6.8																									
ダイオウショウ	1	2.3																									
トウヒ	5	11.4																									
リキダマツ	3	6.8																									
カラマツ	1	2.3																									
コメツガ	0	0.0																									
ドイツトウヒ	1	2.3																									
ヌマスギ	0	0.0																									
スギ	16	36.4																									
コウヨウザン	2	4.5																									
ラクウショウ	2	4.5																									
コウヤマキ	7	15.9																									
アケボノスギ	13	29.5																			2	1					
アスナロ	7	15.9																									
ヒノキ	23	52.3																									
チャボヒバ	2	4.5																									
サワラ	22	50.0					●		2	0.1																	
ヒムロ	4	9.1																									
イブキ	3	6.8																									
カイヅカイブキ	9	20.5																									
タチバクシン	0	0.0																									

種名	出現 地点数 (3次)	出現 頻度 (%)	33 神田川1				34 神田川2				35 神田川3				36 神田川4				37 神田川5				38 神田川6				
			1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	
オオゴンサワラ	1	2.3																									
コノテガシワ	1	2.3																									
タマイブキ	1	2.3																									
ニオイヒバ	4	9.1																									
ヒヨクヒバ	9	20.5																									
ヒノキ属sp.	0	0.0																									
ハイビヤクシン	4	9.1																									
ヒノキ科sp.	0	0.0																									
ビヤクシン	3	6.8																									
カマクライブキ	1	2.3																									
ハイネズ	1	2.3																									
ネズミサシ	0	0.0																									
オウゴンヒバ	2	4.5																									
キンヒバ	2	4.5																									
ニッコウヒバ	1	2.3																									
ヒバ	4	9.1																									
オウゴンサワラ	1	2.3																									
ソテツ	5	11.4																									
ヒメガマ	2	4.5																									
ガマ	2	4.5																									
ミクリ	2	4.5																									
タマミクリ	2	4.5																									
ヤナギモ	0	0.0																									
へらオモダカ	1	2.3																									
オモダカ	1	2.3																									
クワイ	2	4.5																									
サジオモダカ	1	2.3																									
オオカナダモ	2	4.5																									
ナリヒラダケ	8	18.2																									
モウソウチク	15	34.1																									
マダケ	1	2.3																									
ホテイチク	8	18.2																									
オカメザサ	17	38.6																									
メダケ	2	4.5																									
アズマネザサ	42	95.5	●	●	3	1	●	●	4	1	●	3	1	●	●	3	1	●	4	1	●	4	1	●	4	1	●
クマザサ	15	34.1																									
ヤダケ	6	13.6																									
スズメノテッポウ	21	47.7																									
クロコヌカグサ	0	0.0																									
コヌカグサ	3	6.8																									
ノガリヤス	0	0.0																									
カラスムギ	10	22.7																									
カニツリグサ	0	0.0																									
クサヨシ	1	2.3																									
カナリークサヨシ	1	2.3																									
シバムギ	1	2.3																									
カモジグサ	31	70.5	●																								
イヌムギ	31	70.5	●	●	4	1	●	4	2	●	●	4	1	●	●	4	1	●	●	4	0.1	●	●	4	2	●	●
カモガヤ	9	20.5																									
トボシガラ	7	15.9																									
スズメノカタビラ	37	84.1	●	●	4	1	●	4	1	●	●	4	3	●	●	4	1	●	●	4	2	●	4	2	●	4	0.1
オオイチゴツナギ	1	2.3																									
イチゴツナギ	14	31.8																									
ナガハグサ	7	15.9	●	●	4	1																					
マコモ	2	4.5																									
ササクサ	1	2.3																									
ヨシ	4	9.1	●	●	4	0.1																					
コバンソウ	11	25.0																									
カゼクサ	19	43.2	●	●	4	0.1	●	4	0.1	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4
ニワホコリ	14	31.8	●	●			●	●					●	●													
シナダレスズメガヤ	1	2.3																									
オビシバ	37	84.1	●	●	4	1	●	4	1	●	4	3	●	●	4	3	●	●	4	1	●	●	4	3	●	●	4
ギョウギシバ	0	0.0																									
ネズミガヤ	1	2.3																									
シバ	19	43.2	●	●	4	0.1																					
オニシバ	0	0.0																									
トダシバ	3	6.8																									
チカラシバ	14	31.8	●	●	4	1	●	4	1	●	4	0.1	●	●	4	0.1	●	●	4	0.1	●	●	4	0.1	●	●	4
エノコログサ	37	84.1	●	●	4	3	●	●	4	2	●	4	3	●	●	4	3	●	●	4	3	●	●	4	3	●	●
ムラサキエノコログサ	7	15.9																									
アキノエノコログサ	38	86.4	●	●	4	2	●	●	4	2	●	4	2	●	●	4	3	●	●	4	2	●	●	4	2	●	●
キンエノコロ	3	6.8																									
ヌカキビ	16	36.4																									
オオクサキビ	3	6.8																									
コメシバ	38	86.4	●	●	4	1	●	●	4	2	●	●	4	4	●	●	4	2	●	●	4	3	●	●	4	2	●
メシバ	41	93.2	●	●	4	2	●	●	4	2	●	●	4	3	●	●	4	3	●	●	4	3	●	●	4	2	●
アキメシバ	13	29.5	●	●	4	1	●	●	4	2	●	4	1	●	4	1	●	4	1	●	4	1	●	4	1	●	4
シマスズメノヒエ	8	18.2	●	●																							
スズメノヒエ	8	18.2	●	●	4	1																					
ナルコビエ	1	2.3																									
チヂミザサ	36	81.8																									
イヌビエ	28	63.6	●	●	4	1	●	4	1	●	4	2	●	●	4	2	●	●	4	2	●	●	4	1	●	●	4
チゴザサ	4	9.1																									

種名	出現 地点数 (3次)	出現 頻度 (%)	33 神田川1				34 神田川2				35 神田川3				36 神田川4				37 神田川5				38 神田川6					
			1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度		
アブラスキ	0	0.0																										
チガヤ	26	59.1		●	4	1		●				●	4	0.1														
オギ	16	36.4		●				●	4	1									●				●	4	0.1			
ススキ	36	81.8		●	4	1		●	4	1		●	4	1	●	●	4	0.1	●	4	1	●	●	4	0.1			
ヒメアシボソ	0	0.0																										
アシボソ	21	47.7	●	●			●				●							●	●			●						
セイバンモロコシ	11	25.0		●	4	0.1												●										
イネ科sp.-4	1	2.3																	●									
コブナグサ	8	18.2																					●					
オガルカヤ	1	2.3																										
ウシノシツベイ	1	2.3																										
ジュズダマ	18	40.9			4	0.1		●			●	●	4	1	●	●	4	1	●	4	1	●	4	0.1				
ネズミムギ	7	15.9																			4	0.1						
ホソムギ	6	13.6	●	●							●	●																
コウライシバ	19	43.2						●	4	1													●	4	0.1			
クロチク	5	11.4																										
ケイヌビエ	0	0.0																										
ミチシバ	0	0.0																										
イヌアワ	0	0.0																										
イネ科sp.-1	0	0.0																										
カンザンチク	1	2.3																										
ハチク	2	4.5																										
ウシノケグサ	0	0.0																										
メガルガヤ	2	4.5						●																				
ネズミノオ	2	4.5																										
ミヤコザサ	3	6.8																										
オヒゲシバ	0	0.0																										
イネ科sp.-3	0	0.0																				●						
スズメノチャヒキ	1	2.3																										
イネ科sp.-2	0	0.0																										
アワ	1	2.3																										
キビ	1	2.3																										
アワガエリ	0	0.0																										
コメススキ	0	0.0																										
ハルガヤ	0	0.0																										
カンチク	2	4.5																										
オオムギ	2	4.5																										
タイミンチク	1	2.3																										
ヌカボ	1	2.3																										
オカルガヤ	2	4.5							4	1																		
ヤマヌカボ	1	2.3																										
シラゲガヤ	1	2.3																										
ササ属sp.	1	2.3																										
ヒメカナリークサヨシ	2	4.5																										
ツルヨシ	1	2.3																										
モロコシ	1	2.3																										
ヒメクダ	6	13.6																										
ハマスダ	21	47.7		●	4	2		●	4	3		●	4	3		●	4	1	●	●			●	4	2			
コゴメガヤツリ	8	18.2		●				●	4	0.1		●																
カヤツリグサ	33	75.0		●	4	0.1		●	●	4	0.1		●	●	4	1		●	4	0.1		●	4	0.1	●	●	4	1
チャガヤツリ	0	0.0																										
タマガヤツリ	2	4.5																										
アオガヤツリ	0	0.0																										
シロガヤツリ	1	2.3																										
ヒラボガヤツリ	0	0.0																										
フトイ	1	2.3																										
ミコシガヤ	0	0.0																										
マスクサ	17	38.6																										
ヤブスダ	9	20.5																										
カワラスダ	0	0.0																										
アゼスダ	4	9.1																										
テキリスダ	3	6.8																										
コカンスダ	0	0.0																										
アオスダ	2	4.5																										
ヒメカンスダ	2	4.5																										
カンスダ	2	4.5																										
タガネソウ	2	4.5																										
ヒゴクサ	9	20.5																										
ナキリスダ	2	4.5																										
アゼカヤツリ	3	6.8																										
カサスダ	0	0.0																										
クダテンツキ	0	0.0																										
ナルコスダ	10	22.7																										
クダガヤツリ	1	2.3																										
イガガヤツリ	0	0.0																										
スダ属sp.	0	0.0																										
ヒナガヤツリ	0	0.0																										
ヌマガヤツリ	0	0.0																										
ヒカグスダ	12	27.3																										
モエギスダ	1	2.3																										
シュロ	26	59.1	●									3	0.1										●					
トウシュロ	2	4.5																										
シュロチク	2	4.5																										

種名	出現 地点数 (3次)	出現 頻度 (%)	33 神田川1				34 神田川2				35 神田川3				36 神田川4				37 神田川5				38 神田川6				
			1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	
アツバキミガヨラン	1	2.3																									
アガパンサス	1	2.3																									
クルマユリ	2	4.5																									
シラーベルビアナ	1	2.3																									
サルマメ	2	4.5																									
タケシマラン	1	2.3																									
ゼンテイカ	1	2.3																									
シラーカンパニユラ	1	2.3																									
ギョウジャニンニク	1	2.3																									
ユキザサ	1	2.3																									
ムスカリ	1	2.3																									
ヤマランキョウ	1	2.3																									
ハタケニラ	2	4.5																									
ヒガンバナ	20	45.5	●		4	0.1						4	0.1			4	0.1					●		4	0.1		
キツネノカミソリ	1	2.3																									
ナツズイセン	5	11.4																									
タマズダレ	11	25.0																4	0.1								
スイセン	12	27.3																									
ハマユウ	6	13.6			4	0.1																					
シロバナマンジュシヤダ	0	0.0																									
スノーフレーク	2	4.5																									
スノードロップ	1	2.3																									
シロバナヒガンバナ	2	4.5																									
ヤマノイモ	34	77.3	●		4	1		●		4	0.1		●		4	0.1	●	●		4	1		●		4	0.1	
タチドコロ	3	6.8																									
オニドコロ	25	56.8			4	1		●		4	1		●		4	1					●						
ヒメドコロ	19	43.2												●						●	●			●			
キクバドコロ	1	2.3																									
カエドコロ	1	2.3																									
シヤガ	26	59.1			4	0.1				4	1	●	●		4	1					4	1		●		4	0.1
キショウブ	15	34.1			4	3				4	3				4	3											
ヒメヒオウギズイセン	16	36.4			4	1				4	1				4	2											
ニワゼキショウ	15	34.1	●		4	0.1																					
ハナショウブ	7	15.9																									
アイリス	1	2.3																									
ヒオウギ	2	4.5																									
アヤメ科sp.	0	0.0																									
ヒオウギアヤメ	1	2.3																									
アヤメ	0	0.0																									
カキツバタ	2	4.5																									
ノハナショウブ	3	6.8																									
ミョウガ	20	45.5			4	1				4	0.1																
ショウガ	7	15.9			4	0.1																					
クマガイソウ	0	0.0																									
キンラン	1	2.3																									
ギンラン	1	2.3																									
ネジバナ	13	29.5													4	0.1											
シラン	9	20.5																									
エビネ	3	6.8																									
シュンラン	6	13.6																									
サイハイラン	2	4.5																									
バショウ	3	6.8																									
カンナ科sp.	10	22.7								4	1		●		4	1											
アオウキクサ	1	2.3																									
ウキクサ	1	2.3																									
リュウゼツラン	0	0.0																									
ドラセナ	2	4.5																									
ハンダショウ	5	11.4			●		4	0.1																			
ドクダミ	40	90.9	●	●	4	2		●	●	4	2		●	●	4	1		●	●	4	1		●	●	4	1	
ヒトリシズカ	3	6.8																									
フタリシズカ	7	15.9																									
センリョウ	2	4.5																									
セイヨウハコヤナギ	1	2.3																									
ウンリュウヤナギ	2	4.5																									
シダレヤナギ	6	13.6																									
アカメヤナギ	0	0.0																									
ヤナギ属sp.	0	0.0																									
ネコヤナギ	1	2.3																									
オオバヤナギ	2	4.5																									
オニグルミ	10	22.7																									
ベカン	1	2.3																									
カシグルミ	1	2.3																									
イヌシデ	15	34.1																									
アカシデ	5	11.4																									
クマシデ	6	13.6																									
シラカンバ	3	6.8																									
ハンノキ	7	15.9																									
ハシバミ	0	0.0																									
ツノハシバミ	1	2.3																									
アカガシ	5	11.4																									
シラカシ	29	65.9										●		2	1												
アラカシ	8	18.2																									
ウバメガシ	12	27.3										●		2	1												

種名	出現 地点数 (3次)	出現 頻度 (%)	33 神田川1				34 神田川2				35 神田川3				36 神田川4				37 神田川5				38 神田川6						
			1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度			
			コナラ	20	45.5										4	0.1													
カシワ	9	20.5																											
クヌギ	20	45.5										2	0.1			2	1												
クリ	17	38.6																											
ツブラジイ	1	2.3																											
スタジイ	21	47.7																											
マチバシイ	19	43.2		●	2	0.1						3	0.1																
イヌブナ	3	6.8																											
ナラガシワ	0	0.0																											
ウラジロガシ	2	4.5																											
アキニレ	9	20.5																											
ハルニレ	7	15.9							●	2.3	0.1																		
ケヤキ	40	90.9		●	3	0.1		●	2	0.1		●	2	2			3	0.1				1	3						
エノキ	39	88.6		●	3	0.1									●		1	2		●	●	3	0.1		●				
ムクノキ	29	65.9						●	3	0.1									●	●	2	1		●	●	3	1		
クワクサ	37	84.1	●	●	4	0.1	●	●	4	1		●	4	1	●	●	4	0.1		●	●	4	2	●	●	4	0.1		
ヤマグワ	13	29.5													●					●									
クワ	38	86.4	●	●	3	1		●	3	1			3	0.1		●	3	0.1		●	●	3	0.1		●	3	0.1		
コウゾ(ヒメコガ)	26	59.1	●	●	3	1						●	3	0.1		●	3	0.1		●	●	3	0.1		●	3	0.1		
カナムグラ	30	68.2		●	4	1	●				●	●	4	2					●	●	4	1	●		●	4	0.1		
ヒメイタビ	0	0.0																											
イチジク	2	4.5																											
ヒメコウゾ	1	2.3																											
ツルコウゾ	0	0.0																											
イヌビワ	1	2.3																											
ムカゴイラクサ	0	0.0																											
アオミズ	5	11.4																											
ミズ	4	9.1											4	1															
カテンソウ	1	2.3																											
ウツバミソウ	1	2.3																											
カラムシ	14	31.8																	●		4	0.1							
コアカソ	1	2.3																											
アカソ	0	0.0																											
オニヤブマオ	1	2.3																											
ヤブマオ	23	52.3		●	4	0.1						●	4	2	●					●		4	0.1						
メヤブマオ	1	2.3																											
ウマノスズクサ	4	9.1																											
ゼニバサイシン	1	2.3																											
タマノカンアオイ	0	0.0																											
カンアオイ	3	6.8																											
ウマノスズクサ科sp.	0	0.0																											
フタバアオイ	1	2.3																											
ギシギシ	37	84.1	●	●	4	3	●	●	4	3	●	●	4	3	●	●	4	1	●	●	4	1	●	●	4	1	●		
ナガバギシギシ	2	4.5		●			●	●																					
アレチギシギシ	26	59.1		●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	0.1	●	●	4	0.1	●		
ミズヒキ	33	75.0	●	●	4	1	●	●	4	0.1	●	●	4	1	●	●	4	0.1				4	0.1				4	0.1	
ミチヤナギ	22	50.0	●	●			●	●	4	1	●	●	4	1	●							4	0.1	●	●	4	0.1		
イシミカワ	7	15.9																				4	0.1						
ママコノシリヌグイ	2	4.5																											
ミノソバ	2	4.5																											
ツルソバ	1	2.3																											
オオケタデ	9	20.5	●	●	4	0.1	●				●	●			●												●		
オオイヌタデ	29	65.9	●	●	4	1	●	●	4	1	●	●	4	0.1	●	●	4	1	●	●	4	0.1	●	●	4	0.1	●		
ヤナギタデ	4	9.1																											
ボントクタデ	14	31.8						●																					
ハナタデ	2	4.5																											
イヌタデ	43	97.7		●	4	2	●	●	4	0.1		●	●	4	1	●	●	4	1	●	●	4	2	●	●	4	1		
イタドリ	31	70.5			4	3	●	●	4	3	●	●	4	1	●	●	4	3	●	●	4	1	●	●	4	2	●		
シャクチリソバ	5	11.4																		●	●		4	1				4	2
ヒメツルソバ	6	13.6		●								●																	
ハルタデ	3	6.8																											
サクラタデ	1	2.3																											
ツルドクダミ	0	0.0																											
ヒメスイバ	1	2.3																				4	0.1						
スイバ	3	6.8		●	4	0.1																							
シロミズヒキ	1	2.3																											
ソバ	1	2.3																											
シロアカザ	0	0.0		●								●								●						●			
アカザ	5	11.4										●																	
コアカザ	16	36.4		●	4	1						4	0.1			●						4	0.1			●	4	0.1	
ケアリタソウ	18	40.9		●	4	0.1		●				●			●	●	4	0.1	●	●	4	0.1	●	●	4	0.1	●		
シロザ	31	70.5		●	4	1		●	4	1		●	4	0.1		●	4	0.1		●	4	0.1		●	4	0.1	●		
アメリカアリタソウ	0	0.0																											
ホソバアカザ	1	2.3			4	0.1																							
ケアリタソウ	1	2.3							4	0.1																			
アオゲイトウ	1	2.3																											
ホソアオゲイトウ	2	4.5																										●	
ホナガイヌビユ	11	25.0	●	●					4	1					●	●	4	0.1				4	0.1						
イヌビユ	16	36.4	●	●				●	4	1		●	4	1		●	4	1		●						●	4	0.1	
イノコズチ	40	90.9		●				●	4	2	●	●	4	2	●	●	4	2	●	●	4	1	●	●	4	1	●		
ヒナタイノコズチ	10	22.7	●	●								●																	

種名	出現 地点数 (3次)	出現 頻度 (%)	33 神田川1				34 神田川2				35 神田川3				36 神田川4				37 神田川5				38 神田川6				
			1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	
ハリビユ	1	2.3														●	4	1									
アオビユ	2	4.5																									
ヤマゴボウ	2	4.5																									
ヨウシュヤマゴボウ	40	90.9		●	4	1	●	●	4	1		●	4	0.1		●	4	1	●	●	4	1		●	4	1	
オシロイバナ	28	63.6	●	●	4	2	●	●	4	2		●	4	2		●	●	4	1	●		4	1	●	●	4	2
ザクロソウ	9	20.5																									
マツバギク	4	9.1																									
ツルナ	1	2.3																									
スベリヒユ	26	59.1	●	●	4	2	●	●	4	1	●	●	4	1		●	●	4	1		●	4	1		●	4	0.1
マツバボタン	4	9.1																									
ハゼラン	17	38.6			4	0.1		●	4	2	●	●	4	0.1		●	4	1									
ツメクサ	36	81.8	●	●	4	1	●	●	4	1	●	●	4	1		●	●	4	1		4	1	●	●	4	1	
ノミノツツリ	4	9.1																									
オランダミミナグサ	38	86.4		●	4	1		●			●	●	4	2		●	4	1	●	●	4	1	●	●	4	1	
ミミナグサ	3	6.8																									
ウシハコベ	40	90.9	●	●	4	1	●		4	0.1	●	●	4	1		●	●	4	1	●	●	4	1	●	●	4	1
コハコベ	30	68.2			4	3			4	1			4	2						4	1					4	2
ミドリハコベ	36	81.8	●	●			●	●			●	●				●	●	4	1	●	●			●	●		
ノミノフスマ	4	9.1						●																●			
ナンバンハコベ	0	0.0																									
ムシトリナデシコ	9	20.5					●																				
フシグロセンノウ	0	0.0																									
カワラナデシコ	3	6.8																									
スイセンノウ	0	0.0																									
スイレン	6	13.6																									
ハス	2	4.5																									
ヒメスイレン	3	6.8																									
コウホネ	1	2.3																									
カツラ	7	15.9															3	0.1									
ボタンヅル	5	11.4																						●	4	0.1	
センニンソウ	9	20.5																						●	4	0.1	
イチリンソウ	3	6.8																									
ニリンソウ	1	2.3																									
シュウメイギク	4	9.1											4	0.1													
タガラシ	0	0.0																									
キツネノボタン	1	2.3			4	0.1																					
トゲミノキツネノボタン	0	0.0																									
アキカラマツ	0	0.0																									
カラマツソウ	3	6.8																									
オダマキ	5	11.4																									
ヒメウス	2	4.5																									
サラシナショウマ	3	6.8																									
イヌショウマ	3	6.8																									
セリバオウレン	3	6.8																									
セリバヒエンソウ	7	15.9																									
ウマノアシガタ	7	15.9			4	0.1															4	0.1					
アズマイチゲ	0	0.0																									
キンバイソウ	0	0.0																									
クリスマスローズ	2	4.5																									
テッセン	0	0.0																									
ミスミソウ	1	2.3																									
フクジュソウ	2	4.5																									
ボタン	6	13.6																									
レンジョウマ	2	4.5																									
シヤクヤク	5	11.4																									
トリカブト	1	2.3																									
リュウキンカ	0	0.0																									
クレマチス	1	2.3																									
ヤマシヤクヤク	1	2.3																									
アケビ	18	40.9											4	1													
ミツバアケビ	9	20.5			4	0.1							4	0.1													
ムベ	9	20.5																									
メギ	3	6.8																									
ナンテン	19	43.2			3	0.1																					
イカリソウ	6	13.6																									
ヒイラギナンテン	17	38.6			3	0.1																					
トキワイカリソウ	2	4.5																									
ホソバノヒイラギナンテン	1	2.3																									
ヒロハヘビノボラズ	0	0.0																									
ツツラフジ	1	2.3																									
アオツツラフジ	13	29.5						4	0.1																		
オオツツラフジ	1	2.3																									
ホオノキ	9	20.5																									
コブシ	28	63.6			3	0.1		●	4	0.1														●			
モクレン	12	27.3										●															
シキミ	8	18.2		●	3	0.1																					
サネカズラ	1	2.3																									
ユリノキ	9	20.5																									
タイサンボク	14	31.8																									
オガタマノキ	2	4.5																									
シモクレン	7	15.9																	●	2	0.1						
ハクモクレン	3	6.8											3	0.1													
オオヤマレンゲ	1	2.3																									

種名	出現 地点数 (3次)	出現 頻度 (%)	33 神田川1				34 神田川2				35 神田川3				36 神田川4				37 神田川5				38 神田川6								
			1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度					
ロウバイ	10	22.7																													
クスノキ	28	63.6		●	2	0.1		●	2	0.1		●																			
ヤブニッケイ	9	20.5																													
タブノキ	4	9.1																													
クロモジ	2	4.5																													
アブラチャン	3	6.8																													
シロダモ	20	45.5																													
グツケイジュ	15	34.1										2	2																		
ニッケイ	2	4.5																													
イヌガシ	4	9.1																													
ナガミヒナゲシ	24	54.5		●	4	0.1		●	●	4	0.1		●	●	4	4		●		4	2		●	4	0.1						
クサノオウ	11	25.0																								4	0.1				
タケニグサ	36	81.8		●	4	0.1		●	●	4	0.1		●	●	4	1		●		4	0.1		●	4	0.1	●	●	4	0.1		
ムラサキケマン	17	38.6		●	4	1																									
ヤマブキソウ	1	2.3																													
ミヤマキケマン	1	2.3																													
キケマン	0	0.0																													
ヤマエンゴサク	1	2.3																													
シラユキゲシ	1	2.3																													
ヒナゲシ	1	2.3																													
セイヨウフウチョウソウ	0	0.0																													
フウチョウソウ	1	2.3																													
クレオメ	3	6.8																													
マメゲンバイナズナ	7	15.9																										●			
タネツケバナ	18	40.9																													
イヌカキネガラシ	0	0.0																										●	●		
ミチバタガラシ	2	4.5																													
イヌガラシ	35	79.5		●	●	4	1		●		4	0.1		●	●	4	1		●	●	4	1		●	●	4	1	●	●	4	0.1
ナズナ	33	75.0		●	●	4	1		●		4	2		●	●	4	1		●	●	4	2		●	●	4	0.1	●	●	4	1
イヌナズナ	1	2.3																													
アブラナ	3	6.8																													
ショカツサイ	30	68.2		●	4	1																									
カキネガラシ	0	0.0																													
セイヨウアブラナ	1	2.3																													
ハタザオ	1	2.3																													
セイヨウカラシナ	0	0.0																													
ヒメゲンバイナズナ	0	0.0																													
ゲンバイナズナ	2	4.5																													
ノハラガラシ	0	0.0																													
ジャニンジン	1	2.3																													
ゴウダソウ	1	2.3																													
ニワナズナ	1	2.3																													
オランダガラシ	1	2.3																													
コマツナ	2	4.5																													
オノマンネングサ	4	9.1																													
ツルマンネングサ	8	18.2																													
タイトゴメ	1	2.3		●	4	1																									
メノマンネングサ	9	20.5		●	4	1																									
コモチマンネングサ	5	11.4																													
タコノアシ	1	2.3																													
メキシコマンネングサ	18	40.9																													
ベンケイソウ科sp.	0	0.0																													
キリンソウ	4	9.1																													
ベンケイソウ	1	2.3																													
手ダケサシ	2	4.5																													
ユキノシタ	22	50.0																													
アジサイ	34	77.3		●	3	0.1		●	3	0.1																					
ガクアジサイ	4	9.1		●	3	1																									
ウツギ	13	29.5																													
タマアジサイ	1	2.3																													
マルバウツギ	1	2.3																													
バイカウツギ	0	0.0																													
ヒマラヤユキノシタ	2	4.5																													
ヒメウツギ	0	0.0																													
アマチャ	0	0.0																													
ノリウツギ	0	0.0																													
ギンバイソウ	2	4.5																													
フサスグリ	3	6.8																													
コマガタケスグリ	2	4.5																													
ヤマアジサイ	1	2.3																													
キレングショウマ	1	2.3																													
ハルユキノシタ	1	2.3																													
トベラ	6	13.6																													
スズカケノキ	5	11.4																													
モミジバスズカケノキ	0	0.0																													
アメリカスズカケノキ	0	0.0																													
マンサク	7	15.9																													
ヒュウガミズキ	12	27.3																													
トサミズキ	9	20.5																													
シナマンサク	1	2.3																													
コゴメウツギ	7	15.9																													
ユキヤナギ	26	59.1		●	4	0.1																									
コデマリ	15	34.1																													

種名	出現 地点数 (3次)	出現 頻度 (%)	33 神田川1				34 神田川2				35 神田川3				36 神田川4				37 神田川5				38 神田川6			
			1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度
シモツケ	6	13.6																								
ホザキナナカマド	2	4.5																								
シロヤマブキ	11	25.0																								
ヤマブキ	30	68.2						3	2		●	3	1			3	3			4	1					
ヘビイチゴ	37	84.1	●	4	1	●	●	4	1	●	●	4	1			4	0.1	●		4	1			4	0.1	
ヤブヘビイチゴ	4	9.1	●	4	0.1					●					●											
オヘビイチゴ	2	4.5												●												
キジムシロ	1	2.3																								
ミツバツチグリ	5	11.4	●	4	0.1					●		4	0.1													
ニガイチゴ	0	0.0																								
クマイチゴ	2	4.5																								
カジイチゴ	18	40.9	●	●	3	0.1									●						●					
モミジイチゴ	6	13.6																								
クサイチゴ	6	13.6																						4	1	
バライチゴ	3	6.8																								
ナワシロイチゴ	15	34.1	●	4	0.1										●	●			4	0.1						
ワレモコウ	8	18.2					●																			
キンミズヒキ	12	27.3						4	1																	
ノイバラ	24	54.5	●	4	0.1	●																				
モモ	9	20.5																								
ユスラウメ	8	18.2		3	1							3	0.1													
ヤマザクラ	18	40.9														3	2									
オオシマザクラ	4	9.1																								
ウワミズザクラ	3	6.8																								
イヌザクラ	10	22.7																				●				
サンザシ	3	6.8																								
カナメモチ	17	38.6								●		2	0.1													
ビワ	29	65.9		3	0.1										●	3	0.1					●		3	0.1	
シャリンバイ	9	20.5		3	1		●	3	1			3	0.1													
クサボケ	12	27.3																								
ボケ	18	40.9						3	1			4	1													
カマツカ	0	0.0																								
アズキナシ	0	0.0																								
タチバナモドキ	2	4.5						3	0.1									●			●					
ウメ	20	45.5									●	2	1													
カイドウ	4	9.1																								
カリン	12	27.3					●	2	3																	
サトザクラ	14	31.8																								
イトザクラ	13	29.5														3	2									
セイヨウサンザシ	1	2.3																								
ソメイヨシノ	31	70.5	●	2	4					●		1	4		●	1	3							1	3	
ナナカマド	1	2.3																								
ピラカンサ	21	47.7	●	3	0.1	●				●		3	0.1		3	0.1	●		3	0.1						
シジミバナ	1	2.3																								
シモツケソウ	3	6.8																								
バラ属sp.	2	4.5																								
ヒメリンゴ	12	27.3	●	3	0.1					●		2	0.1													
リンゴ類	1	2.3																								
サクラ属sp.	0	0.0																								
ハマナス	0	0.0																								
ナガバモミジイチゴ	2	4.5																								
カスミザクラ	0	0.0																								
スモモ	4	9.1																								
イブキシモツケ	1	2.3																								
ナシ	0	0.0																								
ジュウガツザクラ	1	2.3																								
シダレウメ	3	6.8																								
マルバシャリンバイ	0	0.0									●															
ニワウメ	1	2.3		3	0.1					●																
ハナモモ	3	6.8													●	3	0.1									
トキワサンザシ	2	4.5		3	1																					
テリハノイバラ	0	0.0																								
マメザクラ	1	2.3																								
オランダイチゴ	1	2.3																								
ズミ	1	2.3																								
ハナカイドウ	3	6.8		4	0.1							3	0.1													
ミカイドウ	1	2.3																								
ツルバラ	3	6.8																								
プリムラ	1	2.3																								
シダレモモ	1	2.3																								
ザイフリボリ	1	2.3																								
ブラム	1	2.3																								
セイヨウミザクラ	2	4.5		3	0.1																					
ダイコンソウ	1	2.3																								
レッドロビン	1	2.3																								
ネムノキ	9	20.5													●	3	0.1									
サイカチ	2	4.5																								
エンジュ	23	52.3																			●					
キハギ	1	2.3																								
マルバハギ	0	0.0																								
ヤマハギ	6	13.6	●								●															
ミヤギノハギ	6	13.6									●															
メドハギ	6	13.6									●	●	4	0.1												

種名	出現地点数 (3次)	出現頻度 (%)	33 神田川1				34 神田川2				35 神田川3				36 神田川4				37 神田川5				38 神田川6			
			1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度
			ネコハギ	7	15.9																					
ヤハズソウ	3	6.8	●							●																
ヌスビトハギ	6	13.6																								
ヤハズエンドウ	28	63.6	●		4	0.1	●		4	2	●		4	2	●		4	0.1	●		4	0.1	●		4	0.1
スズメノエンドウ	8	18.2	●		4	0.1							4	0.1	●		4	0.1								
ナンテンハギ	2	4.5																								
ノアズキ	1	2.3																								
ヤブツルアズキ	2	4.5																								
ノササゲ	2	4.5																								
クズ	29	65.9	●		4	0.1	●		4	0.1	●		3	0.1			4	0.1			4	0.1	●		4	0.1
ツルマメ	1	2.3																								
ヤブマメ	30	68.2	●		4	0.1			4	1	●						4	1			4	0.1				
コマツナギ	1	2.3																								
ワジ	29	65.9																								
トゲナシニセアカシア	2	4.5																								
ゲンゲ	3	6.8																								
ムラサキツメクサ	5	11.4	●		4	0.1																				
シロツメクサ	22	50.0	●		4	1	●		4	2	●		4	0.1	●		4	1	●		4	1	●		4	1
ウマゴヤシ	0	0.0																								
イタチハギ	2	4.5																								
ハナズオウ	11	25.0							3	1			3	2												
ハリエンジュ	9	20.5																								
フジカンゾウ	3	6.8																								
ミヤコグサ	1	2.3																								
ヤブハギ	0	0.0																								
ベニシタン	3	6.8																								
エニシダ	5	11.4																								
ムラサキウマゴヤシ	0	0.0																								
ハナエンジュ	0	0.0																								
コメツブウマゴヤシ	0	0.0																								
エビスグサ	0	0.0																								
カワラケツメイ	0	0.0																								
クサネム	0	0.0																								
ハギ属sp.	8	18.2			3	1							3	1												
カスマグサ	6	13.6																								
スイートピー	1	2.3																								
ダンノショウコ	12	27.3																								
アメリカフウロ	12	27.3																								
カタバミ	42	95.5	●		4	2	●		4	2	●		4	2	●		4	2	●		4	2	●		4	2
アカカタバミ	38	86.4	●		4	2	●		4	1	●		4	2	●		4	1			4	1			4	1
ウスアカカタバミ	42	95.5	●		4	2	●		4	2	●		4	2	●		4	1	●		4	1	●		4	1
ハナカタバミ	3	6.8																								
ムラサキカタバミ	41	93.2	●		4	1	●		4	1	●		4	2	●		4	1	●		4	2	●		4	1
ミヤマカタバミ	1	2.3																								
イモカタバミ	1	2.3																								
オオキバナカタバミ	1	2.3																								
サンショウ	18	40.9	●		3	0.1																				
コクサギ	0	0.0																								
ナツミカン	11	25.0			3	0.1																				
ユズ	5	11.4																								
カラタチ	1	2.3																								
アサクラザンショウ	1	2.3																								
ウンシュウミカン	2	4.5																								
ツルシキミ	1	2.3																								
ダイダイ	0	0.0																								
カラスザンショウ	1	2.3																								
ミカン属sp.	3	6.8																								
イヌザンショウ	1	2.3																								
キンカン	1	2.3			3	0.1																				
ニガキ	1	2.3																								
ニワウルシ	4	9.1																								
ユズリハ	16	36.4																								
コミカンソウ	6	13.6																								
ヒトツバハギ	3	6.8																								
エノキグサ	36	81.8	●		4	0.1	●		4	1	●		4	1			4	0.1	●		4	2	●		4	0.1
アカメガシワ	34	77.3	●		3	0.1	●		3	2			2	0.1												
オオニシキソウ	3	6.8																								
ニシキソウ	11	25.0	●						4	0.1	●		4	1												
コニシキソウ	35	79.5	●		4	1	●		4	1	●		4	1	●		4	1	●		4	1	●		4	1
タカトウダイ	1	2.3																								
ナツトウダイ	3	6.8	●		4	0.1																				
ハイニシキソウ	0	0.0																								
ノウルシ	3	6.8																								
オオバベニガシワ	1	2.3																								
アワゴケ	8	18.2																								
クサツゲ	3	6.8																								
フッキソウ	8	18.2																								
ツゲ	2	4.5																								
ツタウルシ	0	0.0																								
ハゼ	7	15.9																								
ウルシ	1	2.3																								
ヤマウルシ	4	9.1																								
ヌルデ	16	36.4																								

種名	出現 地点数 (3次)	出現 頻度 (%)	33 神田川1				34 神田川2				35 神田川3				36 神田川4				37 神田川5				38 神田川6			
			1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度
ウメモドキ	8	18.2																								
イヌツゲ	25	56.8			3	0.1		●		3	0.1															
ソヨゴ	0	0.0																								
クロガネモチ	10	22.7																								
モチノキ	23	52.3		●	2	0.1		●		2	0.1		●		2	0.1										
タラヨウ	6	13.6																								
アカメカナメモチ	2	4.5										3	1													
ツルウメモドキ	24	54.5		●	2	0.1		●	●	3	0.1		●		2	0.1			●		2	0.1				
ニシキギ	16	36.4			3	0.1																				
コマユミ	1	2.3																								
マサキ	14	31.8		●	3	0.1							●		3	0.1										
ツルマサキ	1	2.3																								
マユミ	21	47.7																								
ツリバナ	0	0.0																								
キンマサキ	1	2.3																								
ゴシズイ	4	9.1																								
ミツバウツギ	1	2.3																								
ハウチワカエデ	3	6.8																								
イロハモミジ	32	72.7		●	3	1					●		2	0.1			3	0.1		●		2	0.1			
オオモミジ	0	0.0																								
ヤマモミジ	2	4.5																								
イタヤカエデ	0	0.0																								
メグスリノキ	2	4.5																								
トウカエデ	14	31.8																								
オオイタヤメイゲツ	2	4.5																								
カエデ科sp.	0	0.0																								
トネリコバナカエデ	1	2.3																								
ハナノキ	1	2.3																								
コハウチワカエデ	0	0.0																								
オニタヤ	1	2.3																								
カジカエデ	1	2.3																								
ミツデカエデ	1	2.3																								
トチノキ	13	29.5																								
セイヨウトチノキ	1	2.3																								
ムクロジ	6	13.6																								
フウセンカズラ	0	0.0																								
モクゲンジ	1	2.3																								
アワブキ	0	0.0																								
ヤマビワ	1	2.3																								
キツリフネ	2	4.5			4	0.1																				
ホウセンカ	3	6.8																							●	
ナツメ	8	18.2						●		3	0.1									●		2	0.1			
クマヤナギ	0	0.0																								
エビヅル	20	45.5		●	4	1				3	1		●		3	1	●									
ノブドウ	29	65.9			4	0.1				4	0.1		●		4	1	●				4	0.1				
ツタ	41	93.2		●	4	1		●	●	3	2		●		3	2			3	0.1	●	●	3	2	●	
ヤブカラシ	42	95.5	●	●	4	1		●	●	4	1		●	●	4	2		●	●	4	3	●	●	4	2	●
ブトウ科sp.	0	0.0																								
ヤマブドウ	1	2.3																								
アオオカメツタ	1	2.3																								
ブドウ	1	2.3																								
カラスノゴマ	4	9.1												●		4	0.1		●	●						
ホダイジュ	5	11.4																								
シナノキ	2	4.5																								
ムクゲ	19	43.2		●	3	1		●		3	0.1						●		3	3		●		3	0.1	●
フヨウ	10	22.7								3	0.1						●		3	1						
タチアオイ	12	27.3			3	1											●	●	3	1	●					
ゼニアオイ	9	20.5		●	3	1				3	1										●					
トロロアオイ	1	2.3																								
アメリカフヨウ	0	0.0																								
モミジアオイ	2	4.5											4	2												
アオギリ	18	40.9																								
チャノキ	22	50.0																								
ヤブツバキ	35	79.5		●	3	1						●		2	0.1		●		2	1	●		3	1		
サザンカ	28	63.6			3	1		●		2	0.1		●		2	1	●	●	2	1	●		3	0.1		
モッコク	21	47.7											●		2	0.1		●		2	0.1					
サカキ	13	29.5																								
ヒサカキ	25	56.8																							●	
ハマヒサカキ	3	6.8																							3	
ナツツバキ	6	13.6						●																		
カンツバキ	12	27.3																	●			3	3			
オトメツバキ	7	15.9											●		2	0.1										
ヒメシャラ	3	6.8																								
ビヨウヤナギ	12	27.3			3	0.1				3	0.1															
ヒメオトギリ	1	2.3																			●					
コケオトギリ	6	13.6																								
オトギリソウ	3	6.8																								
キンシバイ	4	9.1																3	3			3	1			
トモエソウ	1	2.3																								
ヒベリカムヒデコート	1	2.3																					3	3		
ヒベリカムカリシナム	1	2.3																				3	1			
エイザンスミレ	5	11.4		●	4	0.1																				
マルバスマレ	12	27.3																							4	

種名	出現 地点数 (3次)	出現 頻度 (%)	33 神田川1				34 神田川2				35 神田川3				36 神田川4				37 神田川5				38 神田川6			
			1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度
ナガバノスミレサイシン	5	11.4																								
シロバナスミレ	2	4.5																								
スミレ	21	47.7		●	4	0.1								●	●	4	1									
コスミレ	17	38.6		●	4	0.1		●	4	0.1					●											
シハイスミレ	14	31.8																								
タチツボスミレ	30	68.2	●	●	4	1	●	●	4	0.1																
ニオイタチツボスミレ	1	2.3																								
ツボスミレ	12	27.3																								
ニオイスミレ	28	63.6			4	0.1		●	4	1																
ヒゴスミレ	0	0.0																								
ヒカダスミレ	8	18.2																								
フモトスミレ	1	2.3																								
スミレサイシン	7	15.9						●																		
シロスミレ	0	0.0																								
ヒメキクバスミレ	3	6.8																								
サクラスミレ	3	6.8																								
タデツパンジー	1	2.3																								
ケマルバスミレ	1	2.3																								
イイギリ	19	43.2																							●	
シュウカイドウ	6	13.6																								
ペゴニア属sp.	1	2.3																								
オニシバリ	0	0.0																								
ミツマタ	3	6.8																								
ジンチョウゲ	18	40.9			3	2					●	4	0.1		●	3	1									
ナワシログミ	7	15.9			3	0.1								●												
ナツグミ	4	9.1																								
トウグミ	0	0.0																								
ツルグミ	2	4.5																								
グミ科sp.	2	4.5																								
ミズタマソウ	2	4.5																								
マツヨイグサ	15	34.1			4	0.1	●				●			●	●			●	●					●		
オオマツヨイグサ	14	31.8		●							●							●		4	0.1					
コマツヨイグサ	3	6.8									●															
メマツヨイグサ	10	22.7	●	●	4	0.1		4	0.1								●		4	0.1						
ユウダショウ	9	20.5											4	2					4	1			●	4	1	
ヒルギキツキミソウ	6	13.6						●	4	0.1			4	2												
ツキミソウ	1	2.3																								
カミヤツデ	1	2.3																								
タラノキ	12	27.3																								
ウド	22	50.0	●		4	0.1					●	4	0.1					●	4	0.1						
キツタ	33	75.0	●		3	1		3	1			3	3				3	2		3	1			3	1	
ヤツデ	28	63.6			3	0.1																				
カクレミノ	8	18.2																	●	2	1					
ヤマウコギ	1	2.3																								
ハリギリ	2	4.5																								
セイヨウツタ	2	4.5																								
コシアブラ	1	2.3																								
ノチドメ	5	11.4																								
チドメグサ	22	50.0						4	1		●	4	0.1	●									●			
ヤブニンジン	1	2.3																								
ヤブジラミ	6	13.6						4	1																	
ミツバ	12	27.3	●		4	0.1							4	0.1												
ムラサキミツバ	2	4.5																								
セリ	11	25.0						●	4	1			4	1												
セントウソウ	1	2.3																								
ノダケ	4	9.1																								
アシタバ	11	25.0																								
シヤク	2	4.5																								
アカミツバ	0	0.0																								
オオチドメグサ	4	9.1																								
オオバチドメ	1	2.3																								
ヒメチドメグサ	1	2.3																								
セリ科sp.	1	2.3																								
バセリ	0	0.0																								
オヤブジラミ	1	2.3																								
ウマノミツバ	1	2.3																								
シシウド	1	2.3																								
コチドメ	1	2.3																								
アオキ	30	68.2	●		3	0.1	●		3	0.1																
ミスギ	28	63.6															●	3	1			●			1	2
サンシュユ	4	9.1																								
ヤマボウシ	5	11.4																								
ハナイカダ	0	0.0																								
ハナミズキ	16	36.4						3	3					●	2	4										
サンシュウ	1	2.3																								
サルズベリ	20	45.5										3	1						3	2						
ミソハギ	1	2.3																								
ザクロ	4	9.1																								
ボ-ボ-ノキ	2	4.5																								
ヤマモモ	10	22.7									●	2	1		●	2	1									
センダン	11	25.0																								
ピナンカズラ	20	45.5																								
キウイ	10	22.7																						●	4	1

種名	出現 地点数 (3次)	出現 頻度 (%)	33 神田川1				34 神田川2				35 神田川3				36 神田川4				37 神田川5				38 神田川6					
			1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度		
ブラシノキ	1	2.3																										
キブシ	3	6.8																										
ギョリュウ	1	2.3																										
マツモ	1	2.3			4	2																						
トケイソウ	1	2.3										4	0.1															
リョウブ	4	9.1					●	2	0.1																			
リンドウ	0	0.0																										
カルミヤ	1	2.3																										
ヨウシュイワナンテン	2	4.5																										
ヤマツツジ	7	15.9																										
アセビ	18	40.9		●	3	1		●	3	0.1		●	3	2														
オオムラサキ	29	65.9		●	3	3		●	3	3				●	3	2		●	4	1								
カルミア	6	13.6																										
キリシマツツジ	9	20.5						●	3	2								●	3	4		●	3	4				
サツキ	27	61.4		●				●	3	2		●	3	3		●	3	3		●	3	2		●	3	2		
ドウダンツツジ	24	54.5		●				●				●	3	2			3	2			3	1						
ベニサラサドウダン	1	2.3																										
ミツバツツジ	10	22.7																										
クルメツツジ	6	13.6																										
ウンゼンツツジ	2	4.5																										
シャクナゲ	1	2.3																										
ツツジ科sp.3	1	2.3																										
ヤチツツジ	0	0.0																										
ツツジ科sp.2	0	0.0																										
ツツジ科sp.1	0	0.0																										
レンガツツジ	1	2.3										3	1															
リュウキュウツツジ	2	4.5																					●	3	4			
ヒラドツツジ	1	2.3										●	3	4														
セイヨウシャクナゲ	7	15.9														3	0.1											
ツツジ属sp.	3	6.8														3	4											
ハクサンシャクナゲ	1	2.3																										
モチツツジ	1	2.3																										
イワナンテン	1	2.3																										
ヤブコウジ	6	13.6																										
マンリョウ	20	45.5			4	0.1																						
ダイミンタチバナ	2	4.5																										
コナスビ	29	65.9	●	●	4	0.1				●	●								●									
オカトラノオ	2	4.5																										
サクラソウ	0	0.0																										
マメガキ	9	20.5																										
カキノキ	18	40.9											3	0.1														
サワフタギ	7	15.9																										
クロバイ	1	2.3																										
クロキ	0	0.0																										
エゴノキ	26	59.1		●	2	0.1		●	2	0.1													●					
ハクウンボク	13	29.5																										
ネズミモチ	30	68.2			3	0.1					●								●									
トウネズミモチ	32	72.7					●	2	0.1		●	●	2	1			●	2	1				●					
イボタノキ	14	31.8		●	3	1					●	●	2	0.1							3	0.1						
ヒイラギ	11	25.0																										
ヒイラギモクセイ	15	34.1					●	2	0.1		●	●	2	1		●	2	1										
レンギョウ	15	34.1		●	3	1			3	1																		
シナレンギョウ	1	2.3																										
トネリコ	3	6.8																										
キンモクセイ	25	56.8		●	2	1		●	2	0.1			3	1		●	2	1										
ヒトツバタゴ	2	4.5																										
ムラサキハシドイ	4	9.1											3	1														
セイヨウヒイラギ	1	2.3																										
モクセイ科sp.	2	4.5																										
チョウセンレンギョウ	0	0.0																										
コバノトネリコ	3	6.8																										
キツケイ	1	2.3																										
オウバイ	2	4.5																										
オリブ	1	2.3																										
フジウツギ	0	0.0																										
チヂブフジウツギ	0	0.0																										
アイナエ	0	0.0																										
チョウジソウ	3	6.8																										
テイカズラ	5	11.4													●						3	2						
キョウチクトウ	8	18.2																										
ツルニチニチソウ	2	4.5																										
ガガイモ	12	27.3							4	0.1			3	1														
コバノカモメヅル	0	0.0																										
カモメヅル	0	0.0																										
キジョラン	3	6.8																										
タチカモメヅル	1	2.3																										
イケマ	4	9.1																										
オオカモメヅル	1	2.3																										
アオイゴケ	0	0.0															●											
アメリカアサガオ	2	4.5																										
マルバアサガオ	5	11.4																										
コビルガオ	33	75.0	●	●	4	1		●	●	4	2		●	4	3		●	●	4	3		●	4	2	●	●	4	1
ビルガオ	19	43.2		●	4	1											4	1			4	1						

種名	出現 地点数 (3次)	出現 頻度 (%)	33 神田川1				34 神田川2				35 神田川3				36 神田川4				37 神田川5				38 神田川6			
			1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度
セイヨウビルガオ	0	0.0																								
アサガオ	19	43.2	●					●	4	0.1			4	0.1			●	4	0.1				●	4	0.1	
ノアサガオ	6	13.6					●				●					●	4	0.1				●		4	1	
マメアサガオ	1	2.3																						4	1	
マルバルコウソウ	1	2.3																								
ルコウソウ	1	2.3																								
クサキョウチクトウ	2	4.5																								
シバザクラ	5	11.4																								
ハナイバナ	16	36.4																								
キュウリグサ	26	59.1			4	0.1			4	1	●	●			●				●	●	4	0.1	●			
ヒレハリソウ	14	31.8					●	4	0.1				4	1		●	4	0.1								
ムラサキ	1	2.3																								
タバコ	1	2.3																					●	4	0.1	
コムラサキ	4	9.1																								
ムラサキシキブ	21	47.7																								
クサギ	24	54.5																		●	●	3	0.1			
ヒヅリ	1	2.3																								
ベニバナクサギ	2	4.5																								
オオムラサキシキブ	2	4.5																								
カリガネソウ	1	2.3																								
ジュウニヒトエ	4	9.1																								
キランソウ	8	18.2					●																			
ニガクサ	0	0.0																								
タツナミソウ	2	4.5																								
イヌハッカ	1	2.3																								
カキドオシ	15	34.1																								
メハジキ	4	9.1								●					●											
ホトケノザ	34	77.3	●	4	2			4	1		●	●	4	2	●	●	4	1	●	●	4	1	●	●		
ヒメオドリコソウ	31	70.5	●	4	1			●	4	2		●	4	0.1	●	●	4	2	●	●	4	2	●	●		
アキノタムラソウ	2	4.5																								
イヌコウジュ	4	9.1																					●			
ヒメジソ	2	4.5																					●			
ヤマジソ	0	0.0																								
イヌトウバナ	5	11.4													●											
シソ	28	63.6		4	0.1			●	4	0.1										●	4	0.1	●			
アオジソ	17	38.6															●	4	0.1							
ハッカ	8	18.2						4	1				4	1												
ナギナタコウジュ	9	20.5											4	1												
トウバナ	2	4.5																								
ヒキオコシ	0	0.0																								
イブキジャコウソウ	1	2.3																								
オドリコソウ	2	4.5																								
キバナアキギリ	2	4.5																								
セイヨウジュウニヒトエ	3	6.8																								
マルバハッカ	2	4.5																								
ラショウモンカズラ	0	0.0																								
ハナトラノオ	4	9.1																								
カクトラノオ	2	4.5																								
ミカエリソウ	1	2.3																								
シモバシラ	1	2.3																								
キバナオドリコソウ	1	2.3																								
サルビア	1	2.3																								
アオチリメンジソ	1	2.3																								
クコ	25	56.8	●	4	1		●	●		●	●			●	●	3	0.1	●	●	3	1	●	●	3	1	
ホオズキ	16	36.4	●	4	0.1					●	●	4	0.1		●	4	0.1									
センナリホオズキ	2	4.5																								
イヌホオズキ	16	36.4									●	●	4	0.1	●	●	4	0.1	●	●	4	0.1	●	●		
テリミノイヌホオズキ	26	59.1						●				●	●	4	0.1											
ヒヨドリショウゴ	15	34.1										●	●	4	0.1											
ヨウシュチョウセンアサガオ	0	0.0													●											
チョウセンアサガオ	1	2.3																								
ケイヌホオズキ	0	0.0																								
アメリカイヌホオズキ	1	2.3																								
ワルナスビ	14	31.8			4	1														●		4	0.1			
トマト	6	13.6							4	0.1																
ハダカホオズキ	1	2.3																								
タマサンゴ	20	45.5											4	0.1												
ギリ	16	36.4							2	1										●	3	0.1	●	3	0.1	
ムラサキサギゴケ	10	22.7																								
トキワハゼ	30	68.2	●	4	0.1					●	●	4	1		●					●	4	1				
アゼナ	4	9.1																								
ウリクサ	12	27.3																								
タチイヌノフグリ	41	93.2	●	●	4	2		4	2	●	●	4	2	●	●	4	1	●	●	4	2	●	●	4	1	
オオイヌノフグリ	31	70.5	●	●	4	1		●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1
コシオガマ	0	0.0																								
ピロードモウズイカ	1	2.3																								
ムシクサ	0	0.0																								
スズメノトウガラシ	1	2.3																								
アゼトウガラシ	1	2.3																								
ツタバウンラン	2	4.5																								
トレニア	1	2.3																								
キササゲ	2	4.5																								
ノウゼンカズラ	2	4.5																								

種名	出現 地点数 (3次)	出現 頻度 (%)	33 神田川1				34 神田川2				35 神田川3				36 神田川4				37 神田川5				38 神田川6				
			1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	
			ハダロソウ	1	2.3																						
キツネノマゴ	19	43.2					●																4	1			
アカンサス	3	6.8																									
ハエドクソウ	10	22.7																									
オオバコ	40	90.9	●	●	4	3	●	●	4	1	●		4	1	●	●	4	1	●	●	4	1	●		4	1	
ヘラオオバコ	0	0.0																									
ハシカグサ	6	13.6																									
クチナシ	24	54.5			4	0.1	●		3	1	●		3	1	●		3	1	●		4	0.1					
ハクチョウゲ	18	40.9											3	1			3	1			●		4	1			
ヘクソカズラ	43	97.7	●	●	4	3	●	●	4	3	●	●	4	2	●	●	4	1	●	●	4	2	●	●	4	2	
アカネ	14	31.8																					4	0.1			
ヤエムグラ	37	84.1		●	4	3	●	●	4	1	●		4	3	●	●	4	2	●	●	4	1	●	●	4	3	
ヨツバムグラ	2	4.5																									
ヒメヨツバムグラ	5	11.4																									
コクチナシ	3	6.8					●		3	2									●								
ニワトコ	28	63.6		●	3	0.1																					
ソクズ	3	6.8																									
ガマズミ	12	27.3																									
コバノガマズミ	3	6.8																									
サンゴジュ	18	40.9																					3	1			
ツクバネウツギ	3	6.8																									
ハコネウツギ	11	25.0															3	1									
スイカズラ	24	54.5		●	3	1			3	1	●		4	2	●		4	1						●	4	1	
ウグイスカグラ	4	9.1																									
オオデマリ	3	6.8																									
ニシキウツギ	8	18.2																									
ヒョウタンボク	0	0.0																									
ハナゾノツクバネウツギ	14	31.8					●						3	3			3	3									
ムシカリ	1	2.3																									
タニウツギ	5	11.4							3	1																	
ヤブデマリ	1	2.3																									
カンボク	1	2.3																									
オトコエシ	0	0.0																									
ツルカノコソウ	1	2.3																									
オミナエシ	1	2.3																									
キカラスウリ	18	40.9			4	0.1			4	0.1	●		4	0.1											4	0.1	
カラスウリ	39	88.6					●		4	1	●	●	4	1							3	0.1					
スズメウリ	1	2.3																									
アマチャヅル	13	29.5																									
アレチウリ	11	25.0					●		3	0.1	●	●	4	1					●				●				
スイカ	1	2.3																									
キュウリ	2	4.5																									
ツリガネニンジン	1	2.3																									
ホタルブクロ	8	18.2					●																				
シデシャジン	0	0.0																									
ソバナ	1	2.3																									
キキョウ	7	15.9			4	0.1																					
キキョウソウ	1	2.3																									
ハハコグサ	34	77.3	●	●	4	2	●		4	0.1	●		4	0.1	●	●	4	1	●	●	4	0.1	●	●	4	0.1	
チチコグサ	11	25.0															4	1			●		4	0.1			
チチコグサモドキ	36	81.8	●		4	1	●	●	4	1	●	●	4	1	●	●			●		4	1	●		4	0.1	
ヤブタバコ	11	25.0																									
ガンクビソウ	2	4.5																									
オオバタクサ	14	31.8					●		4	1	●				●		4	1	●		4	1			4	1	
ブタクサ	35	79.5	●	●	4	1	●	●	4	1	●	●	4	2	●	●	4	1	●	●	4	1	●	●	4	1	
オナモミ	2	4.5					●																				
オオオナモミ	0	0.0																									
ヒヨドリバナ	1	2.3																									
アキノキリンソウ	3	6.8																									
セイタカアワダチソウ	31	70.5	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	
オオアワダチソウ	17	38.6		●			●	●	4	1	●	●	4	1	●	●	4	1			4	0.1	●		4	1	
ミヤマヨメナ	2	4.5																									
ユウガギク	2	4.5																									
ヨメナ	35	79.5		●			●		4	3			4	0.1	●	●	4	0.1			●		4	0.1		4	0.1
カントウヨメナ	2	4.5																									
ハルジオン	43	97.7	●	●	4	2	●		4	3	●	●	4	2	●	●	4	0.1	●	●	4	2	●	●	4	1	
ヒメジオン	38	86.4	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	0.1	●	●	4	1	●	●	4	0.1	
アレチノギク	29	65.9		●	4	1	●		4	0.1	●		4	1	●	●	4	2	●	●	4	1	●	●	4	1	
オオアレチノギク	34	77.3		●	4	1					●		4	1	●	●	4	0.1	●	●	4	0.1	●	●	4	1	
ヒメムカシヨモギ	28	63.6	●	●	4	0.1	●	●	4	1	●		4	0.1			4	0.1	●		4	1	●	●	4	0.1	
ヤナギバヒメジオン	0	0.0																									
ホウキギク	8	18.2		●																							
シラヤマギク	7	15.9											4	0.1													
シオン	1	2.3																									
ノコンギク	15	34.1																					4	0.1			
コンギク	1	2.3																									
イナカギク	2	4.5																									
フキ	29	65.9		●					4	0.1			4	1			●	4	0.1			●		4	1		
ダンドボロギク	10	22.7																									
ベニバナボロギク	5	11.4																									
ツワブキ	16	36.4			4	0.1																					

種名	出現 地点数 (3次)	出現 頻度 (%)	33 神田川1				34 神田川2				35 神田川3				36 神田川4				37 神田川5				38 神田川6				
			1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	1次	2次	3次 階層	3次 被度	
ヤブレガサ	3	6.8	●	●																							
ノコギリソウ	1	2.3																									
トキンソウ	12	27.3								●					●												
フランスギク	8	18.2												●													
クソニンジン	1	2.3																									
ヨモギ	40	90.9	●	●	4	1	●	●	4	2	●	●	4	2	●	●	4	2	●	●	4	2	●	●	4	2	
ノブキ	0	0.0																									
メナモミ	0	0.0																									
タカサブロウ	14	31.8		●	4	0.1		●	4	0.1		●								4	0.1		●				
アメリカセンダングサ	20	45.5		●	4	2					●	4	1					●	●			●		4	0.1		
コセンダングサ	5	11.4												●				●	●			●		4	0.1		
シロバナセンダングサ	1	2.3																									
コバノセンダングサ	0	0.0																									
センダングサ	16	36.4	●	●	4	0.1	●		4	0.1		4	2														
ノアザミ	8	18.2																									
ノハラアザミ	2	4.5																									
アズマヤマアザミ	1	2.3																									
キツネアザミ	4	9.1		●																							
オヤマボクチ	1	2.3																									
コオニタビラコ	14	31.8																									
コウゾリナ	0	0.0																									
カントウタンポポ	12	27.3																									
シロバナタンポポ	5	11.4		●																							
セイヨウタンポポ	38	86.4	●	●	4	2	●	●	4	1	●	●	4	2	●	●	4	1	●		4	2	●	●	4	2	
アカミタンポポ	10	22.7	●	●				●			●				●	●				●				●			
オオジシバリ	0	0.0																									
イワニガナ	0	0.0								●				●													
ニガナ	6	13.6																									
アキノノゲシ	17	38.6	●		4	0.1			4	2			4	0.1			4	0.1		●	4	0.1		●			
ノゲシ	33	75.0		●	4	0.1	●	●	4	0.1	●	●	4	2	●	●	4	1	●	●	4	1	●	●	4	1	
オニノゲシ	9	20.5																						●	●	4	0.1
オニタビラコ	40	90.9		●	4	1			4	0.1		●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	
ヤクシソウ	2	4.5																									
イヌキクイモ	26	59.1		●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	
コスモス	5	11.4			4	0.1																					
ハキダメギク	39	88.6	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●		4	2	●		4	1	
オオハンゴンソウ	0	0.0																									
ウラボシコチコグサ	38	86.4		●	4	1			4	2	●	4	1				4	0.1			4	0.1			4	0.1	
キクイモ	1	2.3																									
ジシバリ	18	40.9					●	4	0.1			4	1		●	4	0.1			4	0.1						
ヒマワリ	2	4.5																									
オクモミジハグマ	0	0.0																									
ヤグルマギク	1	2.3																									
オオニガナ	1	2.3																									
キク	11	25.0																									
キンケイギク	7	15.9																									
ミヤコワスレ	8	18.2																									
アキノハハコグサ	1	2.3																									
ノニガナ	0	0.0																									
ハルシャギク	5	11.4						●																			
ヤマアザミ	3	6.8																									
クワモドキ	7	15.9		●				●			●	3	2		●				●					●			
カシワバハグマ	0	0.0																									
アメリカオニアザミ	5	11.4		●																						4	0.1
シロノセンダングサ	0	0.0									●														●		
ヤエザキオオハンゴンソウ	0	0.0																									
マリゴールド	1	2.3																									
セイヨウノコギリソウ	1	2.3																									
ハンゴンソウ	1	2.3																									
アザミ属sp.	2	4.5																									
スツケシア	1	2.3																									
フジバカマ	2	4.5																									
ブタナ	1	2.3																									
ホソバノアキノノゲシ	1	2.3																									
モリアザミ	1	2.3																									
キッコウハグマ	1	2.3																									
イソギク	1	2.3																									
ヤマシロギク	1	2.3																									
ヒゴタイ	1	2.3																									
カイトカラコウ	1	2.3																									
ゴマ	0	0.0																									

種名	出現 地点数 (3次)	出現 頻度 (%)	39 普福寺川1				40 普福寺川2				41 普福寺川3				42 普福寺川4				43 普福寺川5				44 妙正寺川				
			1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	
クラマゴケ	9	20.5																									
コンテリクラマゴケ	2	4.5																									
カタヒバ	0	0.0																									
イワヒバ	6	13.6																									
コシダ	1	2.3																									
スギナ	38	86.4	●		4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	2	●	●	4	3	
トクサ	9	20.5	●				●				●		4	1													
イヌトクサ	0	0.0													●	●											
フエノハナワラビ	4	9.1																									
オオハナワラビ	1	2.3																									
ナツノハナワラビ	1	2.3																									
コハナヤスリ	3	6.8																									
ハナヤスリ科sp.	1	2.3																									
ゼンマイ	15	34.1																									
ヤマドリゼンマイ	1	2.3																									
カニクサ	11	25.0					●	●	4	0.1	●	●					4	0.1									
ワラビ	1	2.3	●																								
オオバノイノモトソウ	1	2.3													●												
イノモトソウ	26	59.1	●	●	4	0.1	●	●	4	0.1	●	●	4	1			4	0.1	●	●	4	3	●	●	4	1	
タチシノブ	2	4.5											4	1													
イワガネソウ	2	4.5																									
イヌシダ	3	6.8																									
クジャクシダ	1	2.3																									
クサソテツ	16	36.4																									
コウヤワラビ	4	9.1													●												
ジュウモンジシダ	0	0.0																									
オニヤブソテツ	1	2.3																						●			
ヤブソテツ	30	68.2	●	●	4	1	●	●	4	0.1	●	●	4	0.1	●	●	4	1	●	●	4	2			4	0.1	
クマワラビ	2	4.5											4	0.1													
ヤマイトチシダ	1	2.3																									
ベニシダ	18	40.9					●				●												●		●	4	0.1
グジグジシダ	0	0.0																									
ヒメワラビ	11	25.0	●																								
ヘビノネゴザ	0	0.0																									
イヌワラビ	41	93.2	●	●	4	0.1	●	●	4	0.1	●	●			●	●	4	0.1	●	●	4	1	●	●			
シケシダ	3	6.8	●																								
オオヒメワラビ	0	0.0																									
ヤマイトワラビ	7	15.9																									
ホソバシケシダ	6	13.6																									
オシダ科sp.	0	0.0																						●			
ミヤマベニシダ	5	11.4																									
リョウメンシダ	0	0.0																									
イノデ	1	2.3																									
ミヤマイトワラビ	1	2.3																									
ノキシノブ	8	18.2																									
マメヅタ	1	2.3																									
タマシダ	2	4.5			4	0.1	●		4	0.1	●																
ヒカゲノカズラ	1	2.3																									
トラノオシダ	1	2.3																									
イチョウ	24	54.5											2	0.1	●		2	0.1									
カヤ	11	25.0																									
イチイ	5	11.4																									
キャラボク	12	27.3																								3	2
イヌマキ	13	29.5													●		2	0.1									
ナギ	0	0.0																									
ラカンマキ	2	4.5																									
イヌガヤ	3	6.8																									
モミ	4	9.1																									
ヒマラヤスギ	15	34.1							3	0.1																	
アカマツ	22	50.0																									
クロマツ	19	43.2												2	1	●		2	0.1								
ゴヨウマツ	5	11.4																									
ウツクシマツ	3	6.8																									
ダイオウショウ	1	2.3																									
トウヒ	5	11.4																									
リキダマツ	3	6.8																									
カラマツ	1	2.3																									
コメツガ	0	0.0																									
ドイツトウヒ	1	2.3																									
ヌマスギ	0	0.0																									
スギ	16	36.4													●		2	0.1									
コウヨウザン	2	4.5																									
ラクウショウ	2	4.5																									
コウヤマキ	7	15.9																									
アケボノスギ	13	29.5											2	1													
アスナロ	7	15.9																									
ヒノキ	23	52.3																									
チャボヒバ	2	4.5																									
サワラ	22	50.0						3	0.1																		
ヒムロ	4	9.1																									
イブキ	3	6.8																									
カイヅカイブキ	9	20.5						3	0.1			2	1			3	1										
タチバクシン	0	0.0																									

種名	出現 地点数 (3次)	出現 頻度 (%)	39 善福寺川1				40 善福寺川2				41 善福寺川3				42 善福寺川4				43 善福寺川5				44 妙正寺川			
			1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度
オオゴンサワラ	1	2.3																								
コノテガシワ	1	2.3																								
タマイブキ	1	2.3																								
ニオイヒバ	4	9.1																								
ヒヨクヒバ	9	20.5																								
ヒノキ属sp.	0	0.0																								
ハイビヤクシン	4	9.1																								
ヒノキ科sp.	0	0.0																								
ビヤクシン	3	6.8																								
カマクライブキ	1	2.3																								
ハイネズ	1	2.3																								
ネズミサシ	0	0.0																								
オウゴンヒバ	2	4.5																								
キンヒバ	2	4.5																								
ニッコウヒバ	1	2.3																								
ヒバ	4	9.1																								
オウゴンサワラ	1	2.3																								
ソテツ	5	11.4																								
ヒメガマ	2	4.5																								
ガマ	2	4.5																								
ミクリ	2	4.5																								
タマミクリ	2	4.5																								
ヤナギモ	0	0.0																								
ヘラオモダカ	1	2.3																								
オモダカ	1	2.3																								
クワイ	2	4.5																								
サシオモダカ	1	2.3																								
オオカナダモ	2	4.5																								
ナリヒラダケ	8	18.2																								
モウソウチク	15	34.1																								
マダケ	1	2.3																								
ホテイチク	8	18.2																								
オカメザサ	17	38.6																								
メダケ	2	4.5																								
アズマネザサ	42	95.5																								
クマザサ	15	34.1																								
ヤダケ	6	13.6																								
スズメノテッポウ	21	47.7																								
クロコスカグサ	0	0.0																								
コスカグサ	3	6.8																								
ノガリヤス	0	0.0																								
カラスムギ	10	22.7																								
カニツリグサ	0	0.0																								
クサヨシ	1	2.3																								
カナリークサヨシ	1	2.3																								
シバムギ	1	2.3																								
カモシグサ	31	70.5																								
イヌムギ	31	70.5																								
カモガヤ	9	20.5																								
トボシガラ	7	15.9																								
スズメノカタビラ	37	84.1																								
オオイチゴツナギ	1	2.3																								
イチゴツナギ	14	31.8																								
ナガハグサ	7	15.9																								
マコモ	2	4.5																								
ササクサ	1	2.3																								
ヨシ	4	9.1																								
コバンソウ	11	25.0																								
カゼクサ	19	43.2																								
ニワホコリ	14	31.8																								
シナダレスズメガヤ	1	2.3																								
オヒシバ	37	84.1																								
ギョウギシバ	0	0.0																								
ネズミガヤ	1	2.3																								
シバ	19	43.2																								
オニシバ	0	0.0																								
トダシバ	3	6.8																								
チカラシバ	14	31.8																								
エノコログサ	37	84.1																								
ムラサキエノコログサ	7	15.9																								
アキノエノコログサ	38	86.4																								
キンエノコロ	3	6.8																								
ヌカキビ	16	36.4																								
オオクサキビ	3	6.8																								
コメヒシバ	38	86.4																								
メヒシバ	41	93.2																								
アキメヒシバ	13	29.5																								
シマズメノヒエ	8	18.2																								
スズメノヒエ	8	18.2																								
ナルコビエ	1	2.3																								
チヂミザサ	36	81.8																								
イヌビエ	28	63.6																								
チゴザサ	4	9.1																								

種名	出現 地点数 (3次)	出現 頻度 (%)	39 善福寺川1				40 善福寺川2				41 善福寺川3				42 善福寺川4				43 善福寺川5				44 妙正寺川			
			1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度
アブラスキ	0	0.0																								
チガヤ	26	59.1	●	4	1		●	4	1		●	4	1		●	4	1					●	●	4	0.1	
オギ	16	36.4	●	4	0.1			4	0.1					●	●	4	1						●	●	4	3
ススキ	36	81.8	●	4	1	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	
ヒメアシボソ	0	0.0																								
アシボソ	21	47.7					●	4	1		●			●	4	1						●	●			
セイパンモロコシ	11	25.0	●	4	0.1	●	●	4	1	●	●	4	1	●	4	2		●	4	1		●	●			
イネ科sp-4	1	2.3												●												
コブナグサ	8	18.2						4	0.1																	
オガルカヤ	1	2.3																								
ウシノシツベ	1	2.3												●	●											
ジュズダマ	18	40.9	●	●	4	0.1	●	●	4	0.1	●	●		●	●	4	0.1		●	4	0.1	●	●	4	0.1	
ネズミムギ	7	15.9													●	4	1	●	●	4	1		●			
ホソムギ	6	13.6					●	4	1		●	4	1	●	●	4	1									
コウライシバ	19	43.2	●	4	0.1		●	4	0.1		●	4	0.1					●	4	1		●		4	2	
クロチク	5	11.4																								
ケイヌビエ	0	0.0																								
ミチシバ	0	0.0																								
イヌアワ	0	0.0																								
イネ科sp-1	0	0.0																								
カンザンチク	1	2.3																								
ハチク	2	4.5																								
ウシノケグサ	0	0.0																								
メガルガヤ	2	4.5																								
ネズミノオ	2	4.5																								
ミヤコザサ	3	6.8																					●			
オヒダシバ	0	0.0																								
イネ科sp-3	0	0.0																								
スズメノチャビキ	1	2.3									4	1														
イネ科sp-2	0	0.0								●																
アワ	1	2.3												●	4	0.1										
キビ	1	2.3												●	4	1										
アワガエリ	0	0.0																					●			
コメススキ	0	0.0																								
ハルガヤ	0	0.0																								
カンチク	2	4.5																								
オオムギ	2	4.5																						4	0.1	
タイミンチク	1	2.3																						4	2	
ヌカボ	1	2.3																								
オカルガヤ	2	4.5																								
ヤマヌカボ	1	2.3																								
シラゲガヤ	1	2.3																								
ササ属sp.	1	2.3																								
ヒメカナリークサヨシ	2	4.5		4	0.1											4	0.1									
ツルヨシ	1	2.3						4	1																	
モロコシ	1	2.3										4	0.1													
ヒメグ	6	13.6						4	0.1																	
ハマス	21	47.7	●	4	0.1	●	●	4	1	●	●	4	1		4	1			4	0.1	●	●	4	0.1		
コゴメガヤツリ	8	18.2		4	0.1		●			●			●	●	4	1		●	4	0.1		●	●	4	1	
カヤツリグサ	33	75.0	●				●	4	1	●	●	4	0.1	●	●	4	1		●	4	0.1	●	●	4	1	
チャガヤツリ	0	0.0																								
タマガヤツリ	2	4.5																								
アオガヤツリ	0	0.0																								
シロガヤツリ	1	2.3																								
ヒラボガヤツリ	0	0.0																								
フトイ	1	2.3																								
ミコシガヤ	0	0.0																								
マスクサ	17	38.6					●				●												●			
ヤブス	9	20.5																								
カワラス	0	0.0																								
アゼス	4	9.1					●			●																
テキリス	3	6.8																								
コカンス	0	0.0																								
アオス	2	4.5																								
ヒメカンス	2	4.5																								
カンス	2	4.5																								
タガネソウ	2	4.5																								
ヒゴクサ	9	20.5																								
ナキリス	2	4.5												●					●							
アゼカヤツリ	3	6.8																								
カサス	0	0.0																					●			
クグテンツキ	0	0.0																								
ナルコス	10	22.7																		4	0.1		●			
クグガヤツリ	1	2.3																								
イガガヤツリ	0	0.0																								
スグ属sp.	0	0.0																								
ヒナガヤツリ	0	0.0																								
ヌマガヤツリ	0	0.0																								
ヒカグ	12	27.3																								
モエギス	1	2.3																								
シュロ	26	59.1																				●	●	3	0.1	
トウジュロ	2	4.5																								
シュロチク	2	4.5																								

種名	出現 地点数 (3次)	出現 頻度 (%)	39 普福寺川1				40 普福寺川2				41 普福寺川3				42 普福寺川4				43 普福寺川5				44 妙正寺川						
			1次	2次	3次 附層 被度	3次 被度	1次	2次	3次 附層 被度	3次 被度	1次	2次	3次 附層 被度	3次 被度	1次	2次	3次 附層 被度	3次 被度	1次	2次	3次 附層 被度	3次 被度	1次	2次	3次 附層 被度	3次 被度			
カラスビシャク	21	47.7			4	0.1			●		4	0.1			●		4	0.1											
ウラシマソウ	3	6.8																											
ショウブ	4	9.1																											
セキショウ	10	22.7			4	0.1																							
アリスガワセキショウ	4	9.1																											
アオمامシグサ	0	0.0																											
オランダカイウ	0	0.0																											
ザゼンソウ	2	4.5																											
ヒメカイウ	1	2.3																											
ママシグサ	1	2.3																											
ヤブミョウガ	19	43.2							4	0.1																			
ツユクサ	42	95.5	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●		
ノハカタカラクサ	25	56.8		●	4	0.1		●	4	0.1		●	4	0.1		●	4	0.1							4	0.1			
ムラサキツユクサ	25	56.8		●	4	0.1		●	4	1		●	4	1		●	4	1		●	4	1		●	4	1			
オオボウシバナ	2	4.5						●				●												●		4	0.1		
ムラサキオモト	2	4.5							4	0.1																			
コナギ	0	0.0	●																										
ホテイアオイ	3	6.8																											
スズメノヤリ	10	22.7																											
クサイ	12	27.3	●										4	0.1		●	4	0.1								4	0.1		
イ	5	11.4																											
ホソイ	0	0.0																											
ホトトギス	17	38.6			4	0.1	●	●			●	●													●	4	0.1		
ヤマジノホトトギス	2	4.5																											
ヤマホトトギス	4	9.1																						●					
スジギボウシ	1	2.3																											
オオバギボウシ	3	6.8											4	0.1															
ノカンゾウ	21	47.7					●	●			●	●			●	●							●	●	4	1			
ヤブカンゾウ	19	43.2							4	0.1				●				●	●	4	0.1		●	●	4	0.1			
ニラ	22	50.0	●		4	0.1	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	0.1			
ノビル	31	70.5		●	4	0.1	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	0.1			
ウバユリ	3	6.8																											
カノコユリ	2	4.5																											
オニユリ	3	6.8																											
ヤマユリ	11	25.0																											
カタクリ	2	4.5																											
アマナ	7	15.9											4	0.1															
ツルボ	19	43.2						●	4	0.1		●		●	●	4	0.1		●	4	0.1		●	●					
オランダキジカクシ	0	0.0																											
タチチンモンドウ	0	0.0																											
アマドコロ	7	15.9	●																										
ナルコユリ	5	11.4																											
ワニグチソウ	2	4.5																											
ホウチャクソウ	12	27.3	●																										
チゴユリ	2	4.5																											
オオチゴユリ	0	0.0																											
キチジョウソウ	13	29.5																								●	4	0.1	
スズラン	10	22.7																											
ハララン	13	29.5																								●	4	1	
オモト	12	27.3																								●			
エンレイソウ	1	2.3																											
ヒメヤブラン	2	4.5																											
コヤブラン	1	2.3																											
ヤブラン	28	63.6						●	4	0.1		●													●	●	4	2	
ジャノヒゲ	40	90.9	●	●	4	1	●	●	4	0.1		●	4	1		4	0.1							●	●	4	2		
シオデ	8	18.2						●				●																	
サルトリイバラ	6	13.6																											
ヤマカシユウ	1	2.3																											
ハナニラ	16	36.4						●	4	0.1		●												●	●	4	0.1		
キミガヨラン	9	20.5																						●	●	4	0.1		
ショウジョウバカマ	2	4.5															3	0.1											
ギボウシ属sp.	12	27.3																							●		4	0.1	
タチギボウシ	1	2.3																											
ツクバネソウ	1	2.3																											
ジャーマンアイリス	7	15.9																							●		4	0.1	
テッポウユリ	2	4.5																											
マイヅルソウ	0	0.0																											
ヒヤシンス	1	2.3																											
コオニユリ	4	9.1																											
ジョウロウホトトギス	1	2.3																											
スカシユリ	2	4.5																											
ナギイカダ	1	2.3																											
バイモ	2	4.5																											
キジカクシ	1	2.3																								●			
ドイツスズラン	3	6.8																											
オオバジャノヒゲ	1	2.3																											
ノシラン	0	0.0																											
オオアマナ	0	0.0																											
イトラン	2	4.5																											
アスパラガス	1	2.3																											
オリヅルラン	3	6.8						4	0.1																		4	0.1	
コバギボウシ	2	4.5																										4	0.1
チューリップ	4	9.1																										4	0.1

種名	出現 地点数 (3次)	出現 頻度 (%)	39 普福寺川1				40 普福寺川2				41 普福寺川3				42 普福寺川4				43 普福寺川5				44 妙正寺川			
			1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度
アツバキミガヨラン	1	2.3																								
アガパンサス	1	2.3																								
クルマユリ	2	4.5																								
シラーベルビアナ	1	2.3																								
サルマメ	2	4.5																								
タケシマラン	1	2.3																								
ゼンテイカ	1	2.3																								
シラーカンパニュラ	1	2.3																								
ギョウジャニンニク	1	2.3																								
ユキザサ	1	2.3																								
ムスカリ	1	2.3									4	0.1														
ヤマラッキョウ	1	2.3												4	0.1											
ハタケニラ	2	4.5												4	0.1				4	0.1						
ヒガンバナ	20	45.5	●				●			●						●	●		●	●		●	●	4	0.1	
キツネノカミソリ	1	2.3																								
ナツズイセン	5	11.4																								
タマスダレ	11	25.0			4	0.1			4	0.1							●	●			●	●				
スイセン	12	27.3																							4	0.1
ハマユウ	6	13.6																							4	0.1
シロバナマンジュシヤゲ	0	0.0																								
スノーフレーク	2	4.5																								
スノードロップ	1	2.3																								
シロバナヒガンバナ	2	4.5																								
ヤマノイモ	34	77.3	●	●	3	1						3	0.1		●	3	0.1	●	●	4	1	●	●	4	0.1	
タチドコロ	3	6.8																								
オニドコロ	25	56.8			3	0.1	●		3	0.1	●			●			●	●	3	1					4	0.1
ヒメドコロ	19	43.2			3	0.1						3	0.1	●	●	3	0.1									
キクバドコロ	1	2.3																								
カエデドコロ	1	2.3																								
シャガ	26	59.1	●	●	4	0.1		●	4	0.1	●	4	1		4	1									●	
キシウブ	15	34.1			4	0.1																				
ヒメヒオウギズイセン	16	36.4			4	0.1		●	4	0.1	●				4	1								●	4	0.1
ニワゼキショウ	15	34.1			4	0.1						4	0.1		4	0.1										
ハナショウブ	7	15.9																								
アイリス	1	2.3																								
ヒオウギ	2	4.5																								
アヤメ科sp.	0	0.0																								
ヒオウギアヤメ	1	2.3																								
アヤメ	0	0.0										1														
カキツバタ	2	4.5			4	0.1																				
ノハナショウブ	3	6.8																								
ミョウガ	20	45.5							4	0.1									4	0.1					4	0.1
ショウガ	7	15.9																								
クマガイソウ	0	0.0																								
キンラン	1	2.3																								
ギンラン	1	2.3																								
ネジバナ	13	29.5																								
シラン	9	20.5							●			●												●	4	0.1
エビネ	3	6.8																								
シュンラン	6	13.6																								
サイハイラン	2	4.5																								
バショウ	3	6.8																								
カンナ科sp.	10	22.7			4	0.1		●	4	0.1	●			●				●	4	0.1						
アオウキクサ	1	2.3																								
ウキクサ	1	2.3																								
リュウゼツラン	0	0.0																								
ドラセナ	2	4.5																								
ハンダショウ	5	11.4																								
ドクダミ	40	90.9	●	●	4	2	●	●			●	●	4	2	●	●	4	1	●	●	4	1	●	●	4	1
ヒトリシズカ	3	6.8																								
フタリシズカ	7	15.9																								
センリョウ	2	4.5																								
セイヨウハコヤナギ	1	2.3																								
ウンリュウヤナギ	2	4.5																								
シダレヤナギ	6	13.6																								
アカメヤナギ	0	0.0																								
ヤナギ属sp.	0	0.0																								
ネコヤナギ	1	2.3																								
オオバヤナギ	2	4.5																								
オニグルミ	10	22.7																								
ベカン	1	2.3																								
カシグルミ	1	2.3																								
イヌシデ	15	34.1	●																							
アカシデ	5	11.4																								
クマシデ	6	13.6																								
シラカンバ	3	6.8																								
ハンノキ	7	15.9																								
ハシバミ	0	0.0																								
ツノハシバミ	1	2.3																								
アカガシ	5	11.4																								
シラカシ	29	65.9			●	●	2	0.1	●	●				●	2	1					●	3	1			
アラカシ	8	18.2												●	2	0.1										
ウバメガシ	12	27.3																								

種名	出現 地点数 (3次)	出現 頻度 (%)	39 善福寺川1				40 善福寺川2				41 善福寺川3				42 善福寺川4				43 善福寺川5				44 妙正寺川						
			1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度			
			コナラ	20	45.5	●							●																
カシワ	9	20.5																											
クヌギ	20	45.5																				●	●		2	1			
クリ	17	38.6			4	0.1																	●						
ツブラジイ	1	2.3																											
スタジイ	21	47.7																					●						
マチバシイ	19	43.2																											
イヌブナ	3	6.8																											
ナラガシワ	0	0.0																											
ウラジロガシ	2	4.5																											
アキニレ	9	20.5																											
ハルニレ	7	15.9					4	0.1				4	0.1			4	0.1			4	1								
ケヤキ	40	90.9	●	4	1		4	0.1			4	0.1		●	4	0.1			4	1		●	●	3	2				
エノキ	39	88.6	●	4	1		●	●		●	●	4	0.1	●	●	2	1		●	3	0.1	●	●	4	1				
ムクノキ	29	65.9					●	●	3	0.1		●			2	1			●			●	●	4	1				
クワクサ	37	84.1	●		4	0.1	●	●	4	0.1	●	●	4	0.1	●	●	4	0.1				●	●	4	1				
ヤマブドウ	13	29.5												●		3	0.1		●	●									
クワ	38	86.4	●	●	3	0.1		●	3	0.1		●	3	0.1		●						●	●	3	0.1				
コウソ(ヒメコウソ)	26	59.1		●	3	0.1	●	●	3	0.1	●	●	3	0.1		●	3	0.1		●	3	1							
カナムグラ	30	68.2					●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	2	●	●	4	2			
ヒメイタビ	0	0.0																											
イチジク	2	4.5												●	3	0.1													
ヒメコウソ	1	2.3																●											
ツルコウソ	0	0.0																											
イヌビワ	1	2.3																											
ムカゴイラクサ	0	0.0																											
アオミズ	5	11.4																											
ミズ	4	9.1																						●					
カテンソウ	1	2.3																											
ウワバミソウ	1	2.3																											
カラムシ	14	31.8	●		4	0.1								●	4	0.1													
コアカソ	1	2.3	●																										
アカソ	0	0.0																											
オニヤブマオ	1	2.3																											
ヤブマオ	23	52.3	●								4	1						●	●	4	1								
メヤブマオ	1	2.3																											
ウマノスズクサ	4	9.1																											
ゼニバサイシン	1	2.3																											
タマノカンアオイ	0	0.0																											
カンアオイ	3	6.8																											
ウマノスズクサ科sp.	0	0.0																											
フタバアオイ	1	2.3																											
ギシギシ	37	84.1	●	●	4	1	●	●	4	1	●	●	4	0.1	●	●	4	1	●	●	4	2	●	●	4	2			
ナガバギシギシ	2	4.5																											
アレチギシギシ	26	59.1	●	●	4	1	●	●	4	1	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	0.1			
ミズヒキ	33	75.0	●	●	4	1	●	●	4	1	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	0.1			
ミチヤナギ	22	50.0					●	●	4	0.1	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	0.1			
イシミカワ	7	15.9																											
ママコノシリヌグイ	2	4.5																											
ミソソバ	2	4.5																											
ツルソバ	1	2.3																											
オオケタデ	9	20.5	●	●			●	4	1		●	4	0.1		●								●	●	4	0.1			
オオイヌタデ	29	65.9	●	●	4	1	●	●	4	1	●	●		●	●	4	1	●	●	4	1	●	●	4	0.1				
ヤナギタデ	4	9.1																											
ボントクタデ	14	31.8																											
ハナタデ	2	4.5																											
イヌタデ	43	97.7	●	4	1	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1				
イタドリ	31	70.5	●	4	1	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	3				
シャクチリソバ	5	11.4					4	0.1																					
ヒメツルソバ	6	13.6					●	4	1		●	4	0.1			4	2	●	●	4	2								
ハルタデ	3	6.8																											
サクラタデ	1	2.3																											
ツルドクダミ	0	0.0																											
ヒメスイバ	1	2.3																											
スイバ	3	6.8												●	4	1													
シロミズヒキ	1	2.3																											
ソバ	1	2.3																								4	0.1		
シロアカザ	0	0.0	●				●				●							●											
アカザ	5	11.4																								4	0.1		
コアカザ	16	36.4		●	4	0.1	●	4	0.1	●	4	0.1	●	4	0.1	●	4	0.1	●	4	0.1	●	4	0.1	●	4	0.1		
ケアリタソウ	18	40.9	●								4	0.1	●	●	4	1	●	●	4	1	●	●	4	1	●	4	0.1		
シロザ	31	70.5	●	4	1	●	●	4	0.1	●	●	4	0.1	●	●	4	0.1	●	●	4	1	●	●	4	1	●	4	2	
アメリカアリタソウ	0	0.0																											
ホソバアカザ	1	2.3																											
ケアリタソウ	1	2.3																											
アオゲイトウ	1	2.3					●				●																		
ホソアオゲイトウ	2	4.5																											
ホナガイヌビユ	11	25.0					●	●			●	●		●	●	4	1	●	●	4	0.1	●	●	4	0.1	●	4	0.1	
イヌビユ	16	36.4	●				●	●			●	●		●	●	4	1												
イノコズチ	40	90.9	●		4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	2	●	4	2
ヒナタイノコズチ	10	22.7	●				●				●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	4	2	
ケイトウ	3	6.8																											
ハゲイトウ	1	2.3																											

種名	出現 地点数 (3次)	出現 頻度 (%)	39 善福寺川1				40 善福寺川2				41 善福寺川3				42 善福寺川4				43 善福寺川5				44 妙正寺川			
			1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度	1次	2次	3次 附層	3次 被度
ハリビユ	1	2.3																								
アオビユ	2	4.5																								
ヤマゴボウ	2	4.5																								
ヨウシユヤマゴボウ	40	90.9	●	●	4	0.1	●	●	4	0.1	●	●	4	1	●	●	4	1		●	4	0.1	●	●	4	0.1
オシロイバナ	28	63.6	●	●	4	1	●	●	4	1	●	●	4	0.1	●	●	4	1	●	●	4	0.1	●	●	4	1
ザクロソウ	9	20.5													●	4	0.1						●	●		
マツバギク	4	9.1																							4	1
ツルナ	1	2.3																								
スベリヒユ	26	59.1	●	●	4	0.1	●	●	4	1	●	●		●	●	4	1	●	●	4	0.1	●	●	4	1	
マツバボタン	4	9.1							4	0.1													●			
ハゼラン	17	38.6		●	4	0.1		●	4	0.1		●											●		4	0.1
ツメクサ	36	81.8			4	1	●	●			●	●	4	0.1		●	4	1		4	1	●	●	4	1	
ノミノツヅリ	4	9.1							4	1					●	4	1						●			
オランダミミナグサ	38	86.4	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	2
ミミナグサ	3	6.8													●	4	0.1						●			
ウシハコベ	40	90.9		●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●				●	●	4	0.1
コハコベ	30	68.2		●	4	1									●	4	1			4	1	●	●	4	2	
ミドリハコベ	36	81.8	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	0.1	●	●	4	3
ノミノフスマ	4	9.1						●				●	4	0.1		4	0.1	●	●	4	1	●	●			
ナンバンハコベ	0	0.0																								
ムシトリナデシコ	9	20.5		●				4	0.1						●	4	0.1		●	4	0.1	●	●			
フシダロセンノウ	0	0.0																								
カワラナデシコ	3	6.8																								
スイセンノウ	0	0.0																								
スイレン	6	13.6	●		4	0.1																				
ハス	2	4.5																								
ヒメスイレン	3	6.8																								
コウホネ	1	2.3																								
カツラ	7	15.9														2	0.1									
ボタンヅル	5	11.4																								
センニンソウ	9	20.5																			3	0.1				
イチリンソウ	3	6.8																								
ニリンソウ	1	2.3																								
シュウメイギク	4	9.1																								
タガラシ	0	0.0	●																							
キツネノボタン	1	2.3																								
トゲミノキツネノボタン	0	0.0																								
アキカラマツ	0	0.0																								
カラマツソウ	3	6.8																								
オダマキ	5	11.4	●								4	0.1							4	0.1						
ヒメウズ	2	4.5									4	1							4	0.1						
サラシナショウマ	3	6.8																								
イヌショウマ	3	6.8																								
セリバオウレン	3	6.8																								
セリバヒエンソウ	7	15.9																								
ウマノアシガタ	7	15.9									4	0.1														
アズマイチゲ	0	0.0																								
キンバイソウ	0	0.0																								
クリスマスローズ	2	4.5																								
テッセン	0	0.0																								
ミスミソウ	1	2.3																								
フクジュソウ	2	4.5																								
ボタン	6	13.6																								
レンジョウマ	2	4.5																								
シャクヤク	5	11.4																								
トリカブト	1	2.3																								
リュウキンカ	0	0.0																								
クレマチス	1	2.3																								
ヤマシャクヤク	1	2.3																								
アケビ	18	40.9	●												●	3	1									
ミツバアケビ	9	20.5																							4	0.1
ムベ	9	20.5																								
メギ	3	6.8																								
ナンテン	19	43.2													●	3	1		●	3	0.1	●	●	3	1	
イカリソウ	6	13.6																								
ヒイラギナンテン	17	38.6																								
トキワイカリソウ	2	4.5																								
ホソバノヒイラギナンテン	1	2.3																								
ヒロハヘビノボラス	0	0.0																								
ツツラフジ	1	2.3	●																							
アオツツラフジ	13	29.5									3	0.1							●						4	0.1
オオツツラフジ	1	2.3																								
ホオノキ	9	20.5																								
コブシ	28	63.6																							2	0.1
モクレン	12	27.3																								
シキミ	8	18.2																								
サネカズラ	1	2.3																								
ユリノキ	9	20.5																								
タイサンボク	14	31.8																								
オガタマノキ	2	4.5																								
シモクレン	7	15.9																								
ハクモクレン	3	6.8																							3	0.1
オオヤマレンゲ	1	2.3																								

種名	出現 地点数 (3次)	出現 頻度 (%)	39 善福寺川1				40 善福寺川2				41 善福寺川3				42 善福寺川4				43 善福寺川5				44 妙正寺川			
			1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度	1次	2次	3次 層層	3次 被度
シモツケ	6	13.6																								
ホザキナナカマド	2	4.5																								
シロヤマブキ	11	25.0						3	0.1																	
ヤマブキ	30	68.2	●	●			●	●		●	●				●	3	0.1					●		3	2	
ヘビイチゴ	37	84.1	●	●	4	1	●	●	4	0.1	●	●	4	1	●	4	1		●	4	1	●	●			
ヤブヘビイチゴ	4	9.1																								
オヘビイチゴ	2	4.5																								
キジムシロ	1	2.3																								
ミツバツチグリ	5	11.4																								
ニガイチゴ	0	0.0																								
クマイチゴ	2	4.5																								
カジイチゴ	18	40.9	●				●	●		●	●	4	0.1	●	●	4	1	●	4	1	●	●				
モミジイチゴ	6	13.6																								
クサイチゴ	6	13.6																						4	2	
バライチゴ	3	6.8																					●			
ナワシロイチゴ	15	34.1					●	●	4	0.1	●	●	4	1	●	●	3	1	●	●	3	1				
ワレモコウ	8	18.2																			3	0.1				
キンミズヒキ	12	27.3	●																					4	0.1	
ノイバラ	24	54.5					●			●								●	●	3	1	●	●	3	0.1	
モモ	9	20.5					●	●		●	●													3	0.1	
ユスラウメ	8	18.2																						3	0.1	
ヤマザクラ	18	40.9																								
オオシマザクラ	4	9.1																								
ウワミズザクラ	3	6.8																								
イヌザクラ	10	22.7																								
サンザシ	3	6.8																					●			
カナメモチ	17	38.6						4	0.1																	
ビワ	29	65.9			4	0.1		4	0.1					●	●	4	1		4	0.1			3	0.1		
シャリンバイ	9	20.5													●	●										
クサボケ	12	27.3													●	●										
ボケ	18	40.9															3	1						4	1	
カマツカ	0	0.0																								
アズキナシ	0	0.0																								
タチバナモドキ	2	4.5																								
ウメ	20	45.5													●	2	0.1							3	1	
カイドウ	4	9.1																								
カリン	12	27.3					●	2	0.1		●													3	0.1	
サトザクラ	14	31.8																						3	0.1	
イトザクラ	13	29.5																						3	2	
セイヨウサンザシ	1	2.3																								
ソメイヨシノ	31	70.5					●	2	0.1		●	2	1	●	2	1	●	2	0.1							
ナナカマド	1	2.3																								
ピラカンサ	21	47.7	●		3	0.1							3	1								●		3	0.1	
シジミバナ	1	2.3																								
シモツケソウ	3	6.8																								
バラ属sp.	2	4.5																						4	2	
ヒメリンゴ	12	27.3																	●				●			
リンゴ類	1	2.3																								
サクラ属sp.	0	0.0																					●			
ハマナス	0	0.0																								
ナガバモミジイチゴ	2	4.5																								
カスミザクラ	0	0.0																								
スモモ	4	9.1																								
イブキシモツケ	1	2.3																								
ナシ	0	0.0																								
ジュウガツザクラ	1	2.3																								
シダレウメ	3	6.8																								
マルバシャリンバイ	0	0.0																								
ニワウメ	1	2.3																								
ハナモモ	3	6.8							3	0.1														3	0.1	
トキワサンザシ	2	4.5																		3	0.1					
テリハノイバラ	0	0.0																								
マメザクラ	1	2.3																								
オランダイチゴ	1	2.3																								
ズミ	1	2.3																							3	0.1
ハナカイドウ	3	6.8																							3	1
ミカイドウ	1	2.3																							3	0.1
ツルバラ	3	6.8						4	0.1																	
ブリンラ	1	2.3																								
シダレモモ	1	2.3																								
ザイフリボリ	1	2.3																								
プラム	1	2.3																								
セイヨウミザクラ	2	4.5																								
ダイコンソウ	1	2.3						4	0.1																	
レッドロビン	1	2.3											4	1												
ネムノキ	9	20.5																						●		
サイカチ	2	4.5																								
エンジュ	23	52.3	●		3	1								●	●	3	1					●	●			
キハギ	1	2.3						●	3	0.1	●															
マルバハギ	0	0.0																								
ヤマハギ	6	13.6																								
ミヤギノハギ	6	13.6																								
メドハギ	6	13.6																●	●	4	1					

種名	出現 地点数 (3次)	出現 頻度 (%)	39 善福寺川1				40 善福寺川2				41 善福寺川3				42 善福寺川4				43 善福寺川5				44 妙正寺川							
			1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度				
ネコハギ	7	15.9																												
ヤハズソウ	3	6.8																												
ヌスビトハギ	6	13.6																												
ヤハズエンドウ	28	63.6	●	●			●	●	4	0.1	●	●	4	1	●	●	4	1		●			●	●	4	0.1				
スズメノエンドウ	8	18.2													●					●				●	●	4	0.1			
ナンテンハギ	2	4.5																												
ノアズキ	1	2.3																												
ヤブツルアズキ	2	4.5																												
ノササゲ	2	4.5																												
クズ	29	65.9										2	0.1	●	●	3	1				2	0.1								
ツルマメ	1	2.3																												
ヤブマメ	30	68.2													●		4	0.1						●	●	4	0.1			
コマツナギ	1	2.3																												
フジ	29	65.9										2	0.1			●		2	1											
トゲナシニセアカシア	2	4.5																												
ダンダ	3	6.8																												
ムラサキツメクサ	5	11.4														●		4	1											
シロツメクサ	22	50.0		●			●		4	1		●		4	0.1	●	●	4	1			4	0.1	●	●	4	1			
ウマゴヤシ	0	0.0																						●	●					
イタチハギ	2	4.5																						●						
ハナズオウ	11	25.0												3	0.1															
ハリエンジュ	9	20.5																												
フジカンゾウ	3	6.8																												
ミヤコグサ	1	2.3																												
ヤブハギ	0	0.0																												
ベニシタン	3	6.8																												
エニシダ	5	11.4																												
ムラサキウマゴヤシ	0	0.0																												
ハナエンジュ	0	0.0																												
コメツバウマゴヤシ	0	0.0																												
エビスグサ	0	0.0																							●					
カワラケツメイ	0	0.0																												
クサネム	0	0.0																												
ハギ属sp.	8	18.2																									4	0.1		
カスマグサ	6	13.6																									4	0.1		
スイートピー	1	2.3																										4	0.1	
ゲンノショウコ	12	27.3													●	●										●				
アメリカワウロ	12	27.3		●														4	0.1		●		4	0.1						
カタバミ	42	95.5	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	2				
アカカタバミ	38	86.4		●	4	0.1	●	●	4	0.1	●	●	4	0.1	●										●	●	4	1		
ウスアカカタバミ	42	95.5		●	4	0.1	●	●	4	0.1	●	●	4	0.1			4	0.1							●	●	4	1		
ハナカタバミ	3	6.8	●																											
ムラサキカタバミ	41	93.2	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1				
ミヤマカタバミ	1	2.3																												
イモカタバミ	1	2.3																												
オオキバナカタバミ	1	2.3				4	0.1																							
サンショウ	18	40.9																								●				
コクサギ	0	0.0																												
ナツミカン	11	25.0																							●		3	0.1		
ユズ	5	11.4																												
カラタチ	1	2.3																												
アサクラザンショウ	1	2.3																												
ウンシユウミカン	2	4.5														●										●				
ツルシキミ	1	2.3																												
ダイダイ	0	0.0																												
カラスザンショウ	1	2.3																												
ミカン属sp.	3	6.8																3	0.1											
イヌザンショウ	1	2.3																												
キンカン	1	2.3																												
ニガキ	1	2.3																												
ニワウルシ	4	9.1																												
ユズリハ	16	36.4																												
コミカンソウ	6	13.6								4	0.1																			
ヒトツバハギ	3	6.8																												
エノキグサ	36	81.8	●	●	4	0.1	●	●	4	0.1	●	●	4	0.1	●	●	4	1				4	0.1	●	●	4	0.1			
アカメガシワ	34	77.3	●	●	4	0.1	●	●	4	0.1	●	●	4	0.1	●	●	4	0.1			●		3	1	●	●	4	0.1		
オオニシキソウ	3	6.8													●	●									●	●				
ニシキソウ	11	25.0		●			●	●			●	●			●	●					●	●		4	0.1		4	0.1		
コニシキソウ	35	79.5	●	●	4	1	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	0.1	●	●	4	0.1	●	●	4	1
ダクトウダイ	1	2.3																												
ナツトウダイ	3	6.8																												
ハイニシキソウ	0	0.0																												
ノウルシ	3	6.8																												
オオバベニガシワ	1	2.3																									3	0.1		
アワゴケ	8	18.2																												
クサツゲ	3	6.8																					4	1						
フッキソウ	8	18.2																												
ツゲ	2	4.5																												
ツタウルシ	0	0.0																												
ハゼ	7	15.9																								●				
ウルシ	1	2.3																												
ヤマウルシ	4	9.1																												
ヌルデ	16	36.4											4	0.1																

種名	出現 地点数 (3次)	出現 頻度 (%)	39 普福寺川1				40 普福寺川2				41 普福寺川3				42 普福寺川4				43 普福寺川5				44 妙正寺川			
			1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度
ナガバノスマイレサイシ	5	11.4																								
シロバナスマイレ	2	4.5					4	0.1																		
スマイレ	21	47.7	●				●	●	4	0.1	●	●	4	0.1	●		4	0.1			4	0.1		4	1	
コスミレ	17	38.6					●	●	4	0.1	●	●	4	1	●		4	0.1			4	0.1	●	●		
シハイスミレ	14	31.8			4	0.1		●	●	4	0.1		●	●	4	0.1										
タチツボスマイレ	30	68.2	●	●	4	0.1	●		4	0.1	●		4	0.1	●									4	1	
ニオイタチツボスマイレ	1	2.3																								
ツボスマイレ	12	27.3	●	●	4	0.1		●	●	4	0.1		●													
ニオイスミレ	28	63.6	●	●	4	0.1	●	●	4	1	●	●						4	0.1	●	●	4	0.1			
ヒゴスマイレ	0	0.0																								
ヒカグスマイレ	8	18.2																								
フモトスマイレ	1	2.3																								
スマイレサイシ	7	15.9		●	4	1																				
シロスマイレ	0	0.0																								
ヒメキクバスマイレ	3	6.8																								
サクラスマイレ	3	6.8																								
タデトパンジー	1	2.3																								
ケマルバスマイレ	1	2.3																								
イイギリ	19	43.2	●				●				●	3	0.1	●		3	0.1									
シュウカイドウ	6	13.6						●				●														
ベゴニア属sp	1	2.3																								
オニシバリ	0	0.0																								
ミツマタ	3	6.8																								
ジンチョウゲ	18	40.9						3	0.1															3	2	
ナワシログミ	7	15.9																						●	3	1
ナツグミ	4	9.1																								
トウグミ	0	0.0																								
ツルグミ	2	4.5																						●		
グミ科sp	2	4.5																								
ミズタマソウ	2	4.5																								
マツヨイグサ	15	34.1	●	●	4	0.1	●		4	0.1	●		4	1	●	●	4	1	●	●				4	0.1	
オオマツヨイグサ	14	31.8		●	4	0.1			4	0.1			4	1				●	●	4	1	●	●	4	0.1	
コマツヨイグサ	3	6.8																	●	●	4	1				
メマツヨイグサ	10	22.7																					●	●	4	1
ユウゲショウ	9	20.5						4	0.1			4	1	●		4	1	●		4	1					
ヒルザキツキミソウ	6	13.6														4	0.1			4	0.1		●			
ツキミソウ	1	2.3																							4	2
カミヤツデ	1	2.3																							3	3
タラノキ	12	27.3	●	●	4	0.1	●		3	0.1	●		4	0.1											4	0.1
ウド	22	50.0		●	4	0.1	●		4	0.1	●		4	0.1												
キツタ	33	75.0		●	4	0.1	●		3	0.1	●		4	1											4	2
ヤツデ	28	63.6											4	0.1							4	0.1	●		3	1
カクレミノ	8	18.2																								
ヤマウコギ	1	2.3																								
ハリギリ	2	4.5																								
セイヨウツタ	2	4.5															4	1			3	1				
コシアブラ	1	2.3															3	0.1								
ノチドメ	5	11.4															●		4	0.1						
チドメグサ	22	50.0		●	4	1																	●	●		
ヤブニンジン	1	2.3																								
ヤブジラミ	6	13.6					●				●		4	0.1												
ミツバ	12	27.3		●																			●	●	4	0.1
ムラサキミツバ	2	4.5																								
セリ	11	25.0		●	4	1							4	2												
セントウソウ	1	2.3																								
ノダケ	4	9.1																								
アシタバ	11	25.0																								
シャク	2	4.5																								
アカミツバ	0	0.0																								
オオチドメグサ	4	9.1		●	4	1	●		4	0.1	●															
オオバチドメ	1	2.3																								
ヒメチドメグサ	1	2.3																								
セリ科sp	1	2.3																								
バセリ	0	0.0																								
オヤブジラミ	1	2.3																								
ウマノミツバ	1	2.3																								
シシウド	1	2.3																								
コチドメ	1	2.3							4	0.1																
アオキ	30	68.2											3	0.1								●	●	3	1	
ミズキ	28	63.6		●	4	0.1							3	0.1	●		3	1							3	0.1
サンシュユ	4	9.1																								
ヤマボウシ	5	11.4																								
ハナイカダ	0	0.0																								
ハナミズキ	16	36.4										2	1	●		3	0.1									
サンシュウ	1	2.3																								
サルズベリ	20	45.5							3	0.1			3	0.1												
ミソハギ	1	2.3																								
ザクロ	4	9.1																								
ボ-ボ-ノキ	2	4.5																								
ヤマモモ	10	22.7																								
センダン	11	25.0																								●
ピナンカズラ	20	45.5																								
クワイ	10	22.7		●	3	0.1	●		3	0.1	●		4	2					●		3	0.1				

種名	出現 地点数 (3次)	出現 頻度 (%)	39 普福寺川1				40 普福寺川2				41 普福寺川3				42 普福寺川4				43 普福寺川5				44 妙正寺川					
			1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度		
ハグロソウ	1	2.3																										
キツネノマゴ	19	43.2																				4	0.1	●	●			
アカンサス	3	6.8																										
ハエドクソウ	10	22.7																										
オオバコ	40	90.9	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●
ヘラオオバコ	0	0.0																										
ハシカグサ	6	13.6																										
クチナシ	24	54.5										3	2													4	1	
ハクチョウゲ	18	40.9										3	12	●	●	3	1									4	2	
ヘクソカズラ	43	97.7	●	●	3	1	●	●	3	1	●	●	3	1	●	●	3	1	●	●	3	1	●	●	3	1	●	●
アカネ	14	31.8							4	1			4	0.1														
ヤエムグラ	37	84.1	●	●			●	●	3	2	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●
ヨツバムグラ	2	4.5																										
ヒメヨツバムグラ	5	11.4																										
コクチナシ	3	6.8											3	1														
ニワトコ	28	63.6	●	●	3	0.1	●	●	3	0.1	●	●	3	0.1														
ソクズ	3	6.8																										
ガマズミ	12	27.3																										
コバノガマズミ	3	6.8																										
サンゴジュ	18	40.9																										
ツクバネウツギ	3	6.8																										
ハコネウツギ	11	25.0																									●	
スイカズラ	24	54.5	●	●	3	0.1	●	●	3	1	●	●	3	1														
ウグイスカグラ	4	9.1																										
オオデマリ	3	6.8																										
ニシキウツギ	8	18.2																										
ヒョウタンボク	0	0.0																										
ハナゾノツクバネウツギ	14	31.8						●	●	4	3	●	●	3	2									●	●	3	1	
ムシカリ	1	2.3																										
タニウツギ	5	11.4																										
ヤブデマリ	1	2.3																										
カンボク	1	2.3																										
オトコエシ	0	0.0																										
ツルカノコソウ	1	2.3																										
オミナエシ	1	2.3																										
キカラスウリ	18	40.9											3	1														
カラスウリ	39	88.6	●	●	3	0.1	●	●	3	1	●	●	3	1	●	●	3	1	●	●	3	1	●	●	3	1	●	●
スズメウリ	1	2.3																										
アマチャヅル	13	29.5																										
アレチウリ	11	25.0											3	1	●	●	3	1	●	●	3	1						
スイカ	1	2.3											3	1														
キュウリ	2	4.5											4	0.1														
ツリガネニンジン	1	2.3																										
ホタルブクロ	8	18.2																										
シデシャジン	0	0.0																										
ソバナ	1	2.3																										
キキョウ	7	15.9												4	0.1													
キキョウソウ	1	2.3																										
ハハコグサ	34	77.3	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	0.1	●	●	4	0.1	●	●
チチコグサ	11	25.0																										
チチコグサモドキ	36	81.8	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●
ヤブタバコ	11	25.0								4	0.1	●	●			●	●	4	0.1									
ガンクビソウ	2	4.5																										
オオブタクサ	14	31.8												●	●									●	●	4	0.1	
ブタクサ	35	79.5	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●
オナモミ	2	4.5																										
オオオナモミ	0	0.0	●	●																								
ヒヨドリバナ	1	2.3																										
アキノキリンソウ	3	6.8																										
セイタカアワダチソウ	31	70.5	●	●	4	1	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●
オオアワダチソウ	17	38.6								4	1	●	●	4	0.1												4	3
ミヤマヨメナ	2	4.5																										
ユウガギク	2	4.5																										
ヨメナ	35	79.5	●	●	4	0.1	●	●	4	0.1	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	1	●	●
カントウヨメナ	2	4.5																										
ハルジオン	43	97.7	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	2	●	●	4	2	●	●
ヒメジオン	38	86.4	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	2	●	●	4	1	●	●	4	1	●	●
アレチノギク	29	65.9	●	●	4	1	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	0.1	●	●	4	0.1	●	●
オオアレチノギク	34	77.3	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	0.1	●	●	4	0.1	●	●
ヒメムカシヨモギ	28	63.6	●	●	4	1	●	●	4	1	●	●	4	0.1	●	●	4	1	●	●	4	0.1	●	●	4	0.1	●	●
ヤマギバヒメジオン	0	0.0	●	●																								
ホウキギク	8	18.2												●	●	4	0.1	●	●	4	0.1	●	●	4	0.1	●	●	
シラヤマギク	7	15.9																										
シオン	1	2.3																									●	
ノコンギク	15	34.1																4	0.1								●	
コンギク	1	2.3																									●	
イナカギク	2	4.5																									●	
フキ	29	65.9	●	●			●	●	4	0.1	●	●			●	●	4	0.1			4	0.1			4	0.1		
ダンドボロギク	10	22.7	●	●																								
ベニバナボロギク	5	11.4													●	●	4	0.1										
ツワブキ	16	36.4																							●	●	4	1
ノボロギク	15	34.1	●	●	4	0.1	●	●			●	●	4	1	●	●	4	1					●					

種名	出現 地点数 (3次)	出現 頻度 (%)	39 普福寺川1				40 普福寺川2				41 普福寺川3				42 普福寺川4				43 普福寺川5				44 妙正寺川			
			1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度				
ヤブレガサ	3	6.8																								
ノコギリソウ	1	2.3																								
トキンソウ	12	27.3	●	●	4	0.1			4	0.1												●	●			
フランスギク	8	18.2			4	0.1																●	●			
クソニンジン	1	2.3																4	0.1			4	0.1	●	●	
ヨモギ	40	90.9	●	●	4	2	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	2
ノブキ	0	0.0																								
メナモミ	0	0.0	●																							
タカサブロウ	14	31.8	●	●	4	0.1			●	4	0.1			●	●	4	1									
アメリカセンダングサ	20	45.5			●	4	0.1	●	●	4	0.1	●	●	4	0.1	●	●			●	4	1	●	●	4	0.1
コセンダングサ	5	11.4																		●	4	1				
シロバナセンダングサ	1	2.3																								
コバナセンダングサ	0	0.0																								
センダングサ	16	36.4			●	4	0.1																			
ノアザミ	8	18.2			4	0.1																				
ノハラアザミ	2	4.5																								
アズマヤマアザミ	1	2.3	●																							
キツネアザミ	4	9.1			●	4	0.1																			
オヤマボクチ	1	2.3																								
コオニタビラコ	14	31.8																								
コウブリナ	0	0.0																								
カントウタンボク	12	27.3																								
シロバナタンボク	5	11.4																								
セイヨウタンボク	38	86.4	●	●	4	2	●	●	4	2	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	2
アカミタンボク	10	22.7	●	●	4	0.1	●	●	4	0.1	●	●	4	1												
オオジシバリ	0	0.0																								
イワニガナ	0	0.0																								
ニガナ	6	13.6																								
アキノノグシ	17	38.6																								
ノグシ	33	75.0	●	●	4	1	●	●						●	●											
オノノグシ	9	20.5																								
オニタビラコ	40	90.9	●	●	4	1	●	●	4	1	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	0.1
ヤクシソウ	2	4.5																								
イヌクイモ	26	59.1	●	●	4	1	●	●						●	●	4	1	●	●	4	0.1	●	●	4	0.1	
コスモス	5	11.4	●																							
ハキダメギク	39	88.6	●		4	0.1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	3
オオハンゴンソウ	0	0.0																								
ウラボシチコグサ	38	86.4			●	4	1	●	●	4	1			●	●	4	1	●	●	4	1	●	●	4	1	
クイモ	1	2.3																								
ジシバリ	18	40.9																								
ヒマワリ	2	4.5																								
オクモミジハダマ	0	0.0																								
ヤグルマギク	1	2.3																								
オオニガナ	1	2.3																								
キク	11	25.0																								
キンケイギク	7	15.9																								
ミヤコワスレ	8	18.2																								
アキノハハコグサ	1	2.3																								
ノニガナ	0	0.0																								
ハルシャギク	5	11.4																								
ヤマアザミ	3	6.8																								
クワモドキ	7	15.9	●		4	0.1	●		4	1	●		4	0.1	●		4	1								
カシワバハダマ	0	0.0																								
アメリカオニアザミ	5	11.4																								
シロノセンダングサ	0	0.0																								
ヤエザキオオハンゴンソウ	0	0.0																								
マリーゴールド	1	2.3																								
セイヨウノコギリソウ	1	2.3																								
ハンゴンソウ	1	2.3																								
アザミ屬sp.	2	4.5																								
スツケシア	1	2.3																								
フジバカマ	2	4.5																								
ブタナ	1	2.3																								
ホソバノアキノノグシ	1	2.3																								
モリアザミ	1	2.3																								
キッコウハグマ	1	2.3																								
イソギク	1	2.3																								
ヤマシロギク	1	2.3																								
ヒゴタイ	1	2.3																								
カイタカラコウ	1	2.3																								
ゴマ	0	0.0																								

種名	出現 地点数 (3次)	出現 頻度 (%)	45 井の頭線1				46 井の頭線2				47 井の頭線3				48 井の頭線4				49 井の頭線5				54 Mou部				55 機械技術研究所跡地	
			1次	2次	3次 層	3次 層	1次	2次	3次 層	3次 層	1次	2次	3次 層	3次 層	1次	2次	3次 層	3次 層	1次	2次	3次 層	3次 層	1次	2次	3次 層	3次 層	1次	2次
			度	度	度	度	度	度	度	度	度	度	度	度	度	度	度	度	度	度	度	度	度	度	度	度		
クラマゴケ	9	20.5																										
コンテリクラマゴケ	2	4.5																										
カタヒバ	0	0.0																										
イワヒバ	6	13.6																										
コシダ	1	2.3																										
スギナ	38	86.4	●	●	4	2	●	●	4	2	●	●	4	1	●	●	4	1	●	●	4	1	●	●		●	●	
トクサ	9	20.5					●																					
イヌトクサ	0	0.0																										
フユノハナワラビ	4	9.1																										
オオハナワラビ	1	2.3																										
ナツノハナワラビ	1	2.3																										
コハナヤスリ	3	6.8																										
ハナヤスリ科sp.	1	2.3																										
ゼンマイ	15	34.1	●	●									●	●	4	0.1		●	4	1								
ヤマドリゼンマイ	1	2.3																										
カニクサ	11	25.0																								●	●	
ワラビ	1	2.3											●															
オオバノイノモトソウ	1	2.3																										
イノモトソウ	26	59.1					●																					
タチシノブ	2	4.5																										
イワガネソウ	2	4.5																										
イヌシダ	3	6.8																							4	0.1		
クジャクシダ	1	2.3																										
クサソテツ	16	36.4					●							4	0.1	●	●	4	1								●	
コウヤワラビ	4	9.1							●	●			●	●	4	1	●	●										
ジュウモンジシダ	0	0.0																										
オニヤブソテツ	1	2.3	●	●																								
ヤブソテツ	30	68.2			4	0.1	●	●	4	0.1				4	0.1			4	1			4	0.1					
クマワラビ	2	4.5																										
ヤマイタチシダ	1	2.3																										
ベニシダ	18	40.9		●			●						●	●													●	
グジグジシダ	0	0.0																										
ヒメワラビ	11	25.0		●																								
ヘビノネゴザ	0	0.0							●																			
イヌワラビ	41	93.2	●	●	4	0.1	●	●	4	0.1	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	1	●	●
シケシダ	3	6.8											●				●											
オオヒメワラビ	0	0.0																										
ヤマイヌワラビ	7	15.9																										
ホソバシケシダ	6	13.6																										
オシダ科sp.	0	0.0																										
ミヤマベニシダ	5	11.4																										
リョウメンシダ	0	0.0																										
イノデ	1	2.3																										
ミヤマイヌワラビ	1	2.3																										
ノキシノブ	8	18.2	●	●																								
マメツタ	1	2.3																										
タマシダ	2	4.5																										
ヒカゲノカズラ	1	2.3																										
トラノオシダ	1	2.3																										
イチョウ	24	54.5																	●							●	●	
カヤ	11	25.0					●																				●	
イチイ	5	11.4																										
キャラボク	12	27.3																										
イヌマキ	13	29.5																										
ナギ	0	0.0																										
ラカンマキ	2	4.5																										
イヌガヤ	3	6.8																										
モミ	4	9.1																									●	
ヒマラヤスギ	15	34.1																									●	●
アカマツ	22	50.0												●								●	●	1	3	●	●	
クロマツ	19	43.2																									●	●
ゴヨウマツ	5	11.4																										
ウツクシマツ	3	6.8																										
ダイオウシヨウ	1	2.3																										
トウヒ	5	11.4																									●	●
リキダマツ	3	6.8																										
カラマツ	1	2.3																									●	
コメツガ	0	0.0																										
ドイツトウヒ	1	2.3																										
ヌマスギ	0	0.0																										
スギ	16	36.4																										
コウヨウザン	2	4.5																										
ラクウショウ	2	4.5																										
コウヤマキ	7	15.9																									●	
アケボノスギ	13	29.5																										
アスナロ	7	15.9																										
ヒノキ	23	52.3													●						●	●	1	3	●	●	●	
チャボヒバ	2	4.5																									●	
サワラ	22	50.0	●	●										●							●	●	1	3	●	●	●	
ヒムロ	4	9.1																									●	
イブキ	3	6.8																									●	
カイヅカイブキ	9	20.5																									●	
タチビヤクシン	0	0.0																										

種名	出現 地点数 (3次)	出現 頻度 (%)	45 井の頭線 1				46 井の頭線 2				47 井の頭線 3				48 井の頭線 4				49 井の頭線 5				54 MoT部				55 機械技術研究所跡地			
			1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次		
オオゴンサワラ	1	2.3																												
コノテガシワ	1	2.3																												
タマイブキ	1	2.3																												
ニオイヒバ	4	9.1																												
ヒヨクヒバ	9	20.5																												
ヒノキ属sp.	0	0.0																												
ハイバクシン	4	9.1																												
ヒノキ科sp.	0	0.0																												
バクシン	3	6.8																									●			
カマクライブキ	1	2.3																												
ハイネズ	1	2.3																												
ネズミサシ	0	0.0																								●	●			
オウゴンヒバ	2	4.5																												
キンヒバ	2	4.5																												
ニッコウヒバ	1	2.3																												
ヒバ	4	9.1																												
オウゴンサワラ	1	2.3																												
ソテツ	5	11.4																												
ヒメガマ	2	4.5																												
ガマ	2	4.5																												
ミクリ	2	4.5																												
タマミクリ	2	4.5																												
ヤナギモ	0	0.0																												
ヘラオモダカ	1	2.3																												
オモダカ	1	2.3																												
クワイ	2	4.5																												
サジオモダカ	1	2.3																												
オオカナダモ	2	4.5																												
ナリヒラダケ	8	18.2																												
モウソウチク	15	34.1																							●	3	2			
マダケ	1	2.3																												
ホテイチク	8	18.2																												
オカメザサ	17	38.6	●	●	3	1																								
メダケ	2	4.5																												
アズマネザサ	42	95.5	●	●	3	1	●	●	3	1	●	●	3	1	●	●	3	1	●	●	3	1	●	●	3	2	●	●		
クマザサ	15	34.1		●			●																							
ヤダケ	6	13.6																												
スズメノテツボウ	21	47.7											●	4	0.1		●													
クロコヌカグサ	0	0.0																												
コヌカグサ	3	6.8																												
ノガリヤス	0	0.0																												
カラスムギ	10	22.7																												
カニツリダサ	0	0.0																												
クサヨシ	1	2.3													●															
カナリークサヨシ	1	2.3						●																						
シバムギ	1	2.3																												
カモジグサ	31	70.5		●			●		●	●	4	0.1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	●	●		
イヌムギ	31	70.5	●	●	4	1	●	●	4	1	●	●	4	0.1	●	●	4	0.1	●	●	4	1	●	●	4	1	●	●		
カモガヤ	9	20.5		4	1						●	4	0.1		●	4	1													
トボシガラ	7	15.9																												
スズメノカタビラ	37	84.1		●	4	0.1		●	4	1	●	●	4	1		4	1													
オオイチゴツナギ	1	2.3																												
イチゴツナギ	14	31.8	●	●	4	1	●	●			●														●		●			
ナガハダサ	7	15.9								●	4	0.1		●	4	0.1														
マコモ	2	4.5																												
ササクサ	1	2.3																												
ヨシ	4	9.1												●																
コバンソウ	11	25.0									4	0.1						●	4	0.1										
カゼクサ	19	43.2									●				●															
ニワホコリ	14	31.8		●							●				●	4	1													
シナダレスズメガヤ	1	2.3																												
オヒシバ	37	84.1	●		4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●		
ギョウギシバ	0	0.0																												
ネズミガヤ	1	2.3																												
シバ	19	43.2			4	1					●	4	0.1														●			
オニシバ	0	0.0																												
トダシバ	3	6.8																												
チカラシバ	14	31.8		●	4	0.1		●						●													●			
エノコログサ	37	84.1	●	●	4	1	●	●	4	2	●	●	4	1	●	●	4	2	●	●	4	2	●	●	4	2	●	●		
ムラサキエノコログサ	7	15.9																												
アキノエノコログサ	38	86.4	●	●	4	2	●	●	4	1	●	●	4	1	●	●	4	2			●	●	4	3	●	●	4	1	●	
キンエノコロ	3	6.8																												
ヌカキビ	16	36.4		●	4	0.1				●	●																4	0.1		
オオクサキビ	3	6.8																												
コメヒシバ	38	86.4	●		4	1	●	●	4	1	●	●	4	1	●		4	1			●	●	4	0.1			●	●		
メヒシバ	41	93.2	●	●	4	1	●	●	4	1	●	●	4	2	●	●	4	2			●	●	4	2	●	●	4	2	●	●
アキメヒシバ	13	29.5									●	4	1		●	4	1	●	●	4	1									
シマズメノヒエ	8	18.2																										●	●	
スズメノヒエ	8	18.2																												
ナルコビエ	1	2.3																												
チヂミザサ	36	81.8		●	4	1	●	●	4	1		●	4	1		●	4	0.1	●	●	4	1		●	●	4	2		●	
イヌビエ	28	63.6	●	●	4	1	●			●	●			●	●	4	1							●	●		●	●		
チゴザサ	4	9.1																							●	●		●		

種名	出現 地点数 (3次)	出現 頻度 (%)	45 井の頭線1				46 井の頭線2				47 井の頭線3				48 井の頭線4				49 井の頭線5				54 Mou部				55 機械技術研究所跡地	
			1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次
アブラスキ	0	0.0																										
チガヤ	26	59.1																										
オギ	16	36.4		●	4	1																						
スキ	36	81.8	●	●	4	2	●	●	4	1	●	●	4	1	●	●	4	2	●	●	4	3						
ヒメアシボソ	0	0.0																										
アシボソ	21	47.7	●	●	4	1																						
セイバンモロコシ	11	25.0																										
イネ科sp-4	1	2.3																										
コブナグサ	8	18.2																										
オガルカヤ	1	2.3																										
ウシノシッペイ	1	2.3																										
ジュズダマ	18	40.9	●	●	4	1	●	●	4	1	●	●	4	0.1	●	●	4	0.1	●									
ネズミムギ	7	15.9		●																								
ホソムギ	6	13.6																										
コウライシバ	19	43.2		●	4	1																						
クロチク	5	11.4																										
ケイヌヒエ	0	0.0																										
ミチシバ	0	0.0																										
イヌアワ	0	0.0																										
イネ科sp-1	0	0.0																										
カンザンチク	1	2.3																										
ハチク	2	4.5																										
ウシノケグサ	0	0.0																										
メガルガヤ	2	4.5																										
ネズミノオ	2	4.5																										
ミヤコザサ	3	6.8																										
オヒゲシバ	0	0.0																										
イネ科sp-3	0	0.0																										
スズメノチャヒキ	1	2.3																										
イネ科sp-2	0	0.0																										
アワ	1	2.3																										
キビ	1	2.3																										
アワガエリ	0	0.0																										
コメスキ	0	0.0																										
ハルガヤ	0	0.0																										
カンチク	2	4.5																										
オオムギ	2	4.5																										
タイミンチク	1	2.3																										
ヌカボ	1	2.3																										
オカルガヤ	2	4.5																										
ヤマヌカボ	1	2.3																										
シラガヤ	1	2.3																										
ササ属sp.	1	2.3																										
ヒメカナリークサヨシ	2	4.5																										
ツルヨシ	1	2.3																										
モロコシ	1	2.3																										
ヒメクダ	6	13.6																										
ハマスダ	21	47.7																										
コメガヤツリ	8	18.2																										
カヤツリグサ	33	75.0	●	●	4	0.1	●	●	4	0.1	●	●	4	0.1	●	●	4	1	●	●	4	0.1	●					
チャガヤツリ	0	0.0																										
タマガヤツリ	2	4.5																										
アオガヤツリ	0	0.0																										
シロガヤツリ	1	2.3																										
ヒラボガヤツリ	0	0.0																										
フトイ	1	2.3																										
ミコシガヤ	0	0.0																										
マスクサ	17	38.6		●																								
ヤブスダ	9	20.5		●																								
カワラスダ	0	0.0																										
アゼスダ	4	9.1																										
テキリスダ	3	6.8																										
コカンスダ	0	0.0	●	●																								
アオスダ	2	4.5																										
ヒメカンスダ	2	4.5																										
カンスダ	2	4.5																										
タガネソウ	2	4.5																										
ヒゴクサ	9	20.5																										
ナキリスダ	2	4.5	●																									
アゼカヤツリ	3	6.8		●	4	0.1																						
カサスダ	0	0.0																										
クグテンツキ	0	0.0																										
ナルコスダ	10	22.7																										
クグガヤツリ	1	2.3																										
イガガヤツリ	0	0.0																										
スダ属sp.	0	0.0																										
ヒナガヤツリ	0	0.0																										
ヌマガヤツリ	0	0.0																										
ヒカダスダ	12	27.3																										
モエギスダ	1	2.3																										
シュロ	26	59.1	●	●	3	1																						
トウジュロ	2	4.5																										
シュロチク	2	4.5																										

種名	出現 地点数 (3次)	出現 頻度 (%)	45 井の頭線1				46 井の頭線2				47 井の頭線3				48 井の頭線4				49 井の頭線5				54 Mot部				55 機械技術研究所跡地	
			1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次	3次 層	3次 被度	1次	2次
カラスビシャク	21	47.7	●	●	4	1	●	●		●		4	0.1	●		4	0.1											
ウラシマソウ	3	6.8																										
ショウブ	4	9.1																										
セキショウ	10	22.7																										
アリスガウセキショウ	4	9.1																										
アオмамシグサ	0	0.0																										
オランダカイウ	0	0.0																										
げぜんソウ	2	4.5																										
ヒメカイウ	1	2.3																										
мамシグサ	1	2.3																										
ヤブミョウガ	19	43.2											4	0.1										●		4	1	
ツユクサ	42	95.5	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●	4	1	●	●
ノハカタカラクサ	25	56.8						4	0.1	●		4	0.1	●		4	0.1	●		4	0.1	●		4	0.1	●		
ムラサキツユクサ	25	56.8						●		●		4	0.1	●		4	0.1	●		4	1	●		4	0.1	●		
オオボウシバナ	2	4.5																										
ムラサキオモト	2	4.5																										
コナギ	0	0.0																										
ホテイアオイ	3	6.8																										
スズメノヤリ	10	22.7					●	●	4	0.1				●					●		4	0.1					●	
クサイ	12	27.3	●																				●	●			●	
イ	5	11.4												●													●	
ホソイ	0	0.0																									●	
ホトトギス	17	38.6																				●		●	●	4	0.1	
ヤマシノホトトギス	2	4.5																										
ヤマホトトギス	4	9.1																									4	0.1
スジギボウシ	1	2.3																										
オオバギボウシ	3	6.8																										
ノカンゾウ	21	47.7	●	●	4	1	●		4	0.1	●	●		●		4	0.1	●	●	4	0.1	●	●	4	0.1			
ヤブカンゾウ	19	43.2		●					4	0.1			4	0.1	●		4	0.1	●	●	4	0.1	●				●	
ニラ	22	50.0						●		4	0.1								●		4	0.1					●	
ノビル	31	70.5	●	●			●	●			●	●	4	0.1	●	●			●	●	4	0.1			4	1	●	●
ウバユリ	3	6.8																										
カノコユリ	2	4.5																										
オニユリ	3	6.8	●																									
ヤマユリ	11	25.0																										
カタクリ	2	4.5																										
アマナ	7	15.9						●																				
ツルギ	19	43.2					●	●	4	1	●		4	1	●		4	1	●	●	4	0.1			4	1		
オランダキジカクシ	0	0.0																										
タチテンモンドウ	0	0.0																										
アマドコロ	7	15.9																									●	
ナルコユリ	5	11.4																									4	0.1
ワニグチソウ	2	4.5																							●		4	0.1
ホウチャクソウ	12	27.3																										
チゴユリ	2	4.5																										
オオチゴユリ	0	0.0																										
キチジョウソウ	13	29.5																							●		4	1
スズラン	10	22.7						●																				●
ハララン	13	29.5						●																				●
オモト	12	27.3																										●
エンレイソウ	1	2.3																										●
ヒメヤブラン	2	4.5																										●
コヤブラン	1	2.3																										●
ヤブラン	28	63.6					●	●	4	0.1							4	0.1			●	●	4	0.1	●	●	●	●
ジャノヒゲ	40	90.9	●	●	4	1	●	●	4	1	●	●	4	1	●	●			●	●	4	1	●	●	4	3	●	●
シオデ	8	18.2																										●
サルトリイバラ	6	13.6									●	3	0.1	●	●												●	●
ヤマカシユウ	1	2.3																										●
ハナニラ	16	36.4					●	●		●																		●
キミガヨラン	9	20.5						●																				●
ショウジョウバカマ	2	4.5																										
ギボウシ属sp.	12	27.3																										
タチギボウシ	1	2.3																										
ツクバネソウ	1	2.3																										
ジャーマンアイリス	7	15.9						●																				
テッポウユリ	2	4.5																										
マイヅルソウ	0	0.0																										
ヒヤシンス	1	2.3																										
コオニユリ	4	9.1																										
ジョウロウホトトギス	1	2.3																										
スカシユリ	2	4.5																										
ナギイカダ	1	2.3																										
バイモ	2	4.5																										
キジカクシ	1	2.3																										●
ドイツスズラン	3	6.8							4	0.1																		●
オオバジャノヒゲ	1	2.3																										●
ノシラン	0	0.0																										
オオアマナ	0	0.0																										●
イトラン	2	4.5			3	0.1																						
アスバラガス	1	2.3																										
オリヅルラン	3	6.8																										
コバギボウシ	2	4.5																										
チューリップ	4	9.1																										

種名	出現 地点数 (3次)	出現 頻度 (%)	45 井の頭線1				46 井の頭線2				47 井の頭線3				48 井の頭線4				49 井の頭線5				54 Mot部				55 機械技術研究所跡地	
			1次		3次		1次		3次		1次		3次		1次		3次		1次		3次		1次		2次		1次	2次
			2次	被度	2次	被度	2次	被度	2次	被度	2次	被度	2次	被度	2次	被度	2次	被度	2次	被度	2次	被度	2次	被度	2次	被度	被度	被度
ロウバイ	10	22.7																										
クスノキ	28	63.6																										
ヤブニッケイ	9	20.5																●	●							4	0.1	
タブノキ	4	9.1																										
クロモジ	2	4.5																										
アブラチャン	3	6.8																										
シロタモ	20	45.5																								●	3	0.1
グツケイジュ	15	34.1																										●
ニッケイ	2	4.5																										
イヌガシ	4	9.1																										
ナガミヒナダシ	24	54.5						●	4	1			●	4	1		●	●	4	1		●	4	1				●
クサノオウ	11	25.0						●					●	●	4	0.1		●	●	4	0.1							
タケニグサ	36	81.8	●	●	4	0.1	●	●	4	0.1	●	●	4	0.1	●	●	4	0.1	●	●	4	0.1	●	●	4	0.1	●	●
ムラサキケマン	17	38.6		●									●	●	4	1						●	●	4	1	●	●	●
ヤマブキノソウ	1	2.3																								●	4	1
ミヤマキケマン	1	2.3																										
キケマン	0	0.0																										
ヤマエンゴサク	1	2.3																										
シラユキダシ	1	2.3																										
ヒナダシ	1	2.3																										
セイヨウフウチョウソウ	0	0.0																										
フウチョウソウ	1	2.3											●															
クレオメ	3	6.8														4	0.1											
マメグンバイナズナ	7	15.9																	●					●	●			●
タネツケバナ	18	40.9					●	●																		●	●	●
イヌカネガラシ	0	0.0																										
ミチバタガラシ	2	4.5																										
イヌガラシ	35	79.5	●				●	●			●	●	4	0.1	●	●			●			●	●	4	0.1	●	●	●
ナズナ	33	75.0	●				●	●	4	1	●	●	4	0.1	●	●	4	1	●	●	4	0.1	●	●	4	0.1	●	●
イヌナズナ	1	2.3																										●
アブラナ	3	6.8	●																									
ショカツサイ	30	68.2	●				●	●	4	0.1	●	●	4	0.1	●	●	4	1	●									●
カネネガラシ	0	0.0																										
セイヨウアブラナ	1	2.3																										
ハタザオ	1	2.3																										
セイヨウカラシナ	0	0.0																										
ヒメグンバイナズナ	0	0.0																										
グンバイナズナ	2	4.5																										
ノハラガラシ	0	0.0																										
ジャニンジン	1	2.3																										
ゴウダソウ	1	2.3																										
ニワナズナ	1	2.3																										
オランダガラシ	1	2.3																										
コマツナ	2	4.5																										
オノマンネングサ	4	9.1					●	●	4	1																		
ツルマンネングサ	8	18.2											●	4	0.1			●	4	0.1								●
タイトゴメ	1	2.3																										
メノマンネングサ	9	20.5					●	●	4	1	●	●	4	0.1	●	●	4	1										
コモチマンネングサ	5	11.4																										●
タコノアシ	1	2.3																										
メキシコマンネングサ	18	40.9				4	0.1	●																				
ベンケイソウ科sp.	0	0.0	●																									
キリンソウ	4	9.1																										
ベンケイソウ	1	2.3																										
チダケサシ	2	4.5																										
ユキノシタ	22	50.0					●	●						●														●
アジサイ	34	77.3										●	3	1			3	0.1		●	3	0.1	●	●	4	0.1	●	●
ガクアジサイ	4	9.1																										
ウツギ	13	29.5	●	●															●	●	3	0.1						●
タマアジサイ	1	2.3																										
マルバウツギ	1	2.3																										
バイカウツギ	0	0.0																										
ヒマラヤユキノシタ	2	4.5																										
ヒメウツギ	0	0.0																										
アマチャ	0	0.0																										
ノリウツギ	0	0.0																										
ギンバイソウ	2	4.5																										
フサスグリ	3	6.8																										
コマガタケスグリ	2	4.5																										
ヤマアジサイ	1	2.3																										
キレンゲショウマ	1	2.3																										
ハルユキノシタ	1	2.3																										
トベラ	6	13.6																										
スズカケノキ	5	11.4																										●
モミジバズカケノキ	0	0.0																										●
アメリカスズカケノキ	0	0.0																										
マンサク	7	15.9																										
ヒュウガミズキ	12	27.3																										
トサミズキ	9	20.5																							●	●		
シナマンサク	1	2.3																										
コゴメウツギ	7	15.9																										
ユキヤナギ	26	59.1																								●	4	0.1
コデマリ	15	34.1																								●		